ONLINE TENDER FOR PROCUREMENT OF HIV (Rapid) Antigen Test Kit FOR NACO FOR THE YEAR 2023-24

Tender No: CMSS/PROC/ 2022-23/NACO/020 (National Competitive Bidding) (FOR CLASS-1 LOCAL SUPPLIERS ONLY)

CENTRAL MEDICAL SERVICES SOCIETY

Ministry of Health & Family Welfare (Government of India) 2nd floor, Vishwa Yuvak Kendra, Pt. Uma Shankar Dikshit Marg, Teen Murti Road, Opposite Police Station Chankaya Puri, New Delhi-110021 Telephones: 011-21410905, 21410906

Email: - gmproc.cmss@gmail.com, agmlava.cmss@gmail.com

This page is intentionally left blank

CENTRAL MEDICAL SERVICES SOCIETY

Ministry of Health & Family Welfare (Government of India) 2nd floor, Vishwa Yuvak Kendra, Pt. Uma Shankar Dikshit Marg, Teen Murti Road, Opposite Police Station Chankaya Puri, New Delhi-110021 Telephones: 011-21410905, 21410906

Fax: 011-23730120

Telephones: 011-21410906 Email: <u>gmproc.cmss@gmail.com</u> <u>agmlava.cmss@gmail.com</u>

ONLINE BIDS ARE INVITED IN TWO PACKET BID SYSTEM FOR ENTERING INTO RATE AGREEMENT FOR ONE YEAR (2023-24) REQUIREMENT FOR PROCUREMENT OF HIV (Rapid) Antigen Test Kit FOR NACO

Manual bids shall not be accepted.

BID DOCUMENTS MAY BE DOWNLOADED FROM GEM WEBSITE: **gem.gov.in** AS PER THE SCHEDULE AS GIVEN IN CRITICAL DATE SHEET AS UNDER:

| Published Date | 14.10.2022 | |
|---|---|--|
| Pre bid meeting | 20.10.2022 (11:00 AM) | |
| Last date & time to submit pre-bid queries | 20.10.2022 (05:00 PM) | |
| Bid Document Download End Date & time | 07.11.2022 (03:00 PM) | |
| Bid Submission End Date and Time | 07.11.2022at(time to be followed from GeM) | |
| Last date of submission of original documents | 07.11.2022at(time tobe followedfrom GeM-bid submission end date) | |
| Bid Opening Date and Time | 07.11.2022 at(time to be followed from GeM) | |

CRITICAL DATE SHEET

Link for Pre-bidMeeting:-

Topic: Pre-bid meeting for Procurement of HIV (Rapid) Antigen Test Kit FOR NACO

Date & Time: 20.10.2022 at 11:00 AM India

Join Zoom Meeting

https://us02web.zoom.us/j/89678773944?pwd=QnVZVG1FSXNmb0tHN1MvMEIxcm0rQT09

Meeting ID: 896 7877 3944

Passcode: 913492

Note: Prospective bidders are requested to get their product registered on GEM to participate for the above mentioned bids

For registration, please contact GeM authorities directly at the following e-mail ids:

- 1. Ms. Manju Sharma, Deputy CEO (email: <u>Manju.sharma64@gem.gov.in.phon</u>e: 9810281603)
- 2. Shri Rajesh Jain, Deputy CEO (email: rajesh.jain072@gem.gov.in, phone: 9810632525)
- 3. Shri Deepak Kapoor, Joint Secretary & Addl. CEO (for escalation) (email: <u>is-aceodk@gem.gov.in, p</u>hone 9971863571)

As per directives of GOI, the custom bid is published on GEM platform. In case of any contradiction in terms and conditions of GEM bid, the clauses of the tender document (uploaded in Technical Specifications- Buyer Specification Documents) shall prevail.

Not more than one bid shall be submitted by one contractor or contractors having business relationship.

CONTENTS

SI. No. Descriptions

- 1. Custom Bid on GeM
- 2. Bid Validity
- 3. Pre-Bid Meeting /Clarification
- 4. Eligibility Criteria
- 5. General Conditions
- 6. Technical Bid Packet 1
- 7. Price Bid Packet 2
- 8. Opening of "Packet1" i.e. Technical Bid and Packet 2" i.e. financial Bid of Tender
- 9. Earnest Money Deposit
- 10. Other Conditions
- 11. Acceptance of Tender
- 12. Security Deposit and Agreement
- 13. Methodology for Placing Order
- 14. Supply/Delivery Conditions
- 15. Packing
- 16. Quality Control
- 17. Payment Provisions
- 18. Liquidated Damages and other Penalties
- 19. Warranty
- 20. Deduction and other Penalties on account of Delays /Default/ Termination / Part Cancellation /short closure
- 21. Saving Clause
- 22. Prohibition of Influencing CMSS by the Bidder
- 23. Resolution of Disputes
- 24. Jurisdiction

This page is intentionally left blank

LIST OF ANNEXURES

S. No.

Description

- 1. Annex-I (Schedule of Requirement & Technical Specifications)
- 2. Annex-II (Format of Tender Forwarding Letter)
- 3. Annex-III (Details of EMD Submitted)
- 4. Annex-IV (Proforma for Performance Statement)
- 5. Annex-V (Annual Turnover Statement)
- 6. Annex-VI (List of items Quoted & Their Production Capacity)
- 7. Annex-VII (Check List)
- 8. Annex-VIII (Notarized Undertaking by MSEs for EMD Exemption)
- 9. Annex-IX (Acceptance Letter Format)
- 10. Annex-X (Terms of Agreement)
- 11. Annex-XI (Purchase Order Format)
- 12. Annex-XII (Mandate Form for RTGS)
- 13. Annex-XIII (Bank Guarantee Format for EMD)
- 14. Annex- XIV (Security Bank Guarantee Format)
- 15. Annex- XV (No Deviation Certificate)
- 16. Annex XVI (Near Relative Format)
- 17. Annex- XVII (Manufacturer Authorization Form)
- 18. Annex- XVIII (Format for local content declaration)
- 19. Annex- XIX (Undertaking for Compliance to Ministry of Finance, DOE order No-6/18/2019-PPD dated 23.07.2020)
- 20. Annex- XX (Consignee Receipt Certificate)

This page is intentionally left blank

Online Tender of Procurement for HIV (Rapid) Antigen Test Kit FOR NACO For the Year 2023-2024.

The CMSS, an autonomous Society of Ministry of Health & Family Welfare (Govt. of India), is responsible for procuring quality drugs, vaccines, contraceptives, medical devices, diagnostic kits and other health sector goods.

Tender Inviting Authority: DG&CEO, Central Medical Services Society, Ministry of Health & Family Welfare (Government of India)2nd floor, Vishwa Yuvak Kendra, Pt. Uma Shankar Dikshit Marg, Teen Murti Road, Opposite Police Station Chankaya Puri, New Delhi-110021 (hereinafter referred as Tender Inviting Authority unless the context otherwise requires)

Tender Accepting Authority: Governing Body, Central Medical Services Society (hereinafter referred as **CMSS**, unless the context otherwise requires)

1. As per directives of GOI, the custom bid is being published on GEM platform. In case of any contradiction in terms and conditions of GEM, the clauses of this tender document shall supersede all other terms & conditions.

2. BID VALIDITY:

- i) The bid shall be valid for a period of 150 days from the date of opening of Packet 1 (Technical Bid).
- ii) In exceptional circumstances, the purchaser may request the consent of the bidder for an extension to the period of bid validity. The request and the responses thereto shall be made in writing. The bid security provided under clause 9 shall also be suitably extended. A bidder may refuse the request without forfeiting his bid security. A bidder accepting the request and granting extension will not be permitted to modify his bid.

3. PRE BID MEETING/CLARIFICATIONS:

 A prospective bidder, requiring any clarification of the bid documents may notify the purchaser in writing or email at the purchaser's mailing address indicated in the Invitation of bid. The purchaser shall respond in writing to any request for clarification of bid documents, which it receives not later than date mentioned in critical date sheet and prior to the pre-bid meeting. Queries received after the pre-bid date mentioned in the critical date sheet will not be entertained.

- 2. The Tenderers or their Official Representatives are invited to attend a pre-bid meeting which will take place as specified in critical date sheet/GeM Portal.
- 3. Any clarification issued by CMSS in response to query raised by prospective bidders shall form an integral part of bid documents and it may amount to an amendment of the relevant clauses of the bid documents.

4. ELIGIBILITY CRITERIA

- a) Only Class- 1 local supplier shall be eligible for participation. Bids from supplier (MSE/Non MSE) as defined in Department of Pharmaceuticals under Ministry of Chemicals and Fertilizers order no F.No 31026/36/2016-MD dated 16.02.2021 shall be accepted. Bids from firms/vendors other than Class- 1 local supplier (MSE/Non MSE) shall be summarily rejected.
- b) The invitation to bid is open to domestic manufacturers (Indian Manufacturers) only.
- c) Tenderer shall be a domestic primary manufacturer of the quoted item having valid own manufacturing license that should be valid on the date of tender opening packet 1. In case of failure to submit the same, the bid shall not be considered any further.
- d) Tenderer shall have a valid ISO 13485 certificate issued by an independent recognized certification body for the factory where the specific goods are manufactured and are being offered for supply. Certificate should be valid at the time of opening of the technical bid.
- e) For all regulated products, the bidder should have at least two years i.e. 2019-20 and 2020-21 OR 2020-21 and 2021-22 of manufacturing and marketing experience of the particular items as a manufacturer for each regulated product quoted in the tender. However, this would not apply to regulated products which have been licensed by DCG (I) in less than Two years ago. A permission from DCG (I) shall be required for all new regulated products to this effect.
- f) (i) Average Annual turnover for Tenderers in the last three years i.e. 2018-19, 2019-20 and 2020-2021 OR 2019-20, 2020-21 and 2021-22 shall not be less than the following:

| Schedule | Amount | |
|----------|------------------|--|
| 1 | Rs. 12,21,60,137 | |
| 11 | Rs. 9,12,524 | |
| | Rs. 38,89,400 | |

(ii) The turnover benchmark given in (e) above will not apply to Micro and Small Enterprises (MSE).

Note: MSE Traders will not get the benefits of MSE Firm

Ministry of Finance, g) Department of Expenditure, GOI vide OM No:F.1/20/2018/PPD dtd. 2.11.21 has issued guidelines on debarment of firms from bidding. The bidders blacklisted by any firm/company/ CMSS /State Govt. /Central Govt/its drug procuring agencies prior to issuance of DOE OMNo:F.1/20/2018/PPD dtd. 2.11.21 are eligible to bid if :- The blacklisting order has been revised post facto with clearly mentioning of category (i) of OM No: F.1/20/2018/PPD dtd. 2.11.21 and that the debarment is limited to the issuing ministry/department/ organization only. Such vendors should clearly mention the status of blacklisting in the undertaking to be submitted in compliance with clause 6.1 (t) of tender documents and also attach revised blacklisting order.

For blacklisting orders issued after 02.11.2021, the following shall be applicable: -

- If the blacklisting order is issued by DoE, the bid of blacklisted bidder shall be out rightly rejected.
- If the blacklisting order is issued by CPSUs, attached offices/autonomous bodies etc of MoHFW and MoHFW by written approval has delegated powers under Sr. no. (8) of OM dated 02.11.2021 to such organisations/bodies that the blacklisting is applicable only for the Procurement made by such organisation/bodies, the bid of such blacklisted bidders shall be accepted for further evaluation.
- In absence of such delegation extended by MoHFW, the bid of the blacklisted bidder shall be rejected.
- h) Tenderer should quote at least for 50% of the tender quantity of each items quoted and the Tenderer shall have an annual production capacity not less than one and half times the quantity quoted for each schedule.
- i) Tenderer should have supplied 40% of the quoted quantity of same or similar diagnostic tests (*Similar means any HIV kit*) for NACO during the last two financial years. Bidder should submit Purchase order copies and certificate duly issued by statutory auditor of the company on his letter head by certifying the quantities manufactured and marketed in trade, *export*, open market, sold to government institutions, private bodies etc. and the marketed quantities are not less than at least 40% of the quoted/ similar diagnostic tests for NACO.

5. GENERAL CONDITIONS

(i) FORGERY/FRAUD BY BIDDERS/SUPPLIER:

a)Genuineness of the papers/documents/certificates/ declaration submitted with bid is the responsibility of the bidder. Also the bidder should take utmost care submittina undertakings/self in declaration/certificates along with its bid. If at any stage it is found that documents/certificates/declaration/undertaking/ the papers/ self certification submitted by the bidder are false/incorrect/suppressed/ misrepresented the actual fact or are not in order, are forged, manipulated, fabricated or altered, the bid or purchase order issued to the bidder is liable to be cancelled and further necessary action including forfeiture of its EMD/Security Deposit, debarring/blacklisting against the bidder will be taken. Purchaser may also initiate police/legal action and request concerned statutory authority for cancellation of license issued to supplier for tendered items.

- (b) If any fraud, short supply of goods is detected on part of the bidder at any stage, the bid or work order/Purchase order issued to the bidder is liable to be cancelled and further necessary action against the bidder including debarring/blacklisting will be taken.
- (c) In any of above two cases, the CMSS is at liberty to make alternative purchase of the tendered items from other approved suppliers or in the open market or from any other Tenderer who might have quoted higher rates, at the risk and the cost of the supplier.

(vii) PATENT RIGHTS:

The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark or industrial design rights arising from use of the goods or any part thereof.

In event of any such claim in respect of alleged breach of patent, registered designs, trademarks etc. being made against TIA, the TIA shall notify the supplier of the same and the supplier shall at its own expenses take care of the same for settlement without any liability to the TIA.

(viii) TERMINATION FOR DEFAULT:

- 1. The purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default, sent to the supplier, terminate this contract in whole or in part.
 - (a) If the supplier fails to deliver any or all of the goods within the time period(s) specified in the contract, or any extension thereof granted by the purchaser.
 - (b) If the supplier fails to perform any other obligation(s) under the contract, and
 - (c) If the supplier, in either of the above circumstances, does not remedy his failure within a period of 15 days (or such longer period as the purchaser may authorize in writing) after receipt of the default notice from the purchaser.

2. In the event the purchaser terminates the contract in whole or in part, pursuant to above the purchaser may procure; upon such terms and in such manner, as it deems appropriate, tendered goods undelivered and the supplier shall be liable to the purchaser for any excess cost for such similar goods. However, the supplier shall continue performance of the contract to the extent not terminated.

(ix) **TERMINATION FOR INSOLVENCY:**

The purchaser may, at any time, terminate the contract by giving written notice to the supplier, without compensation to the supplier, if the supplier becomes bankrupt or otherwise insolvent, as declared by the competent court provided that such, termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

(x) SET OFF:

Any sum of money due and payable to the supplier (including security deposit refundable to him) under this contract may be appropriated by the purchaser and set off the same against any claim of the purchaser for payment of a sum of money arising out of this contract or under any other contract made by the supplier with the Purchaser.

(xi) Purchaser reserves the right to debar/ blacklist a bidder for a suitable period in case he fails to honour his bid/contract without sufficient grounds.

(xii) **BID SUBMISSION**:

- (a) Bidders are hereby cautioned that any attempt of cartel formation will be viewed seriously and may at the discretion of purchaser, lead to cancellation of tender. Purchaser in its discretion may decide to forfeit EMD of such bidders and black list or debar these bidders for suitable period besides taking other punitive measures. Decision of purchaser in this regard shall be final and binding.
- (b) (i) Different firms or companies having any common partner(s) or Director(s) are not permitted to quote for more than one tender offer. In case more than one offer is received from such bidders, then all such offers except with the lowest quote shall be rejected summarily.
 - (ii) In case more than one offer for any tendered item is received from the same bidder, then all such offers except with the lowest quote shall be rejected summarily.

(xiii) NEAR RELATIVE CERTIFICATE:

The bidder should give a certificate that none of his/her near relative as defined below is working in CMSS where he is going to apply for the

tender. In case of Proprietorship firm certificate will be given by the proprietor. For partnership firm certificate will be given by all the partners and in case of limited company by all the Directors of the company excluding Govt. of India/Financial Institutions nominees and independent non-official part time directors appointed by Govt. of India or the Governor of the state. Authorised signatory of bid may also sign this bid on behalf of the entire directors/ partners/ proprietor. Due to any breach of conditions by the company or firm or any other person the tender will be cancelled and bid security will be forfeited at any stage whenever it is noticed and CMSS will not pay any damage to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation for quoted item in the concerned unit.

The near relatives for this purpose are defined as:

- (a) Members of a Hindu undivided family.
- (b) They are husband and wife.
- (c) The one is related to the other in the manner as father, mother, son(s) & son's wife (Daughter in law), daughter(s) and daughter's husband (son in law), brothers(s) and brother's wife, sister(s) and sister's husband (brother in law).

An undertaking as specified in Annexure-XVI to be submitted.

6. TECHNICAL BID – "PACKET 1"

- (a) Those indenting to participate in the tender (herein called Tenderer) should first ensure that they fulfil all the eligibility criteria and All documents should be valid on the date of tender opening packet 1:
- 6.1 The Tenderer should electronically submit the soft copies of following documents in Technical Bid "Packet 1". (All the documents submitted should bear signature and stamp of the Tenderer)."
- 6.2 RTGS/NEFT e-receipt or Bank Guarantee (if applicable) in respect of EMD as per Clause 9 of this Tender document or in case of MSE, a copy of their valid registration certificate in support of their being an MSE and a notarised undertaking given in **Annexure-VIII**.
- (b) Tender Forwarding letter as per Annexure-II.

(c) The tenderer shall be an actual Domestic Manufacturer (Indian Manufacturer).

Only Class- 1 local supplier shall be eligible for participation. Bids from supplier (MSE/Non MSE) as defined in Department of Pharmaceuticals under Ministry of Chemicals and Fertilizers order no F.No 31026/36/2016-MD dated 16.02.2021 shall be

accepted. Bids from firms/vendors other than Class- 1 local supplier (MSE/Non MSE) shall be summarily rejected.

- (d) Duly notarized general power of Attorney (on non-judicial stamp paper of worth Rs. 50/-) in favour of authorized signatory in case of partnership firm (to be signed by all partners) / proprietorship firm or board resolution in case of a company to sign the bid and bind the bidder. The signature of authorized signatory should be duly attested. In case of proprietorship on its letter head of firm declares himself as proprietor with specimen signature.
- (e) Tenderer should have supplied 40% of quoted or similar (Similar means any HIV kit of NACO) diagnostic test kits for NACO during the last 2 financial years (Copies of P.O's to be submitted along with CA certificate).
- (f) Market Standing certificate issued by the Licensing Authority as a Manufacturer for each item quoted for at least last 2 years i.e. 2019-20 and 2020-21 OR 2020-21 and 2021-22. However, this would not apply to regulated products which have been licensed by DCG (I) less than two years ago. In case of Authorised Dealers (Non-Manufacturers), Market Standing certificate of the principal is to be submitted.
- (g) Non-Conviction Certificate issued by the FDA/ Drugs Controller of the State certifying that the firm/company (as well as the manufacturer firm in case of non-manufacturer bidders) has not been convicted and the products quoted have not been cancelled during last two years i.e. 2019-20 and 2020-21 OR 2020-21 and 2021-22.
- h) Capacity certificate issued by the licensing authority/ Chartered Accountant.
- i) Performance Statement to establish 2 years market standing as per format given in **Annexure-IV**.
- (j) Annual turnover statement for 3 years i.e. 2018-19, 2019-20 and 2020-21 OR 2019-20, 2020-21 and 2021-22 should be furnished in the format given in Annexure-V duly certified by the Chartered Accountant.
- (k) Copies of the audited Annual reports including the Balance Sheet and Profit and Loss Account along with all the annexure for the last three years i.e. 2018-19, 2019-20 and 2020-21 OR 2019-20, 2020-21 and 2021-22 duly certified by a practicing Chartered Accountant.
- (I) Certificate of Incorporation in case of Companies or Copy of partnership deed in case of partnership firm or Declaration in case of being a proprietary firm.
- (m) Long Term (Real Time) Stability Data of the quoted product in specified packing for at least for 3 batches, to support shelf life.

- (n) List of items quoted (the name and Model of the items quoted) and relevant annual production for the last 3 years as per the Annexure-VI and relevant quality standards certificates and Catalogue, Data Sheets and technical compliance statement clause by clause with Mentioned Model No & Make.
- (o) A Checklist (Annexure-VII) indicating the documents submitted with the tender document and their respective page numbers shall be enclosed with the tender document. The documents should be serially arranged.
- (p) Each page of submitted bid (along with tender document) be properly page numbered and shall be signed by the authorized signatory of the Tenderer with office seal.
- (q) All the documents enclosed with the tender document should also be signed by the authorized signatory of the Tenderer.
- (r) No Deviation Certificate as per Annexure-XV.
- (s) Near Relative Certificate as per Annexure-XVI.
- (†) Tenderer should submit a valid ISO 13485 certificate issued by an independent recognized certification body for the factory where the specific goods are manufactured and are being offered for supply. Certificate should be valid at the time of opening of the technical bid.
- (u) Draft Artwork, Product Catalogue, Literature, Data Sheet is to be submitted in technical bid.
- (v) Tenderer should submit a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content at the time of submission of bid as per **Annexure-XVIII.**
- (w) Vendors are requested to fulfil the requirements of Ministry of Finance, Department of Expenditure, Procurement Policy Division Office Memorandum No.- 6/9/2020-PPD dated 24.08.2020.
- (x) Tenderer should submit an Undertaking on Letter head to Compliance to Ministry of Finance, DOE order No- 6/18/2019-PPD dated 23.07.2020 as per Annexure-XIX

(y). Tenderer should submit an undertaking that

"I/ We do hereby declare that our firm has not been blacklisted/ banned/debarred by CMSS/ State Governments/ Central Government/ MOH&FW or any of the procurement agencies/ Autonomous Bodies under the organizations stated above or the Firm/ Company (as whole) has not been debarred as a whole

by these organizations or any of its procurement agencies/ Autonomous Bodies"

- (z). Para wise compliance of technical specification of the quoted items.
- 6.3 (a) EMD/Original Bank Guarantee or notarized undertaking by MSE companies in the format given in **Annexure-VIII** for exemption of EMD in physical form is to be deposited with the Tender Inviting Authority as per date prescribed in the critical date sheet. If the last date of deposit of original Bank Guarantee/notarised undertaking by MSE companies happens to be a central government holiday for offices located in New Delhi, next working day shall be treated as the last date of deposit. The original Bank Guarantee or notarized undertaking by MSE companies may be either deposited in person or by courier. If sent by courier, the tenderer has to send it in advance so as to make sure that the original Bank Guarantee or notarized undertaking by MSE companies is delivered to the Tender Inviting Authority by the date specified in critical date sheet. Failure to deposit the original Bank Guarantee or notarized undertaking by MSE companies by the specified last date shall result in rejection of bid summarily.
 - (b) Conditional Bids shall be summarily rejected

7. PRICE BID-"Packet 2"

- i. The price quoted shall be the landed price per unit at the specified locations on DDP basis and shall include all taxes and duties including transportation and other incidental expenditure for delivery at CMSS warehouses.
- ii. The rate quoted in Price Schedule should be for a unit as given in specifications as detailed in the tender document. The bidder is not permitted to change / alter specification or unit size in the box.

7.1 GST (Goods and Service Tax)/other statutory Taxes/Levies

- ii. The bidder may quote for GST as per applicability in accordance with relevant Government notification.
- iii. Any variation upwards/downwards as a result of statutory variation in GST/ other taxes/duties/levies for supplies during original *specified delivery schedule* of goods shall be allowed.
- iv. Any upward/downward revision (only during scheduled delivery period) in statutory taxes, levies will be allowed and benefit will pass on to supplier/purchaser.
- v. Any increase in taxes and other statutory duties/levies after the expiry of the delivery date shall be to the supplier's accounts. However, the benefit of any decrease in these taxes/duties shall be passed on to the purchaser by the supplier.

The basic unit price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non-responsive and rejected.

Breakup of the quoted price indicating the various components like Ex Work, GST, Transportation cost etc. has to be submitted, if desired by the TIA before placing the order

8. OPENING OF "PACKET 1"i.e. 'TECHNICAL BID AND "PACKET 2" i.e. FINANCIAL BID' OF TENDER:

- 8.1 To assist in the examination, evaluation and comparison of bids, the purchaser may, at his discretion ask the bidder for the clarification in its bid. The request for the clarification and response shall be in writing. However, no post bid clarification at the initiative of the bidder shall be entertained. Documents issued after the date of Tender Opening will not be accepted.
- 8.2 Tenderers are advised to submit all the required documents as per tender terms and conditions. Failure to submit shall result in rejection of bids. Clarification (if required) to assist in the evaluation of bids will be asked by the purchaser only once. The tenderer is requested to reply in the given time by the purchaser.
- 8.3 The purchaser shall evaluate the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed and whether the bids are generally in order.
- 8.4 Prior to the detailed evaluation, pursuant to clause above, the purchaser will determine the substantial responsiveness of each bid to the bid documents for purposes of these clauses. A substantially responsive bid is one, which confirms to all the terms and conditions of the bid documents without material deviations. The purchaser's determination of bid's responsiveness shall be based on the contents of the bid itself without recourse to extrinsic evidence.
- 8.6 A bid determined as substantially non-responsive will be rejected by the purchaser and shall not subsequent to the bid opening be made responsive by the bidder by correction of the non-conformity.
- 8.7 The purchaser may waive any minor infirmity or non-conformity or irregularity in a bid, which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any bidder. Such minor infirmity will be identified by the TEC and clarification in this regard may be called for.
- 8.8 Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained multiplying the unit price and quantity, the unit price shall prevail and total price shall be corrected by the

purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail.

9. EARNEST MONEY DEPOSIT

9.1. (a) The Earnest Money Deposit (EMD) is payable by all Tenderers, for an amount indicated in Annexure-III UNLESS EXEMPTED under clause 9.2. In case a Tenderer is quoting for more than one item, the Earnest Money Deposit payable by such Tenderer shall be the aggregate total of the Earnest Money Deposit for all the items quoted by such Tenderer. The Tenderers are required to furnish the breakup of the Earnest Money Deposit for the items quoted in the format as per Annexure-III. The Earnest Money Deposit shall be paid by Account payee/ Demand Draft/ Fixed Deposit Receipt/ Banker's Cheque /Bank Guarantee or RTGS/NEFT/Insurance Surety Bonds in the following Bank Account:

Beneficiary Name: Central Medical Services Society A/C No. : 32719062216 Bank Name : SBI Bank Branch : Nirman Bhawan, Maulana Azad Road, New Delhi IFSC Code :SBIN0000583

- (b) Bank Guarantee (as per Annexure-XIV) can also be accepted as a mode of payment and the named beneficiary shall be Central Medical Services Society. The Bank guarantee shall be issued by a bank (Nationalized or Scheduled Bank) in India to make it enforceable and acceptable to the purchaser. The Bank Guarantee shall be in the format as per Annexure-XIV provided in the tender document. EMD shall remain valid for 45 days beyond the validity period for the bid and will be extended accordingly beyond any extension subsequently requested by purchaser.
- (c) The applicable EMD amount has been indicated in **Annexure-III** and is for 100% and 50% quantity of the schedule. If quoted quantity is anywhere between 50% to 100% of the quantity of schedule, the applicable EMD may be calculated by the tenderer by proportionately reducing the amount applicable to 100% quantity.

9.2 EXEMPTION FROM PAYMENT OF EARNEST MONEY DEPOSIT TO MSME (MICRO & SMALL ENTERPRISES)

- (i) (The MSE Units will be required to furnish a notarized undertaking (as per Annexure-VIII) to the effect that in the event of non-fulfillment or nonobservance of any of the conditions stipulated in the tender, the MSE Unit shall pay a penalty, equivalent to the Earnest Money Deposit to offset the loss incurred by the Tender Inviting Authority consequent on such breach of any bid condition.
- (ii) Vide Gazette no. CG-DL-E-26062020-220191 dt. 26.06.2020, Ministry of MSME have revised criteria for classifying the enterprises as Micro, small Page 19 of 95

and Medium enterprises with effect from 1st July 2020 therefore following firms will be exempted from submission of EMD.

 a) Micro and Small Enterprises as per classification given in MSME Notification dtd. 26.06.2020 registered under "Udyam Registration" w.e.f 01.07.2020 will be granted exemption from payment of Earnest Money Deposit. Udyam Registration Certificate has to be produced in support of above.

Note: Traders will not get benefit of MSE Firms

- **9.3.** (i) Offers of the firms submitted without EMD / for a shorter period/lesser amount as demanded will summarily rejected.(if applicable)
 - (ii) The Earnest Money Deposit will be refunded to the lowest responsive bidder/s within 30 days from the date of signing the contract agreement and on the deposit of Security Deposit.
 - (iii) The Earnest Money Deposit (EMD) furnished by all unsuccessful tenderers will be returned as early as possible after the expiration of the period of tender validity but not later than 30 days of the award of the contract.

9.4 FORFEITURE OF EMD (if applicable)

- (i) The Earnest Money Deposit (EMD) will be forfeited/vendor would be required to deposit the equivalent EMD amount as per Notarised Undertaking by MSE bidder, if the Tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of his Tender.
- (ii) The Earnest Money Deposit (EMD) will be forfeited/ vendor would be required to deposit the equivalent EMD amount as per Notarised Undertaking by MSE bidder, in case of the lowest/ matched bidder, fails to execute the contract agreement and / or deposit the Security Deposit within the stipulated time. Additionally, actions as stipulated in clause no. 18.1 will also be taken.
- (ii) In both the above cases, the bidder will not be eligible to participate in the tender for same item for two years from the date of issue of letter of acceptance. The bidder will not approach the court against the decision of the CMSS in this regard.

10. OTHER CONDITIONS:

- 10.1 The details of the annual required quantity of *items* are shown in **Annexure-I**
 - (i) Central Medical Services Society (CMSS) will have the right to increase or decrease up to 25% of the quantity of goods and/or services specified in the schedule of requirements without any change in the unit price or other terms and conditions at the time of award of contract.
 - (ii) In exceptional situation where the requirement is of an emergent nature and/ or it is necessary to ensure continued supplies from the existing

vendors, the purchaser reserves the right to place repeat order up to 50% of the quantity of the goods and/or services contained in the running tender/contract up to a period of twelve months from the earliest date of Long Term agreement (LTA) at the same rate or a rate negotiated (downwardly) with the existing vendors considering the reasonability of rates based on prevailing market conditions and the impact of reduction in duties and taxes etc.

- (iii) The delivery of the additional quantity (as per ii above) shall be scheduled after the completion of the delivery of the original tendered quantity or on mutual consent between the supplier and CMSS.
- 10.2 (i) The rates quoted and accepted will be binding on the Tenderer for the full contract period of ONE year and any increase in the price will not be entertained till the completion of this contract period.
 - (ii) Any upward/downward revision (only during scheduled delivery period) in statutory taxes, levies will be allowed and benefit will pass on to supplier/purchaser.
 - (iv) Any increase in taxes and other statutory duties/levies after the expiry of the delivery date shall be to the supplier's accounts. However, the benefit of any decrease in these taxes/duties shall be passed on to the purchaser by the supplier.
 - (v) The delivery of the additional quantity shall be scheduled after the completion of the delivery of the original tendered quantity.
- 10.3 In accordance to the notification the participating Micro and Small Enterprises (MSEs) in a tender, quoting price within the band of L 1 + 15% would be allowed to supply a portion of the requirement by bringing down their price to the L 1 price, in a situation where L 1 price is from someone other than an MSE. In exercising of the powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act 2006, the Government has notified a new Public Procurement Policy for Micro & Small Enterprises effective from 9th November 2018. The policy mandates that 25% of procurement of annual requirement of goods and services by all Central Ministries / Public Sector Undertakings will be from the Micro and Small Enterprises. Government has also earmarked a sub target of 4% procurement of goods & services out of 25% from MSEs owned by SC/ST entrepreneurs and 3% to micro and small enterprises owned by women.
- 10.4 The Department of Pharmaceuticals under Ministry of Chemicals and Fertilizers has issued guidelines for implementation of the provisions of public procurement (Preference to Make in India) order (PPO) 2017 as desired by DPIIT on 16.09.2020 w.r.t public procurement of goods and services in medical devices vide order no F.No 31026/36/2016-MD dated 16.02.2021. The relevant provisions of DoP order dt. 16.02.2021 and DPIIT order dt. 16.09.2020 and all subsequent orders from time to time will apply in the instant case. Bidders are requested to submit a declaration indicating percentage of local content as per **Annexure-XIX**.

11. ACCEPTANCE OF TENDER

- 11.1 Technically responsive tenders will be evaluated based only on the "landed price" (all-inclusive price), i.e. Rate per Unit inclusive of all taxes, duties, transportation& other charges.
- 11.2 The evaluation for ranking shall be carried out on the basis of "all inclusive" prices of the goods offered for each schedule separately.
- 11.3 The purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of contract without assigning any reason whatsoever and without thereby incurring any liability to the affected bidder or bidders on the grounds of purchaser's action.
- 11.4 (i) CMSS or its authorized representative(s) has the right to inspect the factories of Tenderers, before accepting the rate quoted by them or before releasing any purchase order(s) or at any point of time during the continuance of tender and also has the right to reject the tender or terminate/ cancel the purchase orders issued and/or not to place further order, based on adverse reports brought out during such inspections. In such situation CMSS reserves the right to take other actions against the tenderer including forfeit of security deposit, debarring/blacklisting for appropriate period.
- (ii) The Tenderer shall allow inspection of the factory at any time by a teamof Experts/ Officials nominated by the Tender Inviting Authority for the purpose. The Tenderer shall extend necessary cooperation to such team in inspection of the manufacturing process, quality control measures adopted etc., in the manufacture of the items quoted. If Company/ Firm does not allow for any such inspection, their tenders will be rejected during the currency of the contract.
- 11.5 The acceptance of the tenders will be communicated to the lowest / matched tenderers in writing (through email), as per format of the Acceptance Letter given in **Annexure-IX**.

The Contract shall be issued from GEM as per their format. In addition to contract through GEM, the LOA, LTA and PO would be issued from CMSS e-Aushadhi platform and details mentioned in these documents will be considered for all purposes i.e. tender obligations, delivery completion and payment purposes irrespective of GEM contract whenever issued.

12. SECURITY DEPOSIT AND AGREEMENT

12.1 Security Deposit:

In accordance with Department of Expenditure Ministry of Finance notification dated 12.11.2020, the clause may be read as:

On being intimated about the acceptance of the tender the L1/Matched tenderer shall pay a Security Deposit at the rate of 3% of the total value of goods to be awarded. The Security Deposit amount, is to be deposited in the form of NEFT/RTGS/Fixed Deposit Receipt/Demand Draft (payable at New Delhi)/Bank Guarantee in favor of Central Medical Service Society.

Beneficiary Name: Central Medical Services Society
A/C No. 32719062216
Bank Name : SBIBank
Branch : Nirman Bhawan, Maulana Azad Road, New Delhi
IFSC Code: SBIN0000583

12.2 The Performance Bank Guarantee shall be valid for **1260** days from the date of commencement.

| LOA Submission | - | 15 days |
|-----------------|---|------------------|
| Rate Valid | - | 365 days |
| Delivery period | - | 90 days |
| Shelf life | - | 365 x 2 Years |
| B.G. Extension | - | <u>60 days</u> |
| | | <u>1260 days</u> |

- 12.3 The lowest/ matched tenderer shall execute an Agreement on a non-judicial stamp paper of value of Rs.100/- (stamp duty to be paid by the Tenderer) within 15 days from the date of the intimation from CMSS informing that his tender has been accepted. The Specimen form of Agreement is available in **Annexure-X**.
- 12.4 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete its obligations under the contract.
- 12.5 The performance security bond will be discharged by the purchaser after completion of the supplier's performance obligations including any warranty obligations under the contract.
- 12.6 Failure to deposit the performance security will attract clause 9.4.

13. METHODOLOGY FOR PLACING ORDERS

For placing orders the following procedures will be adopted:

- 13.1 After the Price Bid opening, the lowest offer will be declared as the L1 tenderer. CMSS reserves right to negotiate prices with L1 bidder in justified cases.
- 13.2 The Tenderer, who has been declared as Lowest Tenderer for certain item(s), shall within the tender issue of LOA (letter of acceptance) execute necessary Agreement for the supply of the allocated quantity of such items as specified in the Tender Document after depositing the required amount as Security Deposit and on execution of the agreement such Tenderer shall supply goods on receipt of Purchase Orders. The format

of LOA, agreement, Purchase Order is attached at **Annexure –IX, X, XI** respectively. Generally speaking the draft art work should be given in technical specifications however, in those cases where draft artwork not given in tender specifications, the vendor must need to coordinate with respective programme division of ministry to freeze (get approval) for the art work. No extension would be given on this pretext.

- 13.3 If two or more than two Tenderers are declared as lowest suppliers for the same item(s) (i.e. emerge L1), such Tenderers shall execute necessary agreement as specified in the Tender Document on depositing the required amount as Security Deposit and on execution of the agreement such Tenderer will be eligible for placement of Purchase Orders for equal proportion of tendered quantities (50:50 or 33.33:33.33:33.33) for such item(s) for which they are declared as lowest (L1).
- 13.4 CMSS will counter offer the lowest rate (L1 rate) to other Tenderers in the order of their ranking i.e. L2, L3 and so on will be asked to match the L1 price.
- 13.5 CMSS will counter offer the lowest rate (L1 rate) to other Tenderers in the order of their ranking i.e. L2, L3 and so on will be asked to match the L1 price.
 - (i) In order to maintain uninterrupted supplies, the CMSS will place orders with minimum of two suppliers for tendered product with 70% of the orders given to L1 and the balance 30% to the next Matched Lowest Tenderer.
 - (ii) In case there is no L2 /matched bidder, balance quantity up to extent of quoted quantity or at most for balance 50% quantity can be offered to L1 bidder. Quantity beyond quoted quantity will be ordered on mutual consent.
 - (iii) In case, L2 bidder/matched bidder refuses to accept the offered quantity, balance quantity up to extent of quoted quantity or at most for balance 50% quantity can be offered to L1 bidder. Quantity beyond quoted quantity (and including quantity in consideration in Clause No. 10.1 (i)) will be ordered on mutual consent.
 - (vi) In case L1 bidder has quoted for 50% quantity, the balance quantity will be offered to L2 and L3 bidders for 30% and 20% quantity respectively.
 - (vii) In case there is no L3/matched bidder at 3rd position (i) above may be followed or balance 50% quantity may be offered to L2/matched bidder in case L1 does not agree to supply 70% of tendered quantity.
 - (viii) In case of requirement of large quantities, CMSS may place orders with 3 suppliers in the ratio of 50:30:20, which will be indicated in the tender document at **Annexure-I**.
- 13.6 If the lowest supplier has failed to supply the required items within the stipulated time or within the extended time, as the case may be, CMSS may cancel such purchase orders and on cancellation, CMSS may place Purchase Orders with the Matched Lowest Tenderer or to the other tenderers at the risk and cost of the defaulted supplier.

- 13.7 The supplier shall complete the supply of the items required by CMSS at the consignee destination mentioned in the schedule, within minimum required period as stipulated in order from the date of the orders.
- 13.8 The supplier shall supply the items at the specified destination and submit a copy of the Purchase Order, Delivery Challan and other relevant documents at the same destinations.
- 13.9 After supply of items at the specified destinations, the supplier shall submit Invoice (Original), Certificate of analysis (Batch Wise) and other relevant documents etc., at the Head Office, CMSS for claiming payment.
- 13.10Subject to para (13.6) to para (13.9) above, CMSS will process the invoices submitted by the supplier and the payments against supply will be made within 60 days from the date of submission of all relevant documents to the CMSS provided the items supplied has been declared of STANDARD QUALITY, by the Empanelled Laboratory of CMSS.

14 SUPPLY / DELIVERYCONDITIONS

14.1 The supplier should acknowledge the receipt of the Purchase Order within 3 days of its receipt.

- 14.2 The supplies will be made in staggered quantities (if applicable) as detailed in **Annexure-I.**
- 14.3(a) The supplier shall supply the ordered quantity within minimum required period of 90 days (or as mentioned in LOA/PO) from the date of award at the destinations mentioned. If the above day happened to be a holiday for CMSS, the supply should be completed by 5.00 PM on the next working day. In case of non-execution of the order either partially or fully, CMSS reserves the right to cancel the purchase order or place fresh purchase orders on alternative source at the risk and cost of the default supplier. In such cases the CMSS, has every right to recover the cost and impose penalty including blacklisting of the supplier and the product.
 - (b) With the prior approval of CMSS, the supplier may continue to supply the unexecuted quantity after 60th day or after the delivery dates/schedule as mentioned in order with Liquidated Damages as specified in Clause 18 of the tender conditions on the delayed supplies.
 - (c) Supplies should be made directly by the tenderer and not through any other Agency/Dealer/Distributor.
 - (d) The Tenderer shall not, at any time, assign, or make over the contract or the benefit there of or any part thereof to any person or persons whatsoever.

14.4 All goods must be of fresh manufacturing and must bear the dates of manufacturing and expiry. The bidder further warrants that all goods supplied will have, at least 5/6th of the minimum shelf life must remain at the time of delivery to the consignee. The supplier will provide manufacturer's stability test data substantiating the claimed shelf life in the offered package. 14.5 For both items delivered to direct consignees & CMSS warehouses, the supplier should ensure that the items are delivered with the minimum shelf-life as mentioned in the tender document/Purchase Order failing which the consignees/CMSS WHs shall not accept the items. Further, the bidder's attention is invited that if they supply/deliver the items with short shelf-life as per tender/Purchase Order and even if direct consignees receive such items, the invoices shall not be processed by CMSS for payments. It is the sole responsibility of the bidder/vendor to deliver the items with minimum residual shelf-life as mentioned in the tender/Purchase Order.

14.6 A Certificate of Analysis/ Performance Evaluation Report from manufacturer's own Quality Control Lab covering each batch delivered is to be submitted along with shipping documents.

The Certificate of Analysis shall include:

- a) Generic name of the product
- b) Batch No.
- c) Pharmacopoeial Reference and/ or In-house method
- d) Batch quantity
- e) Date of manufacture
- f) Expiry date
- g) Date of test
- h) Description
- i) All identity, potency, purity, sterility, pyrogen and all other test required by the specified pharmacopoeia and/or In-house method. Both the actual results and the limits for the individual tests should be given
- j) Conclusion
- k) Qualified signatures
- as applicable

OR/And

The Performance Evaluation Report shall include:

- a) Product name
- b) Lot/Batch Number
- c) Date of manufacture
- d) Date of Expiry
- e) Manufacturer's name
- f) Number of samples tested
- g) Testing principle

Information about reference used

- h) TESTING PROCEDURE- Sensitivity, Specificity etc
 (h) Results
- (i) report number
- (j) Date of Analysis

- (k) Designation and signature of analyst
- (I) Authorized signatory of lab

The above mentioned batch shall be manufactured in accordance with the applicable GMP/QMS regulations.

- 14.7 All the Tenderers are required to supply the product(s) with printed text "NVBDCP SUPPLIES – NOT FOR SALE" in red-colour on the strips, blisters, vials, ampoules & bottles and also on the external packings. The type/thickness of packing materials used in Blister packs may also be specified. Goods received without this print will not be accepted by CMSS/Consignee. Affixing of rubber stamp shall not be accepted. However, the approved art work will prevail.
- 14.8 If at any time the Tenderer has, in the opinion of the CMSS, delayed the supply of items due to one or more reasons related to Force Majeure events such as riots, mutinies, wars, fire, storm, tempest or other exceptional events at the manufacturing premises, the time for supplying the items may be extended by the CMSS at its discretion for such period as may be considered reasonable. However, such extension shall be considered only if a specific written request is made by the Tenderer within 10 days from the date of occurrence of such event. The exceptional events do not include scarcity of raw material, increase in the cost of raw material, electricity failure, labour disputes/ strikes, insolvency, and closure of the factory/ manufacturing unit on any grounds etc.
- 14.9 The supplier shall not be liable to pay LD/ penalty and forfeiture of security deposit for the delay in executing the contract on account of the extension of supply period on the ground of force majeure events.

15. PACKING

- 15.1 The items shall be supplied in the package specified in the Technical Specifications in **Annexure-I.**
- 15.2 The Weight, Volume & Dimensions of shipping cartons & intermediate packaging carton may be mentioned.
- 15.3 The packing shall be of a sturdy quality to provide adequate protection of the product for carriage to final destination, **PAN INDIA** including remote locations under adverse climatic and storage conditions and high humidity. Used cartons should never be used.
- 15.4 Products with specific temperature requirements will be packed and stored and delivered in appropriate conditions.
- 15.5 The packaging unit should be strong, able to be stacked to a height of 4 pallets as static storage and 2 pallets during transport, and resistant to puncturing.

15.6 Special attention of suppliers is invited to ensure the material is of good quality and is free from development of fungus/termites. In case fungus/termites develops within 15 days of delivery at specified locations, suppliers at their own cost would lift the entire batch from various locations and supply fresh replaced batches. For LD purposes the date of receipt of replaced batches would count. In addition, the expenses on pest control to be undertaken by CMSS would be borne by the tenderer.

16. QUALITY CONTROL

- 16.1 Quality Control is an essential part of the current procurement and it is the responsibility of the supplier to ensure quality assurance as per specifications/bid document. The products should conform to the standards as specified in Annexure-I of the Tender document.
- 16.2 The bidder/ supplier understand that the tendered item/items is/are critical health goods and the quality parameters of supplied goods are to be ensured during complete specified shelf life as indicated in technical specification/bid document/ official compendium. Bidder/Supplier also appreciate that failure in quality checks is serious default as it may derail entire programme and can also risk the life of users of supplied health goods.
- 16.3 CMSS will embark on stringent quality checks to ensure that tendered goods meet required standards throughout specified shelf life. For this purpose, CMSS reserves the right to carry necessary inspections/tests at any of, or any combination of or/ all of following stages:

(a) At Pre-Dispatch stage.

Pre-dispatch inspection for passing the quality of the goods, would be done before direct shipment to the consignees from supplier Warehouses (in India).

- (b) At Delivery Stage: inspection done once the goods reach at consignee location and before taking over supplied goods in inventory.
- (c) Post Delivery Surveillance: The Drugs/goods shall have the active ingredients and all other parameters at the prescribed level as indicated in official compendiums or technical specifications throughout the shelf life period of the drugs/ goods. Quality Monitoring Activities may also be organized by CMSS post delivery.
- 16.4 CMSS may engage the services of a Quality Control Agent & Quality Control Testing Laboratories for the purpose of Inspection & Quality Control.

16.5 Inspection Methodology:

PDI (Pre-Dispatch Inspection) as mentioned in **Annexure-I** means, the QA inspection/testing shall be completed prior dispatch of supplies direct to consignees/CMSS warehouses. After completion of manufacturing process, the supplier should offer goods for PDI inspection in writing to Quality Assurance department of CMSS at least 10 days before proposed inspection date. The samples of each batch will be collected and sent to designated laboratories (Government/ Private Drugs Testing Laboratories) for testing as decided by the CMSS. Handling and

testing charges will be borne by CMSS. After the dispatch clearance of Quality Assurance department of CMSS, the supplier will deliver the items to the consignee or CMSS warehouses as per the schedule mentioned in the Purchase Order. If the supplier delivers/dispatches goods without completing the QA inspection, sample testing, dispatch clearance etc., CMSS shall not be processing the payments of such goods and the supplier will be solemnly responsible for the supply of such goods.

Non-PDI (Post Delivery Inspection) as mentioned in **Annexure-I** means, the supplier will deliver/dispatch the manufactured items (as per the technical specifications) directly to CMSS warehouses. The samples will be collected from the warehouse of CMSS and sent to designate Quality Control Labs in respect of supplied goods at any point during specified shelf life as per decision of CMSS.

In case of failure of batches during or at any stage (indicated at 16.5), the testing charges would be claimed for the defaulting vendor.

- 16.6 The supplies will be deemed to be completed only upon receipt of the quality certificates from the laboratories.
 "Not of Standard Quality" or spurious or adulterated or misbranded, such batch/ batches will be deemed to be rejected goods.
- 16.7 At any of Inspection/testing stage, samples which do not meet quality requirement/specifications shall render the relevant batches liable to be rejected. If the sample is declared to be "Not of Standard Quality" or spurious or adulterated or misbranded, such batch/ batches will be deemed to be rejected goods and the cost of entire batch paid will be recovered whether consumed fully/ partially. Besides action may also be initiated for debarring/blacklisting against supplier for suitable period.
- 16.8 In the event of the samples of Drugs/goods supplied fails in quality tests or found to be not as per specifications at any of testing stages (as mentioned in clause no. 16.3), depending upon the type, nature and seriousness of failure, consequences resulting from such default, availability of alternate sources, the CMSS is at liberty to either :
 - (i) Ask the supplier to replace the entire quantity of relevant batches, in addition to imposition of penalty @ 25% of batch supply cost or
 - (ii) To make alternative purchase of the items of Drugs from other approved suppliers or in the open market or from any other Tenderer who might have quoted higher rates, at the risk and the cost of the supplier.
 - (iii) In addition to (i) or (ii) above, action to debar/blacklist the supplier for suitable period, as decided by CMSS may also be initiated. In addition to forfeiture of Performance Security Deposit.
 - (iv) In addition, the FDA/ Drugs Control Authority of concerned State will be informed for initiating necessary action on the Tenderer in their state. Security deposit will also be forfeited without any intimation.
 - (v) The decision of the CMSS or any officer authorized by CMSS, as to the quality of the supplied drugs, medicines, vaccines etc., shall be final and binding.

- 16.9 In case of supply of "NOT OF STANDARD QUALITY" goods to CMSS, the supplier shall make replace the rejected quantity by replacement within 2 months. If replaced batch is also found "NOT OF STANDARD QUALITY", the supplier shall be blacklisted for the product and no further supplies shall be accepted for the particular product category. In addition, the licensing authority will be informed for initiating necessary action on the supplier in their state. The security deposit will also be forfeited without any intimation. The warranty shall apply to replacement batches also. The decision of CMSS, as to the quality of the supplied goods shall be final and binding.
- 16.10 If the product is non-Pharmacopoeial then the supplier must provide the in house test method along with the required reference standards if asked for. The Master Formula of the products shall be provided whenever asked for.

17. PAYMENT PROVISIONS

- 17.1 No advance payments towards costs of items will be made to the Tenderer.
- 17.2 The payment towards supply of items to CMSS will be made either by means of Cheque or through RTGS (Real Time Gross Settlement System)/ Core Banking/ NEFT. The Tenderer shall furnish the relevant details in original **(Annexure-XII)** to make the payment through RTGS/Core Banking/NEFT. The payment will be in INR only.
- 17.3 All bills/ Invoices should be raised in duplicate and the bills should be drawn in the name of Central Medical Services Society, 2nd Floor, Vishwa Yuvak Kendra, Pandit Uma Shankar Dikshit Road, Chanakyapuri, New Delhi-110021or in the name of any other authority as may be designated. Supplier have to mention e- aushadhi PO No. and tranche/ lot on the invoice.
- 17.4 Payments for supply will be made only after completion of supply of Items ordered in the individual Purchase Order PROVIDED quality reports are acceptable. The CMSS shall endeavour to make payment within 75 days in respect of items requiring sterility tests and within 60 days in respect of items requiring non-sterility test from the date of submission of invoice or from the date of receipt of material, whichever is later along with all the relevant documents of tender.
- 17.5 Lot/Tranche/PO vise Part payments for supply will be considered only after completion of supply of at least 50% quantity ordered in the individual Purchase Order/Lot/Tranche PROVIDED original consignee receipts (or on GeM by consignee for the receipt, with original CRC to be submitted before next payment is released) are produced and the quality pass reports of Standard Quality on samples testing are received from approved laboratories of CMSS.
- 17.6 (i) Variations in prices will be admitted on account of increase or decrease in the Statutory taxes levies, such as customs duty, GST etc., on production of relevant government notification, but during scheduled delivery period only.

- (ii) Any increase in taxes and other statutory duties/levies after the expiry of the delivery date shall be to the supplier's accounts. However, the benefit of any decrease in these taxes/duties shall be passed on to the purchaser by the supplier.
- 17.7 The supplier shall submit the following documents while claiming payments for supplies:
 - (a) Delivery challan along with the supplies (POD)
 - (b) Packing list
 - (c) Certificate of analysis along with the supplies (for each batch supplied).
 - (d) Itemized Invoice/ Bill in duplicate to CMSS Head Office.
 - (e) Such other documents as required by CMSS.
 - (f) Bidders are requested to submit their Original Invoice along with copies of Lorry Receipt/ Delivery challans and original Consignee Receipt Certificate (CRC) or such CRC to be uploaded on GeM by the consignee (if applicable) (with originals to be submitted before next payment is processed) as per format given in the tender document Annexure duly signed & stamped with other necessary documents for smooth processing of payment
- 17.8 Supplier will integrate with e- aushdhi system of CMSS and Supplier Interface Module in which selected bidders shall be required to enter/upload batch no, qty, mfg & expiry date, tranche no, invoice/challan copy etc. against PO no. Bidders are requested to submit their Original Invoice along with copies of Lorry Receipt/ Deliver challans and original Consignee Receipt Certificate (CRC) duly signed & stamped with other necessary documents for smooth processing of payment.

18. LIQUIDATED DAMAGES AND OTHER PENALTIES:

18.1 DELAYS IN SUPPLIER'S PERFORMANCE:

- (a) Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule specified by the purchaser in its LOA/purchase order. In case the supply is not completed in the stipulated delivery period, as indicated in the LOA/purchase order or in case of non-submission of Security Deposit within the stipulated time, purchaser reserves the right either to short-close/cancel this LOA/purchase order and/or recover liquidated damage charges. The cancellation/short-closing of the LOA/Purchase order shall be at the risk and responsibility of the supplier and purchaser reserves the right to purchase balanceunsupplied quantity at the risk and cost of the defaulting vendor. This purchase at the risk and cost of the defaulting vendor can be at the same L1 cost of the tender or at higher cost and can be met through other vendors available in the present tender/contract or through any vendor from the open market. Any additional cost towards this risk purchase will be entirely borne/adjusted from running bills/demanded from the defaulting vendor.
- (b) Repeated/habitual delays by the supplier in the performance of its delivery obligations shall render the supplier liable to any or all of the following sanctions;

imposition of liquidated damages, forfeiture of its performance security, and/or termination of the contract for default and purchaser reserves the right to purchase balance-unsupplied quantity at the risk and cost of the defaulting vendor.

- (c) If the suppliers are not completed in the extended delivery period, the purchase order may be short closed without any compensation to supplier and the performance security shall be forfeited.
- (d) Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.
- (e) Purchaser reserves the right to debar/blacklist the supplier for a suitable period who habitually failed to supply the goods/services in time. The decision of purchaser will be final and binding.
- 18.2 If the supply reaches the designated consignee places or CMSS Warehouse after scheduled delivery date mentioned in LOA/P.O, liquidated damages will be levied @ 2.5% per week to be applied proportionately on per day basis up to a maximum of 10% of P.O. Cost, irrespective of the fact that whether the CMSS has suffered any damage/ loss or not, on account of delay in effecting supply. If the last scheduled delivery day happens to be a holiday the supply will be accepted on the next working day without any penalty.
- 18.3 If the supply is received in damaged condition it shall not be accepted. In case of damage in the packing only, the supply may be accepted subject to purchaser's decision and after levying a penalty which may be upto 5% of cost of package received with damaged packing.
- 18.4 Timely supply is the essence of contract/ Purchase order. The drugs/medicines/items ordered are meant for key National programmes & delay in supply can have the adverse impact on patients can derail the critical National level Disease Control Programme.

For each lot/tranche, the delivery schedule (dates) are mentioned in the LOA/PO. The vendors are to make every effort to complete the delivery of each Lot/Tranche as per delivery schedule mentioned in the LOA/PO.

In continuation to provisions of liquidated damages clause no. 18, it may be noted that:

If the vendor is not able to supply the total qty. of each lot/tranche within the scheduled delivery dates, the following may be noted:

a. The supplier will not dispatch/supply stocks/goods after the last date of scheduled delivery of the Lot/Tranche without PO amendment issued by procurement wing.

- CMSS Warehouses/Direct consignees would not accept any stock/goods of any Lot/tranche beyond scheduled delivery period in absence of delivery extension PO amendment. E-Aushadhi software functionality has been made that CMSS WHs would not be able to receive the goods (GRN creation barred). These consignees will accept the stocks beyond scheduled delivery date only if Procurement wing has issued PO Amendment for delivery extension.
- c. No extension of the delivery date would be granted suo motu unless the supplier specifically asks for it. However, in a few cases, it may be necessary to grant an extension of the delivery period suo motu in the interest of the administration. In such cases, the supplier should mandatorily submit clear acceptance of the extension letter.
- d. If at any time during the currency of the contract, the supplier encounters conditions hindering delivery of goods, he shall promptly inform the concerned officer in writing. The supplier/vendor should raise request for delivery time extension well in advance i.e. at least 15 days before scheduled delivery date, should mention the likely duration within which it intends to complete the supplies and request for extension of delivery schedule accordingly. On receiving the supplier's communication, CMSS shall examine the proposal and on approval from the CA, may consider issuing delivery extension with/without LD provided:
 - i. That there are sufficient grounds for acceptance of such requests.
 - ii. That there is no falling trend in prices for this item as evidenced from the fact that, in the intervening period, neither orders have been placed at rates lower than this contract nor any tender been opened where such rates have been received even though the tender is not yet decided.
- e. In such cases, for delivery extension, PO amendment would be issued and the supplier should mandatorily supply the goods in extended time period.
- f. Vendors are strictly advised not to deliver/transport any consignment reaching beyond scheduled delivery date without proper PO amendment issued by Procurement wing of CMSS, as it would not be received by consignees. CMSS shall not process any bills of such supplies if made beyond LOA/PO delivery schedule and without any PO amendment. For such actions, vendor would be solely responsible.
- g. If the supplier again fails to deliver the balance quantity within extended time, CMSS reserves the rights/options to procure the undelivered quantity from other approved supplier available in the contract at the same rates (with no financial implication and without regular tender to save time) or from open market at

the risk & cost of the defaulting supplier (which may be with financial implication) or grant further extension if deemed fit.

Note- Vendors may note that it may not be necessary that each request for extension in delivery dates is accepted and scheduled delivery date is extended by CMSS.

- h. After completion of complete LD period, if the supplier/vendor still fails to deliver goods (or a part of it) within extended timelines, actions against the supplier/vendor may be initiated for default in supplies as per terms & conditions stipulated in the tender including:
 - i. CMSS reserves the rights/options to short close the delayed lot/tranche undelivered without going for purchase of balance quantity or
 - ii. Short close the delayed lot/tranche and go for procurement of the undelivered quantity from other approved supplier available in the contract at the same rates (with no financial implication) or from open market at the risk & cost of the defaulting supplier (which may be with financial implication).

For repeated defaults in delivery in same or various POs, to debar such habitual defaulting vendor for suitable period.

Note: - In event of Force majeure reasons/ situations as explained herein at clause no. 18, this clause would not be operated.

19. WARRANTY

- 19.1 The supplier shall warrant that goods/items to be supplied shall be new and free from all defects and faults in material, workmanship and manufacturing and shall be of the highest grade and consistent with the established and generally accepted standards for materials of the type ordered and shall perform in full conformity with the specifications. Supplier shall warrant that goods supplied will meet and maintain the technical specification throughout specified shelf life. The supplier shall be responsible for any defects that may develop under proper storage/ use, arising because of improper quality of API, Excipients in packaging material etc. manufacturing /packaging details from faulty materials, manufacturing or workmanship or otherwise and shall remedy such defects at his own cost when called upon to do so by the purchaser who shall state in writing in what respect stores is faulty.
- 19.2 The portion of clause 16.8 (i) to (v) would also apply in case the goods/items supplied doesn't match to shelf life.
- 19.3 Replacement under warranty clause shall be made by the Supplier within 60 days period, free of all charges at site including freight, insurance and other incidental charges.

19.4 If any defect is not remedied within a reasonable time the purchaser may proceed to procure such defective quantities at the Supplier's risk and cost from other tenderer or open market, but without prejudice to may other rights which the purchaser may have against the contract in respect of such defects.

20. DEDUCTION & OTHER PENALTIES ON ACCOUNT OF DELAYS/ DEFAULT/ TERMINATION/ PART CANCELLATION/SHORT CLOSURE:

- 20.1 If the samples do not conform to tender specifications, the Tenderer will be liable for relevant action under the existing laws and the entire stock in such batch has to be taken back by the Tenderer within a period of 30 days of the receipt of the letter from the CMSS. Such stock shall be taken back at the expense of the Tenderer. The CMSS has the right to destroy such "NOT OF STANDARD QUALITY DRUGS" if the Tenderer does not take back the goods within the stipulated time. The CMSS will arrange to destroy the "NOT OF STANDARD QUALITY DRUGS" after the expiry of 30 days mentioned above without further notice, and shall also collect demurrage charges calculated at the rate of 0.5% per week on the value of the drugs rejected till such time stipulated.
- 20.2 The CMSS will be at liberty to terminate, without assigning any reasons thereof, the contract either wholly or in part or short closed on 30 days notice. The Tenderer will not be entitled for any compensation whatsoever in respect of such termination besides forfeiture of Security Deposit and purchaser reserves the right to purchase balance- unsupplied item at the risk and cost of the defaulting vendor.
- 20.3 For infringement of the stipulations of the contract, for non performance/ compliance of contractual terms or for other justifiable reasons, the contract may be terminated either wholly, or in part or short closed. by the CMSS and the Tenderer shall be liable to pay for all losses sustained by the CMSS in consequence of the termination which may be recovered personally from the Tenderer or from his properties, as per rules besides forfeiture of Security Deposit.
- 20.4 In the event of making Alternative Purchase, as specified in in Clause 13(f), Clause 14.2(a), Clause 16.8 and other clauses herein, penalty will be imposed on the supplier. The excess expenditure over and above contracted prices incurred by the CMSS, in making such purchases from any other sources or in the open market or from any other Tenderer who has quoted higher rates and other losses sustained in the process, shall be recovered from the Security Deposit or from any other money due and become due to the supplier and in the event of such amount being insufficient, the balance will be recovered personally from the supplier as per rules.
- 20.5 In all the above conditions, the decision of the CMSS shall be final and binding.

21. SAVING CLAUSE

No suit, prosecution or any legal proceedings shall lie against the Tender Inviting Authority or any person for anything that is done in good faith or intended to be done in pursuance of the tender.

22. PROHIBITION OF INFLUENCING CMSS BY THE BIDDER:

- (i) No bidder shall contact or influence the CMSS or its employees on any matter relating to its bid from the time of bid opening to the time the contract is awarded.
- (ii) Any effort by a bidder to influence the CMSS in the bid evaluation, bid comparison or contract award decisions may result in rejection of the bidder's bid.
- (iii) The bidder shall not make any attempt to establish unsolicited and unauthorized contact with the Tender Accepting Authority, Tender Inviting Authority or Tender Evaluation Committee after opening of the bids and prior to the notification of award and any attempt by any bidder to bring to bear extraneous pressures on the Tender Accepting Authority, Inviting Authority or Tender Evaluation Committee, shall be sufficient reason to disqualify the bidder.
- (iv) Not withstanding anything contained in clause (iii) above the Tender Inviting Authority or the Tender Accepting Authority, may seek bonafide clarifications from bidders relating to the bids submitted by them during the evaluation of bids.

23. RESOLUTION OF DISPUTES

- (i) The CMSS and the supplier shall make every effort to resolve, amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract.
- (ii) In case of a dispute or difference arising between the CMSS and a supplier relating to any matter arising out of or connected with this agreement, such dispute or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996. The venue of arbitration shall be New Delhi.

24. JURISDICTION

In the event of any dispute arising out of the tender such dispute would subject to the jurisdiction of the Civil Court within the city of New Delhi only.

Annexure -I

CENTRAL MEDICAL SERVICES SOCIETY NEW DELHI- 110021

Online Tender of Procurement for HIV (Rapid) Antigen Test Kit FOR NACO

LIST OF PRODUCT & THEIR TECHNICAL SPECIFICATIONS

| Sch. No. | ltem Name | Total Tentative Quantity | Unit | Detailed Technical Specifications of the Goods/Drugs | Order Distribution Criteria | Inspection Methodology (PDI/Non-PDI) |
|-------------|--|-----------------------------|-------|--|-----------------------------------|--|
| I | HIV (Rapid) 1st Antigen Test Kit (Kit-1) | 3,77,97,072 | Tests | Annexure-IA | 70:30 as per clause no. 13 | PDI Items |
| | HIV (Rapid) 2 nd Antigen Test Kit (Kit-2) | 2,36,540 | Tests | Annexure-IA | 70:30 as per clause no. 13 | PDI Items |
| | HIV (Rapid) 3 rd Antigen Test Kit (Kit-3) | 3,44,640 | Tests | Annexure-IA | 70:30 as per clause no. 13 | PDI Items |

Delivery Terms:

(a) The delivery shall be on DDP (Destination basis).

Dummy consignee as CMSS Delhi is created to enter the quantity. However, vendors may please note that exact consignee wise allocation will be intimated along with Purchase Order.

(b) Delivery Schedule

| Sch. | ltem | LOT NO. | DELIVERY SCHEDULE |
|------|----------------------------|---------------------|--|
| NO. | Name | | |
| 1 | HIV (Rapid) | 1 (94,48,728 Tests) | To be delivered between 90-120 days from the date of issue of LOA |
| | 1 st Antigen | 2 (94,49,688 Tests) | To be delivered between 121-180 days from the date of issue of LOA |
| | Test Kit (Kit-1) | 3(94,48,680 Tests) | To be delivered between 181-270 days from the date of issue of LOA |
| | | 4 (94,49,976 Tests) | To be delivered between 271-365 days from the date of issue of LOA |
| II | HIV (Rapid) | 1 (59,790 Tests) | To be delivered between 120-150 days from the date of issue of LOA |
| | 2 nd | 2 (58,650 Tests) | To be delivered between 151-210 days from the date of |

| | Antigen | | issue of LOA |
|--|-----------------|------------------|---|
| | Test Kit | 3(59,130 Tests) | To be delivered between 211-300 days from the date of |
| | (Kit-2) | | issue of LOA |
| | | 4 (58,980 Tests) | To be delivered between 301-395 days from the date of |
| | | | issue of LOA |
| | HIV | 1 (4,350 Tests) | To be delivered between 90-120 days from the date of |
| | (Rapid) | | issue of LOA |
| | 3 rd | 2 (4,288 Tests) | To be delivered between 120-180 days from the date of |
| | Antigen | | issue of LOA |
| | Test Kit | 3(4,321 Tests) | To be delivered between 181-270 days from the date of |
| | (Kit-3) | | issue of LOA |
| | | 4 (4,273 Tests) | To be delivered between 271-365 days from the date of |
| | | | issue of LOA |

Annexure 1A – Technical Specification

Annexure 1B – Consignee Location

Annexure 1C – Artwork

Sch. I- HIV (Rapid) 1st Antigen Test Kit (Kit-1)

2709786/2022/BSD

139

Agenda 1:

Technical Specifications of HIV (Rapid) Test kits -1 By the Principal Dot Immune Assav:

- 1. Should be solid phase coated HIV 1 & 2 recombinant and / or synthetic peptide antigens.
- 2. The assay should detect HIV 1 & 2 antibodies in serum, plasma or whole blood.
- 3. Adequate documents detailing the principal component, detail of antigen for antibody detection of HIV 1 & 2, bio safety methodologies, validity criteria, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit.
- 4. The kit should have approval of the statuary authority from the country of origin.
- 5. Imported kits, it should be registered and licensed by the DCG(I).
- 6. Indigenous manufacturer should be licensed by the competent authority defined under Drugs & Cosmetic Act 1940 & Rule 1945 and / or medical devices rule 2017.
- 7. The time required for the performing the test should not be more than 30 minutes.
- 8. The kits should have a shelf life of 24 months, at least 5/6th of the minimum shelf life must remain at the time of dispatch to the consignee.
- 9. The Control dot / band should be able to detect the presence of human immunoglobulins and should not merely check the flow of reagents or integrity of the antigen except for the kits based on the principal of lateral flow.
- 10. The assay should have sensitivity of 100% and specificity of ≥98%.
- 11. The manufacturer should ensure that:
 - a. The test kit should be packed such that there is a provision to conduct the single test at a time.
 - b. The assay component should include HIV positive & negative serum controls, sufficient for conducting 20% of the test (10% negative & 10% positive controls) c. The pack size of HIV rapid test kits should be not more than 50 tests per kit.
- 12. The manufacturer/authorized agent should ensure maintenance of cold chain during storage & transport the kits at 2 - 8º C. The cumulative time temperature indicator technology used should be pre-qualified by WHO.

Reinstrans



2709786/2022/BSD

Agenda 2:

<u>Technical Specification of HIV (Rapid) Test kits -2, (Principal Agglutination)</u>

- 1. Should be solid phase coated HIV 1 & 2 recombinant and / or synthetic peptide antigens.
- 2. The assay should detect & differentiate HIV 1 & 2 antibodies in serum, plasma or whole blood.
- Adequate documents detailing the principal component, detail of antigen for antibody detection of HIV 1 & 2, bio safety methodologies, validity criteria, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit.
- 4. The kit should have approval of the statuary authority from the country of origin.
- 5. In case of Imported kits, it should be registered and licensed by the DCG(I).
- 6. Indigenous manufacturers should be licensed by the competent authority defined under Drugs & Cosmetic Act 1940 & Rule 1945 and / or medical devices rule 2017.
- 7. The time required for the performing the test should not be more than 30 minutes.
- 8. The kits should have a shelf life of 24 months, at least 5/6th of the minimum shelf life must remain at the time of dispatch to the consignee.
- 9. The Control dot / band should be able to detect the presence of human immunoglobulin's and should not merely check the flow of reagents or integrity of the antigen except for the kits based on the principal of lateral flow.
- 10. The assay should have sensitivity of 100% and specificity of ≥98%.
- 11. The manufacturer should ensure that:

a. The test kit should be packed such that there is a provision to conduct the single test at a time.

b. The assay component should include HIV positive & negative serum controls, sufficient for conducting 20% of the test (10% negative & 10% positive controls) c. The pack size of HIV rapid test kits should be not more than 30 tests per kit.

 The manufacturer/authorized agent should ensure maintenance of cold chain during storage & transport the kits at 2 - 8^o C. The cumulative time temperature indicator technology used should be pre-qualified by WHO.

beins Grant

laur odu 1000 Page 3 of 3

2709786/2022/BSD

Agenda 3:

Technical Specification of HIV (Rapid) Test kits -3 (Principle excluding Agglutination and (Dot Immune Assay)

- 1. Should be solid phase coated HIV 1 & 2 recombinant and / or synthetic peptide antigens.
- 2. The assay should detect HIV 1 & 2 antibodies in serum, plasma or whole blood.
- 3. Adequate documents detailing the principal component, detail of antigen for antibody detection of HIV 1 & 2, bio safety methodologies, validity criteria, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit.
- 4. The kit should have approval of the statuary authority from the country of origin.
- 5. In case of Imported kits, it should be registered and licensed by the DCG(I).
- 6. Indigenous manufacturers should be licensed by the competent authority defined under Drugs & Cosmetic Act 1940 & Rule 1945 and / or medical devices rule 2017.
- 7. The time required for the performing the test should not be more than 30 minutes.
- 8. The kits should have a shelf life of 24 months, at least 5/6th of the minimum shelf life must remain at the time of dispatch to the consignee.
- 9. The Control dot / band should be able to detect the presence of human immunoglobulin's and should not merely check the flow of reagents or integrity of the antigen except for the kits based on the principal of lateral flow.
- 10. The assay should have sensitivity of 100% and specificity of ≥98%.
- 11. The manufacturer should ensure that:
 - a. The test kit should be packed such that there is a provision to conduct the single test at a time.
 - b. The assay component should include HIV positive & negative serum controls, sufficient for conducting 20% of the test (10% negative & 10% positive controls) c. The pack size of HIV rapid test kits should be not more than 30 tests per kit.
- 12. The manufacturer/authorized agent should ensure maintenance of cold chain during storage & transport the kits at 2 - 8º C. The cumulative time temperature indicator technology used should be pre-qualified by WHO.

Raisfrant

mindlet (Tom Her Page 4 of 38



Annexure-1B

CONSIGNEE LIST

Consignee list enclosed in end of the bid document

CMSS reserve to right the change the consignee at any time if required.

Annexure-1C

Artwork

Consignee list enclosed in end of the bid document

<u>Annexure-II</u>

TENDER FORWARDING LETTER

Date:

Τo,

DG&CEO, Central Medical Services Society 2nd Floor, VishwaYuvak Kendra, Pandit Uma Shaker Dixit Marg, Chankyapuri,New Delhi- 110021

Sub: Acceptance of Terms & Conditions of Tender.

Tender No: CMSS/PROC/2022-23/NACO/020.

Name of Tender: - Online tender for Procurement of HIV (Rapid) Antigen Test Kit FOR NACO FOR THE YEAR 2023-24. Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely:

as per your advertisement, given in the above mentioned website(s).

2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents (Including all document like annexure(s), schedule(s), etc .,), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organization too has also been taken into consideration, while submitting this acceptance letter.

4. I / We hereby unconditionally and unequivocally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.

5. I / We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking for the quoted product from any procurement agency or as a whole.

6. I/We hereby declare that bid will remain valid for a period of 150 days after opening of Tender bid/packet1

7.1 / We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully, (Signature of the Tenderer, with Official Seal)

<u>Annexure-III</u>

DETAILS OF E.M.D. SUBMITTED

We herewith submit the EMD (**Annexure-XIV**) in favour of Central Medical Services Society for the following items.

| S. No. | ltem Name | UOM | Quantity in Bid | Quantity Quoted | % of the Bid Quantity | Amount of EMD Payable (in INR) for 100% quantity | Amount of EMD Payable (in INR) for 50% quantity | Amount of Bid Security |
|-----------|---|-------|--------------------|--------------------|-----------------------------|---|--|------------------------------|
| 1 | HIV (Rapid) 1 st Antigen Test Kit (Kit-1) | Tests | 3,77,97,072 | | | 61,08,006 | 30,54,003 | |
| 2 | HIV (Rapid) 2 nd Antigen Test Kit (Kit-2) | Tests | 2,36,540 | | | 45,627 | 22,814 | |
| 3 | HIV (Rapid) 3 rd Antigen Test Kit (Kit-3) | Tests | 3,44,640 | | | 1,94,470 | 97,235 | |

PROFORMA FOR PERFORMANCE STATEMENT

(FOR A PERIOD OF LAST 2 YEARS)

Name of Bidder with Address______ Name of Manufacturer with Address______ Ref Tender No ______

Sr. No. of the Product _____

Name of the Product _____

| SI | Name of Product | Year 2019-20 | Year 2020-21 | Quantity manufactured and marketed | UOM | Name and full address of the Purchaser |
|----|--------------------|-----------------|-----------------|--|------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | • | | | | Nos. | |

OR

| SI | Name of Product | Year 2020-21 | Year 2021-22 | Quantity manufactured and marketed | UOM | Name and full address of the Purchaser |
|----|--------------------|-----------------|-----------------|--|------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1. | | | | | Nos. | |

Note:

- 1. Proof for the manufacturing (BMR) / importing of the items quoted to be produced, if demanded.
- 2. Copies of purchase orders in support of performance statement may be uploaded along with this **Annexure-IV.**

Signature of Tenderer Name in Capitals Date: Seal: Signature of Auditor/ Chartered Accountant Name in Capitals Date Seal

Annexure-V

ANNUAL TURN OVER STATEMENT

The Annual Turnover (Sales) of M/s.______ for the past three years are given below and certified that the statement is true and correct.

| SI. No. | Financial Year | Turnover in Lakhs (Rs) |
|---------|----------------|------------------------|
| | | |
| 1. | 2018-2019 | - |
| 2. | 2019-2020 | - |
| 3. | 2020-2021 | - |
| | | OR |
| | 2019-2020 | - |
| | 2020-2021 | - |
| | 2021-2022 | - |
| | | |
| | Total - Rs | Lakhs. |
| | | |

Average Turnover Per Annum in the last three years mentioned above Rs._____ Lakhs.

Date:

Seal:

Accountant

Signature of Auditor/ Chartered

-

(Name in Capital)

:

:

LIST OF ITEMS QUOTED & THEIR PRODUCTION CAPACITY

1. Name of the firm

2. Address of the firm as given in Drug license/Manufacturing License :

3. Details of Endorsement for all products quoted

| Sch | Item | Drug/Go | UOM | Quantity | Quan | Manufac | Quantit | y Manuf | actured | Averag |
|-----|------|----------------------------|-------|-------------|------|---------|---------|---------|---------|---------|
| No | Cod | ods | | Tendered | tity | turing | | 8 | | е |
| | е | Name | | | quot | Capacit | 2019-20 | 2020- | 2021-22 | Quantit |
| | | | | | ed | У | | 21 | | У |
| | | | | | | | | | | Manuf |
| | | | | | | | | | | acture |
| | | - | | | | | | - | | d |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8A | 8B | 8C | 9 |
| | | HIV | Tests | 3,77,97,072 | | | | | | |
| | | (Rapid) | | | | | | | | |
| | | 1 st | | | | | | | | |
| | | Antige | | | | | | | | |
| | | n Test | | | | | | | | |
| | | Kit (Kit- | | | | | | | | |
| | | 1) | | | | | | | | |
| II | | HIV | Tests | 2,36,540 | | | | | | |
| | | (Rapid) | | | | | | | | |
| | | 2 nd | | | | | | | | |
| | | Antige | | | | | | | | |
| | | n Test | | | | | | | | |
| | | Kit (Kit- | | | | | | | | |
| | | 2) | | | | | | | | |
| | | HIV | Tests | 3,44,640 | | | | | | |
| | | (Rapid) | | 0,11,010 | | | | | | |
| | | (Rapid) 3 rd | | | | | | | | |
| | | Antige | | | | | | | | |
| | | | | | | | | | | |
| | | n Test | | | | | | | | |
| | | Kit (Kit- | | | | | | | | |
| | | 3) | | | | | | | | |

Date:

Authorized Signatory:

CHECK LIST

Packet 1

Pg. No. in bid

| 1. | Checklist – Annexure-VII- (Clause 6.2 o) | Yes | No |
|-----|--|-----|----|
| 2. | EMD (as per Annexure-XIV) (Clause 6.2 a) | Yes | No |
| 3. | Certificate by MSME/ SSI units in support of being a MSE/ SSI unit. (Clause 6.2 a) | Yes | No |
| 4. | Tender Forwarding Letter (Annexure-II) (Clause 6.2 b) | Yes | No |
| 5. | Duly attested photocopy of Manufacturing License (valid on the date of tender opening) for the product duly approved by the Licensing Authority for each and every product quoted and ISO 13485. (Clause 6.2 c & t) | Yes | No |
| 6. | Power of Attorney duly signed & Authorization letter nominating a responsible person of the tenderer to transact the business with the Tender inviting Authority. (Clause 6.2 d) | Yes | No |
| 7. | Purchase Order Copy (Clause 6.2 e) | Yes | No |
| 8. | Market Standing Certificate (Clause 6.2 f) | Yes | No |
| 9. | Non Conviction Certificate issued by the Drugs Controller (Clause 6.2 g) | Yes | No |
| 10. | Manufacturing Capacity Certificate (Clause 6.2 h) | Yes | No |
| 11. | Proforma for Performance Statement (Annexure-IV) (Clause 6.2 i) | Yes | No |
| 12. | Annual Turnover Statement for 3 Years Page 48 of 95 | Yes | No |

(Annexure-V) (Clause 6.2 j)

| 13. | Copies of Annual Audit Reports including Balance Sheet & Profit & Loss Account for last three years (Clause 6.2 k) | Yes | No |
|-----|---|-----|----|
| 14. | Certificate of Incorporation in case of companies/copy of partnership deed in case of partnership firm/ Declaration in case being a proprietary firm. (Clause 6.2 I) | Yes | No |
| 15. | Long term stability data (Clause 6.2 m) | Yes | No |
| 16. | List of items quoted and their production capacity – Annexure-VI (Clause 6.2 n) | Yes | No |
| 17. | No Deviation Certificate (Annexure-XV) (Clause 6.2 r) | Yes | No |
| 18. | Near Relative Certificate (Annexure-XVI) (Clause 6.2 s) | Yes | No |
| 19. | NA | Yes | No |
| 20. | Draft Art work, Product Catalogue, Literature, Data Sheet etc. (Clause 6.2 u) | Yes | No |
| 21. | Certificate as per Annexure-XVIII (Clause 6.2 v) | Yes | No |
| 22. | Undertaking to compliance i.r.o Ministry of Finance, Department of Expenditure, Procurement Policy Division No- 6/18/2019- PPD dated 23.07.2020 (Annexure-XXI) (Clause 6.2 w & x) | Yes | No |
| 23. | Study report (Clause 6.2 z) | Yes | No |
| 24. | NA | Yes | No |
| 25. | Undertaking that Firm is not being blacklisted or debarred from any Govt. Agency (Clause 6.2 y) | Yes | No |
| 26. | Para-wise compliance of technical Page 49 of 95 | Yes | No |

specification of the quoted item (Clause 6.2 z)

NOTE: Bidders are requested to submit all documents with the bid as shown as checklist (Annexure-VII). NO CLARIFICATIONS may be sought from bidders and incomplete bid may be summarily rejected at sole responsibility of bidder(s). CMSS decision in this regard will be final and binding.

M/s __

For Self and Firm / Company Ltd. Signature and Seal

NOTARISED UNDERTAKING BY MSE COMPANIES (In 20- Rupees stamp paper)

I _____, S/o _____, Proprietor / Partner / Managing Director of ______ (Proprietary Concern / Firm / Company Ltd.) execute this Undertaking for myself and on behalf of _____ (Proprietary Concern / Firm / Company Ltd.).

 Whereas, CMSS (Tender Inviting Authority) has invited Tender for supply of Drugs and medicines, goods for the year 2021-22 and in pursuant to the conditions in the tender documents. M/s ______ (Proprietary Concern/ Firm / Company Ltd.), having its Office at

______ is exempted from payment of Earnest Money Deposit as indicated in the Clause 9.2 of tender document.

- 3. And whereas, in pursuant to the conditions in Clause Nos. 9.2, 9.3 & 9.4 of the tender, the Earnest Money Deposit can be forfeited by the Tender Inviting Authority in case of violation of any of the conditions and for non-performance of the obligation under tender document.
- 4. In consideration of exempting M/s._____ (Proprietary Concern/ Firm / Company Ltd.) from payment of Earnest Money Deposit as indicated in the clause 9.2 of tender document, I undertake to pay the said sum without any demur on receipt of demand issued by the tender inviting authority.

M/s _____

For Self and Firm / Company Ltd.

Signature and Seal

Witness:-

(1)

(2)

Central Medical Services Society

2nd Floor, Vishwa Yuvak Kendra, Pandit Uma Shankar Dixit Marg, Teen Murti Road, Opp. Police Station, Chanakyapuri, New Delhi- 110021, Tel: 011-214109005 011-21410906 Email: <u>gmproc.cmss@gmail.com</u>

LETTER OF ACCEPTANCE

No: CMSS/PROC/2022-23/NVBDCP/007

| To, | | |
|-------------|---------|--------------|
| M/s | | |
| Address: | | |
| Attn: | | |
| Phone: | | |
| Email | | |
| (Kind Attn: | (Name), | Designation) |

Sub: Acceptance of Tender for supply of to CMSS

Ref: 1) CMSS Tender No. CMSS/PROC/2022-23/NACO/020 opened on _____

2) Your Ref. No. _____ dated _____ in response to above mentioned tender.

Dear Sir,

I am pleased to inform you that your offer in response to above mentioned tender for supply of Bivalent RDT (Malaria)has been accepted for following items:

| Sch | Items | Quantity | Unit | Ex- | GST | GST | Transport & | Total | Grand Total |
|-----|-------------|----------|------|-------------------------------|-----|------|-------------------------------|--------------------------------------|-------------|
| No. | Description | | | Works per Unit (Rs.) | (%) | (Rs) | any other charges (Rs.) | unit price (all incl) (Rs.) | (Rs.) |
| 1 | | | | | | | | | |
| 2 | | | | | | | | | |
| | Grand Total | | | | | | | | |

- You are requested to deposit Security Deposit @ 3% of the total value by NEFT/ RTGS/ Bank Guarantee/Demand Draft/ Banker's Cheque and enter into an Agreement, as per the format given in Annexure-X of the Tender document, within 15 days from the date of receipt of this letter. The Security Deposit shall be valid for 1260 days from the date of commencement.
- 3. Please convey your acceptance to this LOA within 03 days of issue, else it will be presumed that you are not keen to accept the LOA and CMSS may proceed for

allocation of quantity to other bidder and with other actions stipulated in referred Tender document.

4. All other terms and conditions will be applicable as per Tender document no. CMSS/PROC/2022-23/NVBDCP/007 and subsequent amendments to it.

Anjana GM/Procurement

Annexure A to LOA No: Supplier: M/s _____

Annexure-A

| LIST OF MANUFACTURING LICENSES & SITE ADDRESSES | | | | | | | |
|---|-----------|------------------|-------------------------------|------------------------------|---------|--|--|
| Sr. No. | Item Code | Item Description | Manufacturing Site Address | Manufacturing License No. | Remarks | | |
| 1 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |

LONG TERM AGREEMENT (LTA) NO.:CMSS/PROC/2022-23/NACO/LTA/020

E- STAMP CERTIFICATE NO.:

LTA Validity: From _____ to _____

TERMS OF AGREEMENT

WHEREAS the Supplier confirms that it is qualified, ready, willing and able to supply/services the **Procurement for HIV (Rapid) Antigen Test Kit**, in accordance with the terms and conditions of this Agreement.

1. **DEFINITIONS**

Commencement Date means _____

Expiry Date means _____

Products, in singular form Product, means the item(s), as described and detailed above, provided by the Supplier to CMSS from time to time pursuant to this agreement.

Tender means Tender No. Tender No: **CMSS/PROC/2022-23/NACO/020** from CMSS to the Supplier, to quote for the cost of supply of the Products to CMSS.

Long Term Agreement, as abbreviated to Agreement or LTA, means this Agreement between the Parties, to provide Products, including its Annexure, however with due consideration of the order of precedence among the LTA and individual Annexure.

Parties means CMSS and the Supplier, their successors and assigns and where not repugnant to the context, their servants or agents.

1. LTA DOCUMENTS:

The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:

- (a) This LTA
- (b) The Notice Inviting Tender
- (c) Terms and Conditions of Tender Document as given in Tender No: CMSS/PROC/2022-23/NACO/020 dt.
- (d) The Minutes of Pre-Bid meeting and corrigendum issued.
- (e) Schedule of Requirement.
- (f) The Technical Specification
- (g) The Supplier's Offer including Enclosures, Annexure etc.
- (h) Any other document listed in the supplier's bid and replies to queries, clarifications issued by the purchaser, such confirmations given by the tenderer which are acceptable to the purchaser and the entire Addendum issued as forming part of the contract.
- (i) The Letter of Acceptance issued by the purchaser.

2. PURPOSE OF LTA:

- 2.1 The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the goods, the Contract Price at the times and in the manner prescribed by this Agreement.
- 2.2 Brief particulars of the Products or goods which shall be supplied / provided by the Supplier are as under.

| Sch No. | Items Descriptio n | Quantity | Unit | Ex-Works per Unit (Rs.) | GST (%) | GST (Rs) | Transport & any other charges (Rs.) | Total unit price (all incl) (Rs.) | Grand Total (Rs.) |
|------------|--------------------------|----------|------|-------------------------------|------------|-------------|---|---|-------------------------|
| 1 | | | | | | | | | |
| 2 | | | | | | | | | |
| | | | • | • | | | | Grand Total | |

2.3 The supplier agrees that his supplies are subject to terms and conditions details contained in LTA documents mentioned above. The supplier appreciates that the supplies are meant for public health system in the country and hence will agree to supply the goods of good quality as per standards in a timely manner as specified as per tender terms and conditions. The supplier has already given its no deviation (clause-by-clause compliance) for the subject terms and conditions.

3 . Manufacturing License and Site

License and Site Address:

As per Annexure A.

IN WITNESS where of the parties here to have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, Sealed and Delivered by the said...... (For the Purchaser)

in the presence of

Signature

Name

Address

Signed, Sealed and Delivered by the Said (For the Supplier)

in the presence of

Signature

Name

Address

Annexure A to LTA No:

Supplier: M/s

| | LIST OF MANUFACTURING LICENSES & SITE ADDRESSES | | | | | | |
|------------|---|------------------|-------------------------------|------------------------------|---------|--|--|
| Sr. No. | ltem Code | Item Description | Manufacturing Site Address | Manufacturing License No. | Remarks | | |
| 1 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |

CENTRAL MEDICAL SERVICES SOCIETY

Ministry of Health & Family Welfare (Government of India) 2nd Floor, Vishwa Yuvak Kendra, Pt. Uma Shankar Dikshit Marg, Teen Murti Marg, Opposite Police Station Chankaya Puri, New Delhi-110021, India

PURCHASE ORDER

PO No: CMSS/PROC/2022-23/NACO/020

Dated: _____

Τo,

| //s |
|----------|
| Address: |
| \ttn: |
| 'hone: |
| mail |
| |

Subject: Purchase Order for supply of HIV (Rapid) Antigen Test Kit.

Ref : Long Term Agreement No: CMSS/PROC/2022-23/NACO/020/LTA/...... dated_____

Dear Sir,

Please supply following quantities for the items specified as per the technical specifications and terms & conditions of the Long Term Agreement referred above:

| Sr. | Item | ltem | Quantit | Unit | Ex | GST | GST | Transp | Rate Per | Total | Desti |
|-----|------|-----------|---------|------|----------|-----|------|---------|-----------|-------|-------|
| No. | Cod | Descripti | У | | Works | (%) | (Rs) | ortatio | Unit | Valu | nati |
| | е | on | Accept | | Price | | | n | (Landed | е | on |
| | | | ed by | | per Unit | | | Charg | Price)(Rs | (Rs) | |
| | | | the | | (Rs) | | | es |) | | |
| | | | Purcha | | | | | (Rs) | | | |
| | | | ser | | | | | | | | |
| 1 | | | | | | | | | | | As |
| | | | | | | | | | | | per |
| | | | | | | | | | | | Ann |
| | | | | | | | | | | | ex 1 |
| 2 | | | | | | | | | | | As |
| | | | | | | | | | | | per |
| | | | | | | | | | | | Ann |
| | | | | | | | | | | | ex-1 |

1. All the Terms & Conditions of the Agreement signed by you on acceptance of your tender are applicable.

- 2. Delivery Period: As per Annexure A of the tender document
- 3. Manufacturing license as per Annexure A and site address as per Annexure B.
- 4. Payment Terms: Within 75 days of supplies in respect of items requiring sterility tests and within 60 days of supplies for other items.

(Anjana) General Manager (Procurement)

Copy to :

- 1. General Manager (LSC), CMSS
- 2. General Manager (QA), CMSS
- 3. General Manager (Finance), CMSS
- 4. All Consignees (CMSS Warehouses) concerned.

| | CONSIGNEE-LIST | | | | | | |
|---------|---------------------|-----------------------|----------------------|----------|-----|---------|--|
| Sr. No. | Item Description | Consignee Location | Consignee Address | Quantity | UOM | Remarks | |
| 1 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |

Annexure-B

Annexure B to PO No: Supplier: M/s

| | LIST OF MANUFACTURING LICENSES & SITE ADDRESSES | | | | | | | |
|------------|---|------------------|-------------------------------|------------------------------|---------|--|--|--|
| Sr. No. | ltem Code | Item Description | Manufacturing Site Address | Manufacturing License No. | Remarks | | | |
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |

<u>Annexure-XII</u>

MANDATE FORM

| 01 | Company Name | |
|----|---|--|
| 02 | Postal Address of the company with Telephone No., Fax No. and Mail ID. | |
| 03 | Name of the Managing Director / Director / Manager Mobile No. / Phone No. E-mail ID. | |
| 04 | Name and Designation of the authorized company official Mobile No. | |
| | E-mail ID | |

Date:

Signature

Place:

Company Seal

(Name of the person signing & designation)

| 01 | Name of the Bank. Branch Name& address. Branch Code No. Branch Manager Mobile No. Branch Telephone no. Branch E-mail ID | |
|----|--|--|
| 02 | 9 digit MICR code number of the bank and branch appearing on the MICR cheque issued by the bank. | |
| 03 | IFSC code of the Branch | |
| 04 | Type of Account (Current / Savings) | |
| 05 | Account Number (as appear in Cheque book) | |

(in lieu of the bank certificate to be obtained , please <u>attach the original cancelled cheque</u> issued by your bank for verification of the above particulars).

I /We hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold M/s. Central Medical Services Society (CMSS) responsible. I have read the conditions of the tender/agreement entered and agree to discharge the responsibility expected of me / from the company as a tenderer /successful tenderer.

| Date: | Company Seal | Signature |
|--------|--------------|-----------------------|
| Place: | | (Name of the person |
| | | signing& designation) |

CERTIFIED THAT THE PARTICULARS FURNISHED ABOVE BY THE COMPANY ARE CORRECT AS PER OUR RECORDS.

| Bank Seal with address. | Signature of the |
|-------------------------|-----------------------|
| authorized | |
| | official of the bank. |

Bank Guarantee for EMD (Format)

(if applicable)

[The Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.]

| [insert Bank's | Name, and Address of Issuing Branch or Office] |
|----------------|--|
| Beneficiary: | [insert Name and Address of Purchaser] |
| Date: | |
| BIDGUARANT | EE No.: |

We have been informed that [insert **name of the Tenderer**] (hereinafter called "the Tenderer") has submitted to you its bid dated (hereinafter called "the Bid")for the execution of [insert **name of contract**] under Tender No.....

Further more, we understand that, according to your conditions, bids must be supported by a EMD.

At the request of the Tenderer ,we [insert **name of Bank**] hereby irrevocably under take to pay you any sum or sums not exceeding in total an amount of [insert **amount in figures**] ([insert **amount inwords**]) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Tenderer is in breach of its obligation(s) under the bid conditions, because the Tenderer :

(a)has withdrawn its Bid during the period of bid validity specified by the Tenderer in the Form of Bid; or

- (b) having been notified of the acceptance of its Bid by the Purchaser during the period of bid validity, (i)fails or refuses to execute the Contract Form, if required, or(ii)fails or refuses to furnish the security deposit, in accordance with the Instructions to Tenderer s.
- (c) does not accept the correction of the Bid Price
- (d)This guarantee will expire: (a) if the Tenderer is the successful tenderer ,upon our receipt to copies of the contract signed by the Tenderer and the performance security issued to you upon the instruction of the Tenderer ; or(b) if the Tenderer is not the successful tenderer ,upon the earlier of (i) our receipt of a copy of your notification to the Tenderer of the name of the successful tenderer ;or (ii) Twenty Eight days after the expiration of the Tenderer 's Bid.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 758.

[signature(s)]

Security Bank Guarantee (Format)

[insert: Bank's Name, and Address of Issuing Branch or Office]

| Beneficiary: | [insert: | Name and | d Address | of Purchaser] |
|--------------|--------------|----------|-----------|---------------|
| , | - | | | - |

Date: _____

PERFORMANCE GUARANTEE No.:

We have been informed that [insert: **name of Supplier**] (hereinafter called "the Supplier") has received a Letter of Acceptance No. [insert: **reference number of the Letter of Acceptance**] dated ______ for entering into a Rate Agreement with you, for the supply of [insert: **description of goods**]

Furthermore, we understand that, according to the conditions of the Tender, a performance guarantee is required post acceptance of letter of Acceptance.

At the request of the Supplier, we [insert: **name of Bank**] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [insert: **amount in figures**] (____) [insert: **amount in words**]¹ upon receipt by us of your first demand in writing accompanied by a written statement stating that the Supplier is in breach of its obligation(s) under the Tender , without your needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire no later than the ____ day of _____, 2___,² and any demand for payment under it must be received by us at this office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 758, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded.______[signature(s)]

The Guarantor shall insert an amount representing the percentage of the Price specified in the letter of Acceptance and denominated in the currency of the Contract.

Established in accordance with tender conditions taking into account any warranty obligations of the Supplier as per tender conditions The Purchaser should note that in the event of an extension of the time to perform the Contract, the Purchaser would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee. In preparing this guarantee, the Purchaser might consider adding the following text to the form, at the end of the penultimate paragraph: "The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Purchaser's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."

No Deviation Certificate

This is to certify that the product(s) quoted_____ by our firm, M/s. ______ is as per the given technical specifications in the tender document & there is no deviation in relation to any conditions/requirements specified in the tender document.

Signature (with Stamp)

Near Relative Certificate

(In case of Proprietorship firm certificate will be given by the proprietor. For partnership firm certificate will be given by all the partners and in case of limited company by all the Directors of the company excluding Govt. of India/Financial Institutions nominees and independent non-official part time directors appointed by Govt. of India or the Governor of the state. Authorised signatory of bid may also sign this bid on behalf of the entire directors/ partners/ proprietor).

This is to certify that none of my/our Company Directors' near relative as defined below currently works in CMSS where I am/we are going to apply for the tender. I/We also agree to the condition that due to any breach of conditions by the company or firm or any other related person the bid submitted on behalf of the company or firm will be cancelled and bid security will be forfeited at any stage whenever it is noticed and CMSS will not pay any damage to the company or firm or the concerned person. The company or firm will also be debarred for further participation for the quoted item in CMSS for a period of one year.

The near relatives for this purpose are defined as:

- (a) Members of a Hindu undivided family.
- (b) They are husband and wife.

(c) The one is related to the other in the manner as father, mother, son(s) & son's wife (Daughter in law), daughter(s) and daughter's husband (son in law), brothers(s) and brother's wife, sister(s) and sister's husband (brother in law).

Signature/Signatures (with Stamp)

MANUFACTURER'S AUTHORISATION FORM

[The Tenderer shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer.]

Date: [insert: **date** (as day, month and year) **of Bid Submission**]

Tender No.: [insert: number of bidding process]

Alternative No.: [insert: identification No if this is a Bid for an alternative]

To: [insert: complete name of Purchaser]

WHEREAS

We [insert: complete name of Manufacturer], who are official manufacturers of [insert: type of goods manufactured], having factories at [insert: full address of Manufacturer's factories], do hereby authorize [insert: complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert: name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Tender Terms and Conditions, with respect to the Goods offered by the above firm.

Signed: [insert: signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert: complete name(s) of authorized representative(s) of the Manufacturer]

Title: [insert: **title**]

Duly authorized to sign this Authorization on behalf of: [insert: complete name of Bidder]

Dated on ______, ____, ____, ____, [insert: date of signing]

Annexure-XVIII

FORMAT FOR LOCAL CONTENT DECLARATION

Tender Reference No:

Date:

| I | | | | , S/o, | D/o, | W/o_ | | | | | |
|-------|---------|---------|----|--------|------|------|---------------------------|-----------|---------|------|-------|
| Resid | dent of | | | | | | do hereby solemnly affirm | n and dec | clare a | s un | der:- |
| The | local | content | is | % | for | the | | (quoted | item | of | M/s |

That I on behalf of M/s ______ will agree to abide by the terms and conditions of the Ministry of Chemicals & Fertilizers, DOP, Government of India issued vide notification no. 31026/36/2016- policy dated 16.02.2021 and DPIIT order no. P- 45021/2/2017- PPBE- II dated 16.09.2020 and calculations for local content have been done in accordance with Sr. No. 1 of DOP order no. 31026/36/2016- policy dated 16.02.2021.

That the information furnished hereinafter is correct to best of my knowledge and belief and I on behalf of M/s ______undertake to produce relevant records before the procuring entity or any authority so nominated by the Department of Pharmaceuticals. Government of India for the purpose of assessing the local content.

(Name of Firm/ Entity)

Authorized Signatory/ Statutory Auditor/ Chartered Accountant

(with Company Seal/Stamp)

(Refer Clause 9 of DPIIT Order dtd. 16.09.2020)

Annexure-XIX

UNDERTAKING

(On Company's Letter Head)

| We, | (name of bidder), having offices |
|-----|----------------------------------|
| u | |
| | are participating in Bid No. |
| | Dated |

We equivocally and irrevocably undertake that,

- i) Compliance of DOE, MOF order No. 6/18/2019 PPD dated:-23.07.2020 or any other subsequent revised order in said matter.
- ii) Compliance of Public Procurement Order 2017-revision, issued vide No. P-45021/2017-PP (BE-II) Dated:- 16/9/2020 or any other subsequent revised order in said matter.

If at any stage of tendering process, non-compliance of above orders observed/found we will be liable for stringent actions as per the tender terms and condition including suspension/debarment from any bidding in CMSS/MoHFW tenders for twoyears.

M/s_____

Witness

For Self and Firm/Company Limited

1.

Signature & Seal of company

CONSIGNEE RECEIPT CERTIFICATE

| (To be | e given by consignee's authorized representative) |
|--------|--|
| The fc | llowing store(s) has/have been received in good condition: |
| 1) | P.O No. & date: |
| 2) | Supplier's Name: |
| 3) | Consignee's Name & Address with telephone No. & Fax No. : |
| | |
| | |
| 4) | Name of the items/equipment supplied: |
| 5) | Quantity of items/equipment Supplied: |
| 6) | Date of Receipt of items/equipment by the Consignee: |
| 7) | Name and designation of Authorized Representative of Consignee : |
| 8) | Signature of Authorized Representative of Consignee with date: |
| 9) | Counter Signed by Director/MS/Dean of the concerned Hospital/Institute: |

10) Seal of the Consignee:_____

Annexure-1B

284

285

CONSIGNEE LIST <u>HIV (Rapid) 1st Antigen Test Kit (Kit-1)</u>

2768489/2022/Procurement

| HIV 1st | Test Kits (Comba | ids) | | | | | | | | | |
|---------|------------------|--------------------------------|--|----------------------|-------------------------------|----------------------|-------------------------------|----------------------|-------------------------------|----------------------|-------------------------------|
| SL.No | State/UT | District | WIC Address | 01/03/23 to 30/04/23 | No. of kits (48 tests/kit) | 01/05/23 to 31/07/23 | No. of kits (48 tests/kit) | 01/08/23 to 31/10/23 | No. of kits (48 tests/kit) | 01/11/23 to 31/01/24 | No. of kits (48 tests/kit) |
| 1 | A&N Islands | A & N Islands SACS Store | The Project Director, Andaman & Nicobar AIDS Control Society, Q.No.10-11/AP Type-IV Atlanta Point, Port Blair -744104 | 8,496 | 177.0 | 8,496 | 177 | 8,496 | 177 | 8,496 | 177 |
| 2 | | Anantapur | The Addll D.M.HO (Leprosy & AIDS) IInd floor, DM & HO office, Opp. Govt. General Hospital, Anantapur - 515 001 , | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 3 |] | Anantapur | Dept of Microbiology, Ananthapur | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 4 | | Chitto or | The Addl1.D.M.HO, (Leprosy & AIDS) S.V.R.R.G.G.H. Campus, Tirupathi - 517501. | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 5 | 1 | Chittoor | Dept of Microbiology, Tirupathi | 21.120 | 440.0 | 21.120 | 440 | 21,120 | 440 | 21.120 | 440 |
| 6 | | East Godavari | District AIDS Prevention & Control Unit (DAPCU), O/o Add District Medical and Health office(A&L).DM&HO Campus.Near PR College, Kakinada, EastGodavari, AndhraPradesh, 533001. | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 7 | 1 | East Godavari | Dept of Microbiology, Kakinada | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 8 | 1 | Guntur | District AIDS Prevention & Control Unit (DAPCU), O/o ADM&HO (A&L),DM&HO Office, Opp. Collectorate Nagarampalem, Guntur, AndhraPradesh - 522004, | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 9 | 1 | Guntur | Dept of Microbiology, Guntur | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 10 |] | Krishna | APSACS Store, Central Warehouse, 2A Block, Bhavanipuram, Vijayawada, Krishna Dist., Andhra Pradesh State- 520012 | 21,168 | 441.0 | 21,216 | 442 | 21,168 | 441 | 21,216 | 442 |
| 11 | 1 | Krishna | Dept of Microbiology, Vijayawada | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 12 | 1 | Krishna | The Addl1 D.M.HO, (Leprosy & AIDS) OP No.8, Ground Floor, District Hospital Machilipatnam, Krishna District - 521001. | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 13 | Andhra Pradesh | Kumool | The Addill D.M.HO, (Leprosy & AIDS), District AIDS Prevention & Control Unit (DAPCU), O'o ADM&HO(A&L), Govt, Quarters, B:D1-12, Opp: Officers Club, B.Camp, Kurnool, AndhraFradesh, Pin 518002, | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 14 |] | Kumool | Dept of Microbiology, Kurnool | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 15 | | Prakasam | The Addll D.M.HO, (Leprosy & AIDS), Near Rangaraiyudu cheruvu, Cold chain complex, Ongole, Praka sam - 523 001. | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 16 | | Sri Potti Srirannlu Nellore | District AIDS Prevention & Control Unit (DAPCU), O/o ADM&HO(A&L), 2nd Floor, District Medical & Health Office, Beside Old Municipal Building, Santhapet, Nellore, AndtraPradesh-524001, | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 17 | | Srikakulam | The Addll D.M.HO, (Leprosy & AIDS) Govt.Headquarters Hospital Campus, Balaga, , SRIKAKULUM - 532001. | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 18 | | Visakhapatnam | District AIDS Prevention & Control Unit (DAPCU), O(o Add. District Medical & Health Office (AIDS & Leprosy), Beside Regional Eye Hospital, Opp. Bullayya College, Resapuvanjalem, Visakhapatnam, Andhrapradesh - 530003, | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 19 | 1 | Visakhapatnam | Dept of Microbiology, Visakhapatnam | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 20 |] | Viziana garam | District AIDS Prevention & Control Unit (DAPCU), 2nd Floor, DM&HO Office, O'o the Addl. District Medical & Health Officer (AIDS & Leprosy), Cantonneut, Vizianagaram - 535003 | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
| 21 |] | West Godavari | The Addll D.M.HO. (Leprosy & AIDS) O/o DM&HO, 2nd Floor, Near Old Bus Stand, ELURU, W.G.District. | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |

2768489/2022/Procurement

| 22 | | Y.S.R. | District AIDS Prevention & Control Unit (DAPCU), O.o. Add. DM&HO (A.&L), DM&HO Buildang, Opp: Iqbal Rice Mill, Akkayapalli, Kadapa City Kadapa - Y.S.R. District, AndhraPradesh Pin: 516003 | 21,120 | 440.0 | 21,120 | 440 | 21,120 | 440 | 21,120 | 440 |
|----|-----------------------|------------------------------------|--|----------|--------|----------|-------|----------|-------|----------|-------|
| 23 | Arunanchal Pradesh | Arunachal Pradesh SACS Store | The Project Director, Arunachal Pradesh State AIDS Control Society, Naharlagun, New Itanagar Arunachal Pradesh – 791110 | 9,984 | 208.0 | 9,984 | 208 | 9,984 | 208 | 10,032 | 209 |
| 24 | Assam | Assam SACS Store | The Project Director, Assam State AIDS Control Society, Khanapara, Guwahati - 781 022 | 1,02,336 | 2132.0 | 1,02,384 | 2,133 | 1,02,336 | 2,132 | 1,02,384 | 2,133 |
| 25 | | Patna | Bihar State AIDS Control Society, State Institute Of Health & Family Welfare, Sheikhpura Bailey Road, Patna-800014. | 42,816 | 892.0 | 42,816 | 892 | 42,816 | 892 | 42,816 | 892 |
| 26 | Bihar | Patna | Model Blood Bank Jai Pratha Hospital Campus Near Ganga Devi Mahila Maha Vidyalaya Kankarbagh, PC Colony, Patna Bihar 800020 | 42,624 | 888.0 | 42.624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 |
| 27 | | Darbhanga | Darbhmaga Medical Collage Hospital, DMCH Rd, Allalpatti, Laheriasarai, Darbhanga, Bihar 846003 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 |
| 28 |] | Bhagalpur | Sadar Hospital Bhagalpur. M.G Path, NH 80, Civil Hospital, Bhagalpur, Bihar 812001 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 |
| 29 | | Begusarai | Sadar Hospital Begusarai, Hospital Rd, Ratanpur, Begusarai, Bihar 851101 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 |
| 30 | | Saran | Sadar Hospital Saran. Daroga Rai Chowk, Sadhapur, Chapra, Bihar \$41301 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 | 42,624 | 888.0 |
| 31 | Chandigarh | Chandigath SACS Store | The Project Director, Chandigarh State AIDS Control Society,Govt. Multispeciality Hospital, Sector 16, Chandigarh - 160016 | 51,168 | 1066.0 | 51,216 | 1,067 | 51,168 | 1,066 | 51,216 | 1,067 |
| 32 | Chhattisgarh | Chhattisgarh SACS Store | The Project Director, Chattisgarh State Aids Control Society, Chattisgarh Health Society, State Health Training Centre, Kalabadi Chowk, Raipur, Chattisgarh - 492001. | 1,53,552 | 3199.0 | 1,53,552 | 3,199 | 1,53,552 | 3,199 | 1,53,552 | 3,199 |
| 33 | Delhi | Delhi SACS Store | The Project Director, Delhi State AIDS Control Organization, I & II Floor, Dharmsala Block, Dr. Baba Saheb Ambedkar Hospital, Sector – 6, Rohini, Delhi - 110085. | 2,04,720 | 4265.0 | 2,04,768 | 4,266 | 2,04,720 | 4,265 | 2,04,768 | 4,266 |
| 34 | DNHDD | D & N Haveli SACS Store | The Project Director, State AIDS Control Society, Shri Vinoba Bhave Civil Society, Dadra and Nagar Haveli, Silvassa-396230 | 3,408 | 71.0 | 3,456 | 72 | 3,408 | 71 | 3,456 | 72 |
| 35 | DANDD | Daman & Diu SACS Store | The Project Director, State AIDS Control Society, 2nd Floor, CHC, Fort Area, Moti Daman, Daman 396220 (UT) | 13,632 | 284.0 | 13,632 | 284 | 13,632 | 284 | 13,632 | 284 |
| 36 | Goa | Goa SACS Store | The Project Director, Goa State AIDS Control Society, ART centre, Goa Medical College, Bambolim-403002 | 51,168 | 1066.0 | 51,216 | 1,067 | 51,168 | 1,066 | 51,216 | 1,067 |
| 37 | | Ahmadabad | AMC AIDS Control Society | 2,21,856 | 4622.0 | 2,21,856 | 4,622 | 2,21,808 | 4,621 | 2,21,856 | 4,622 |
| 38 | Gujarat | Ahmadabad | The Project Director, Gujarat State AIDS Control Society, 5th Floor, Balasmani Bhavan, Manjushree Mill Compound, Girdhamagar, Ahmedabad.380004 | 2,21,856 | 4622.0 | 2,21,856 | 4,622 | 2,21,856 | 4,622 | 2,21,856 | 4,622 |
| 39 | Haryana | Haryana SACS Store | The Project Director, Haryana State AIDS Control Society, Swasthya Bhawan, Panchkula Sector 6, Panchkula - 134109 | 2,72,976 | 5687.0 | 2,73,024 | 5,688 | 2,72,976 | 5,687 | 2,73,024 | 5,688 |
| 40 | Himachal Pradesh | Himachal Pradesh SACS Store | Project Director, HP State AIDS Control Society, Ground Floor, Block No.38, SDA Complex, Kasumpti- 171009 | 51,168 | 1066.0 | 51,216 | 1,067 | 51,168 | 1,066 | 51,216 | 1,067 |
| 41 | Jammu & | Jammu | Project Director, J&K State AIDS control Society, 1st Floor Seerat Complex Sector-14 Nanak Nagar, Jamma, 180004 | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |

2768489/2022/Procurement

| | Kashmir | | | | | | | | | | |
|----|-----------|-------------------------|---|----------|--------|----------|-------|----------|-------|----------|-------|
| 42 | Kashmir | Srinagar | Project Director, J&K State AIDS control Society, Public Health Building, Behind Bone & Joint Hospital, Barzulla, Srinagar 190005 | 25,584 | 533.0 | 25,632 | 534 | 25,584 | 533 | 25,632 | 534 |
| 43 | Jharkhand | Jharkhand SACS Store | Jharkhand State AID'S Control Society, Sadar Hospital Campus, Purulia Road, Ranchi, Jharkhand- 834001 | 1,02,432 | 2134.0 | 1,02,432 | 2,134 | 1,02,432 | 2,134 | 1,02,480 | 2,135 |
| 44 | | Bangalore | The Project Director, Kamataka State AIDS Control Society, Karnataka State Aids Prevention Society, KSAPS,Arogya Soudha, Behind Leprosy Hospital, 1st Cross Road,Magadi Road, Opposite, to KSR Metro Station, Bengahru - 560023 | 26,040 | 542.5 | 26,040 | 543 | 26,040 | 543 | 26,040 | 543 |
| 45 | | Belgaum | District Drug Warehouse, District Hospital Premises Civil Hospital Compound, Belgaum, Karnataka 590019. | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 46 | | Bellary | DISTRICT DRUG WAREHOUSE, Dist Hospital Premises, Bellary- 570878 | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 47 |] | Bijapur | District Drug Warehouse, District Hospital Premises Bijapur - 598948. | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 48 | 1 | Dakshina Kannada | DISTRICT DRUG WAREHOUSE Wenlock Hospital Premises Mangalore-Hampankatta, Mangalore, Karnataka 575001 | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 49 |] | Davanagere | District Drug Warehouse, C.G Hospital Premises Davanagere – 577004 | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 50 | 1 | Dharwad | District Drug Warehouse, District Hospital Premises, Dharwad- 580008. | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 51 | 1 | Gulbarga | District Drug Warehouse, District Hospital Premises, Gulbarga – 585102. | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 52 | 1 | Hassan | DISTRICT DRUG WAREHOUSE District Hospital Premises Hassan – 573201 | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 53 | | Kolar | DISTRICT DRUG WAREHOUSE, District Hospital Premises Kolar 573910, DH &FW office, Kolar- 563101 | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 54 | 1 | Mysore | DISTRICT DRUG WAREHOUSE, Hospital Road (Beside Vanivilasa hospital) Kalidasa Road, Mysore - 570012 | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 55 | 1 | Raichur | District Drug Warehouse District Hospital Premises, Raichur, - 59 8005. | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 56 | Karnataka | Shimoga | District Drug Warehouse, MC Gann Hospital Premises Shimoga – 598233. | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 57 | 1 | Tumkur | DISTRICT DRUG WAREHOUSE District Hospital Premises Tumkur-572101 | 25,248 | 526.0 | 25,248 | 526 | 25,248 | 526 | 25,248 | 526 |
| 58 | 1 | Bangalore (unit- | Karnataka Drugs and Logistic Ware house Society, | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 59 | | Bagalkot | D.H.O.Office Drug Store Room Number 34 C/O D.H.O.Office District Addministrative Building Navanagar Bagalkote 587103 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 60 | | Bangalore ('R) | ICTC Center, 1st Floor, General Hospital, TB Crcle, Doddaballapura Town Bangalore Rural District. 561203. | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 61 | 1 | Bidar | District Drug Ware House, Near 100 Beded Hospital, behind indian post office, Bidar 585401 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 62 | | Chikkamagalur | District Health & Family Welfare Office, Behind Zilla Panchayath, Jyothi Nagara Post, Chikkmagaluru, 577102 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 63 | 1 | Chikkaballapura | New District Hospital, MG Road, Chikkaballapur- 562101 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 64 | 1 | Chithradurga | DAPCU, District TB office, District hospital Primisis, Chitradurga 577501 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 65 | | Gadag | District AIDS Prevention and Control Unit, Old District Hospital, Near Gandhi Circle, Gadag-582101 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 66 | 1 | Haveri | District Hospital Premises Haveri 581110 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 67 | | Ramanagara | DHO Officer Premises Post Officer Road Behind Indira Canteen Ramanagara 562159 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 68 | | Udupi | District Health & Family Welfare Office, Ajjarakadu, Udupi-576101 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |

2768489/2022/Procurement

| 69 |] | Karwara | District Health & Famimily Welfere office compound Main Road Karwar | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
|----|-------------|------------------------|--|----------|--------|----------|--------|----------|-------|----------|-------|
| 70 | | Yadgiri | DHO Office Near Sapna Talkies Gandhi Chowk Road Yadgir-585201 | 25,248 | | 25,248 | | 25,248 | | 25,248 | |
| 71 | | Alappuzha | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept. of Microbiology, Medical College Horpital, Vandanam Ambalaphuzha, NH 66, Vandanam, Kerala 688005 | 28,416 | 592.0 | 28,416 | 592 | 28,416 | 592 | 28,416 | 592 |
| 72 | | Kottayam | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept. of Microbiology, Medical College Hospital, Gandhi Nagar, Kottayam, Kerala 686008 | 28,416 | 592.0 | 28,416 | 592 | 28,416 | 592 | 28,416 | 592 |
| 73 | Kerala | Kozhikode | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS) SRL, Dept of Microbiology, Medical College, Kachikode- 673008 (Incharge-Ms. Indlu, Technical Officer Mob: 7994468259) | 28,416 | 592.0 | 28,416 | 592 | 28,416 | 592 | 28,416 | 592 |
| 74 | | am | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), RED CROSS ROAD/REAR GENERAL HOSPITAL, TRIVANDRUM-695035 | 28,608 | 596.0 | 28,608 | 596 | 28,608 | 596 | 28,608 | 596 |
| 75 | | Thiruvananthapur am | KSACS OFFICE-2 | 28,416 | 592.0 | 28,416 | 592 | 28,416 | 592 | 28,464 | 593 |
| 76 | | Thrissur | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept. of Microbiology, Medical College, Thrissur- 680596 (Incharge-bit, Sreekumar, Technical Officer Mob: 8281610952) | 28,416 | 592.0 | 28,416 | 592 | 28,416 | 592 | 28,416 | 592 |
| 77 | Lakshadweep | SACS Store | The Project Director, Lakshadweep AIDS Control Society,Department of Health Services,U.Tof Lakshadweep, Kavaratti Island P O pin 682 555 | 1,536 | 32.0 | 1,584 | 33 | 1,536 | 32 | 1,584 | 33 |
| 78 | | Bhopal | The Project Director, Madhya Pradesh State AIDS Control Society, 1 Arera Hills, 2nd Floor, OILFED Bhawan, Bhopal – 462 011 | 1,22,880 | 2560.0 | 1,22,880 | 2,560 | 1,22,880 | 2,560 | 1,22,880 | 2,560 |
| 79 | Madhya | Gwalior | SRL, Microbiology Department, Gajra Raja Medical College, Gwalior 474009 | 61,392 | 1279.0 | 61,392 | 1,279 | 61,392 | 1,279 | 61,392 | 1,279 |
| 80 | Pradesh | Indore | SRL, Microbiology Department, Mahatma Gandhi Memorial Medical College, Indore- 45 2001 | 1,02,384 | 2133.0 | 1,02,384 | 2,133 | 1,02,384 | 2,133 | 1,02,384 | 2,133 |
| 81 | | Jabalpur | SRL, Microbiology Department, Regional Medical Research Centre, Jabahur- 482003 | 1,22,880 | 2560.0 | 1,22,880 | 2,560 | 1,22,880 | 2,560 | 1,22,736 | 2,557 |
| 82 | | Akola | Project Director, Maharashtra State AIDS Control Society (MSACS) Governmert Medical Collage, Back of Ashok Vatika, Colletor Offices Road, Akola 444001 | 1,30,320 | 2715.0 | 1,30,320 | 2715.0 | 1,30,320 | 2,715 | 1,30,416 | 2,717 |
| 83 | | Aurangabad | Project Director, Maharashtra State AIDS Control Society (MSACS) Deputy Director, Health Services, Aurangabad Circale, Mahavir Chowk, Approsite Baba Petrol Pump, Aurangabag 431001 | 1,26,000 | 2625.0 | 1,26,000 | 2625.0 | 1,26,000 | 2,625 | 1,26,000 | 2,625 |
| 84 | | Latur | Project Director, Maharashtra State AIDS Control Society (MSACS) Women Hospital Labor Colony, Shau Chauk, Latur- 413512 | 1,08,384 | 2258.0 | 1,08,480 | 2260.0 | 1,08,384 | 2,258 | 1,08,384 | 2,258 |
| 85 | | Mumbai | Project Director, Maharashtra State AIDS Control Society (MSACS), Ackworth Leprosy Hospital Compound, Behind S LW.S. College, R. A. Kidwai Marg, Near Wadala Over Bridge, Wadala (West), Mumbai – 400 031. | 35,856 | 747.0 | 35,808 | 746.0 | 35,856 | 747 | 35,856 | 747 |
| 86 | | Nagpur | Project Director, Maharashtra State AIDS Control Society (MSACS), Deputy Director, Nagpur Circale, Near Dássha Bhumi, Post Shardhanand Peth, Nagpur- 440018 | 1,24,992 | 2604.0 | 1,24,992 | 2604.0 | 1,24,992 | 2,604 | 1,24,992 | 2,604 |

287

| | | | Deputy Director, Health Services, Trimbak Naka, | | | | | 1.0000000000000000000000000000000000000 | | | |
|-----|-------------|-----------------------|--|----------|--------|----------|--------|---|-------|----------|-------|
| 87 | | Nashik | Apposite Rajdooth Hotal, Trimbak Road Nashik 422002 | 1,08,528 | 2261.0 | 1,08,528 | 2261.0 | 1,08,528 | 2,261 | 1,08,528 | 2,261 |
| 88 | | Pune | Project Director, Maharashtra State AIDS Control Society (MSACS) District Hospital, Aundh Chavani, Aundh, Pune-27 | 1,08,528 | 2261.0 | 1,08,528 | 2261.0 | 1,08,528 | 2,261 | 1,08,528 | 2,261 |
| 89 | | Satara | Project Director, Maharashtra State AIDS Control Society (MSACS) DAPCU Office, Krantisinh Nana Patil Civil Hopsital, Behind ST Bus stand, Satara-415001 | 28,896 | 602.0 | 28,896 | 602.0 | 28,896 | 602 | 28,896 | 602 |
| 90 | Maharashtra | Thane | Project Director, Maharashtra State AIDS Control Society (MSACS) Vithal Sayana General Hospital, Kort Naka, Tambhi Naka, Agyanlane , Thane West, Thane 400601 | 75,888 | 1581.0 | 75,888 | 1581.0 | 75,888 | 1,581 | 75,888 | 1,581 |
| 91 | | Aurangabad | Project Director, Maharashtra State AIDS Control Society (MSACS), New Civil Hospital, Chikaltham, Opp Airport, Jalma Road, Aurangabad, 431001 | 47,760 | 995.0 | 47,760 | 995.0 | 47,760 | 995 | 47,760 | 995 |
| 92 | | Nagpur | Project Director, Maharashtra State AIDS Control Society (MSACS), Deputy Director, Nagpur Circale, Near Diksha Bhumi, Post Shardhanand Peth, Nagpur- 440018 | 47,760 | 995.0 | 47,760 | 995.0 | 47,760 | 995 | 47,760 | 995 |
| 93 | | Malegaon, Nashik | Project Director, Maharashtra State AIDS Control Society (MSACS), General Hospital, Rahul nagar, Kalikutti maidan, malegaon, Dist-Nashik, 423203 | 75,888 | 1581.0 | 75,888 | 1581.0 | 75,888 | 1,581 | 75,888 | 1,581 |
| 94 | | Alibag Raigath | Project Director, Maharashtra State AIDS Control Society (MSACS), Medical store department, Groud floor, Civil Hospital, Opp- Zilla parishad, Raigad - Alibag, 402201 | 36,192 | 754.0 | 36,192 | 754.0 | 36,192 | 754 | 36,192 | 754 |
| 95 | | Solapur | Project Director, Maharashtra State AIDS Control Society (MSACS), Dr V. M. Government Medical College, Near district court, Solapur, 413002 | 36,192 | 754.0 | 36,192 | 754.0 | 36,192 | 754 | 36,192 | 754 |
| 96 | | Kolhapur | Project Director, Maharashtra State AIDS Control Society (MSACS), District Aids Prevention and Control unit, Dasara Chow, near central library, RCSMGMC and CPR Hospital, Kolhapur, 416002 | 1,03,152 | 2149.0 | 1,03,152 | 2149.0 | 1,03,152 | 2,149 | 1,03,152 | 2,149 |
| 97 | Manipur | Manipur SACS Store | The Project Director, Manipur State AIDS Control Society, RD Wing, Lamphelpat, Imphal-795004 | 40,944 | 853.0 | 40,944 | 853 | 40,944 | 853 | 40,944 | 853 |
| 98 | Meghalaya | East Khasi Hills | The Project Director, Meghalaya State Aids Control Society, Directorate of Health Services (Research), Pasteur Institute, Shillong-793008 | 11,424 | 238.0 | 11,424 | 238 | 11,424 | 238 | 11,568 | 241 |
| 99 | | Jaintia Hills | Jowai civil Hospital, Lalong, Jowai | 11,328 | 236.0 | 11,328 | 236 | 11,328 | 236 | 11,328 | 236 |
| 100 | | West Garo Hills | Tura Civil Hospital | 11,328 | 236.0 | 11,328 | 236 | 11,328 | 236 | 11,328 | 236 |
| 101 | Mizoram | Aizaw1 | The Project Director, Mizoram State AIDS Control Society, J. Lalsangzuala Building,B-50, Mission Veng,Aizawl - 796 005 Mizoram | 21,072 | 439.0 | 21,120 | 440 | 21,072 | 439 | 21,120 | 440 |
| 102 | Mumbai | Mumbai | Funger, Director, Mumban Districtis AIDS Control Society (MDSACS), Municipal Corporation of Greater Mumbai, Ackworth Leprosy: Hoopital Compound, Behind S IW S College, R.A. Kidwai Marg, Near Wadala Over Bridge, Wadala (West), Mumbai – 400 (03) | 1,22,832 | 2559.0 | 1,22,880 | 2,560 | 1,22,832 | 2,559 | 1,22,880 | 2,560 |

2768489/2022/Procurement

Nagaland SACS Store The Project Director, Nagaland State AIDS Control Society, Directorate Of Health & Family Welfare, New Secretariat Road, Ruziezou, Kohima-797001, Nagaland 103 20,448 426.0 20,496 427 20,448 426 20,496 427 agaland Secteman Rosa, experience, Rossman-97001, Sagano The Project Director, Orisos Stet AIDS Cell, 2nd Floor, Oil Orisos Building, Nayapalli, Bhawaneshwar 751015 The Project Director, Pondichery AIDS Control Society, The Directorate of Hestinik Complex Old Matematy Hospital Building, Victor Simonel Street, Podwardserv, 66501 Orissa SACS Store 104 disha 2,72,976 5687.0 2,73,024 5,688 2,72,976 5,687 2,73,024 5,688 Pondicherry SACS Store 105 51,168 1066.0 51,168 1,066 51,168 1,066 51,216 1,067 uducherry Puducherry-605001. SRL, Govt Medical College, Amritsar, Punjab Pin-106 Amritsar 51,168 1066.0 51,216 1,067 51,168 1,066 51,216 1,067 143001 The Project Director, Punjab State AIDS Control Society (PSACS) Prayaas Building, 4th Floor, Sector-38/B, Chandigath-160036 107 Chandigarh 51,216 1067.0 51,216 1,067 51,216 1,067 51,216 1,067 mjab 108 DAFCU, Croil Hospital, Lenkinan, Punjab Pan-14100 SRL, Gord Medical College, Panta, Pungb 1470001 De Poyet Directer, Rajathan Satea AJSO Control Society, Malcal & Health Directioner, Swandya Dire Poyet Directic, Kakim Sate AADS Control Dar Poyet Directic, Kakim Sate AADS Control Society, STNM Hospital Complex, Gangkie East -Sakim Pian no: 771701 DAFCU Cheman, No 82, Tim vi ka Sata, Mylapore (CAPAC:S) Chemai - 600004 Tami Nada Medical Services Corporason Ltd., Gort Pengheral Hospital Campus, Anan Nagar, Cheman 600078 The Popert Director, Tami Nada Sate ADDS Control Society, HIAA COL CHAKINZ, Methadiana Village, Kampanjayam (PO), Chemai - 600077 Tamihadn De Parmenics Inster They Revelopse DAPCU, Civil Hospital, Ludhiana, Punjab Pin-141001 1,066 Ludhiana 51,168 1066.0 51,168 51,168 1,066 51,168 1,066 109 Patiala 51,168 1066.0 51,168 1,066 51,168 1,066 51,168 1,066 Rajasthan SACS 110 2,72,976 5,688 5,687 5,688 Rajasthan 5687.0 2,73,024 2,72,976 2,73,024 tore Sikkim SACS Store 111 Sikkim 10,224 213.0 10,224 213 10,224 213 10,272 214 112 Chennai 59 712 1244.0 59 712 1,244 59 712 1.244 59 664 1.243 113 Chennai 29,952 624.0 29,904 623 29,952 624 29,904 623 114 Chennai 29,904 623.0 29,952 624 29,904 623 29,952 624 The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Civil Aero Dram Post, Avinashi Road, Coimbat 115 Coimbatore 59,712 1244.0 59,712 1,244 59,712 1,244 59,712 1,244 116 Cuddalore 59,712 1244.0 59,712 1,244 59,712 1,244 59,712 1,244 117 59,712 1244.0 59,712 1,244 59,712 1,244 59,712 1,244 Dharmapuri 118 59,712 1244.0 59,712 1,244 59,712 1,244 59,712 1,244 Kancheepuram 119 59,712 1244.0 59,712 1,244 59,712 1,244 59,712 1,244 Negercon, Asaripanam Post, Kanyakuman Dist 629 201 The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., 120 Madurai 59,712 1244.0 59,712 1,244 59,712 1,244 59,712 1,244 Collectorate Campus, Madurai - 625 020. The Pharmacist, District Drug Warehouse, NEAR ADDITIONAL PRIMARY HEALTH CENTRE, ALANGANATHAM PIRIVU, NAMAKKAL - 637013 121 amakkal 59,712 1244.0 59,712 1,244 59,712 1,244 59,712 1,244

| - | 1 | | The Pharmacist,District Drug Warehouse | | | | | | | | |
|-----|------------|-----------------|---|--------|--------|--------|-------|--------|-------|--------|-------|
| | | - | Tamil Nadu Medical Services Corporation Ltd. | | | | | | | | |
| 122 | Tamil Nadu | Ramanathapuram | Sikil Rajaveethi, Kenikaraj, Ramanathapuram - 623 | 59,712 | 1244.0 | 59,712 | 1,244 | 59,712 | 1,244 | 59,712 | 1,244 |
| | | | 504, | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 123 | | C-1 | Tamil Nadu Medical Services Corporation Ltd., | 59,712 | 1244.0 | 59,712 | 1.244 | 59,712 | 1.244 | 59.712 | 1.244 |
| 125 | | Salem | Near GMK Medical College, | 39,712 | 1244.0 | 39,712 | 1,244 | 39,712 | 1,244 | 39,712 | 1,244 |
| | | | Salem Steel Road, K.Kollapatti, Salem - 636030 | | 1 1 | | | | | | |
| 124 | | Ci | The Pharmacist District Drug Warehouse, | 59.712 | 1244.0 | 59,712 | 1.244 | 59,712 | 1.244 | 59,712 | 1.244 |
| 124 | | Sivaganga | PANANKADI ROAD, SIVAGANGAI - 630561 | 59,712 | 1244.0 | 59,712 | 1,244 | 39,712 | 1,244 | 59,712 | 1,244 |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 125 | | | Tamil Nadu Medical Services Corporation Ltd. | 59,712 | 1244.0 | 59,712 | 1.244 | 59,712 | 1.244 | 59.712 | 1.244 |
| 125 | | Thanjavur | Tanjore Medical College Hospital Campus, | 59,712 | 1244.0 | 59,712 | 1,244 | 59,/12 | 1,244 | 59,712 | 1,244 |
| | | | Vallam Road, Tanjore - 613 004 | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 126 | | The Nilgiris | Tamil Nadu Medical Services Corporation Ltd., | 59.712 | 1244.0 | 59,712 | 1.244 | 59.712 | 1.244 | 59.712 | 1.244 |
| 120 | | The ryuguis | Chester Field's Peyton's Road, Opp. To Civil Supplies | 39,712 | 1244.0 | 39,712 | 1,244 | 39,712 | 1,244 | 59,712 | 1,244 |
| | | | Godown, Uthagai. Nilgiris - 643 001. | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 127 | | Theni | Tamil Nadu Medical Services Corporation Ltd., | 59.712 | 1244.0 | 59,712 | 1.244 | 59.712 | 1.244 | 59.712 | 1.244 |
| 127 | | 1 nem | Kandamanur Road, K.Vilakku, Theni District - 625 | 39,712 | 1244.0 | 59,712 | 1,244 | 39,712 | 1,244 | 59,712 | 1,244 |
| | | | 512 | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 128 | | Thoothukkudi | Tamil Nadu Medical Services Corporation Ltd., | 59,712 | 1244.0 | 59,712 | 1.244 | 59,712 | 1.244 | 59,712 | 1.244 |
| 120 | | Thoomakaa | Devarpuram Road, Near South Police Station, | 59,712 | 1244.0 | 59,712 | 1,244 | 59,712 | 1,277 | 59,712 | 1,211 |
| | | | Tutacorin - 628 003. | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 129 | | Tiruchirappalli | Tamil Nadu Medical Services Corporation Ltd., | 59,712 | 1244.0 | 59,712 | 1,244 | 59,712 | 1.244 | 59,712 | 1.244 |
| 147 | | r a ucun appan | Periamilagu Parai, Collector Office Road, | 59,712 | 1244.0 | 59,712 | 1,244 | 59,712 | 1,244 | 59,712 | 1,211 |
| | | | Trichy - 620 001. | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| | | | Tamil Nadu Medical Services Corporation Ltd., | | | | | | | | |
| 130 | | Tirunelveli | Opp. To Sathak Abdullah College, | 59,712 | 1244.0 | 59,712 | 1,244 | 59,712 | 1,244 | 59,712 | 1,244 |
| | | | Tiruchendur Road, Palayankottai, Tirunelveli - 627 | | | | | | | | |
| | | | 011. | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 131 | | Tiruvannamalai | Tamil Nadu Medical Services Corporation Ltd., | 59,712 | 1244.0 | 59.712 | 1.244 | 59,712 | 1.244 | 59.712 | 1.244 |
| | | T = Ground and | Chest Clinic (TB) Campus, | | | | | | 1,211 | | 1,211 |
| | | | Anna Nagar, Tiruvannamalai – 606 602 | | | | | | | | |
| | | | The Pharmacist, District Drug Warehouse | | | | | | | | |
| 132 | | Vellore | Tamil Nadu Medical Services Corporation Ltd., | 59,712 | 1244.0 | 59,712 | 1.244 | 59.712 | 1.244 | 59.712 | 1.244 |
| 152 | | venore | TB Sanatorium Campus, Adugamparai Post, Vellore | 59,112 | 1277.0 | 59,712 | 1,211 | 55,112 | 1,211 | 59,742 | 1,211 |
| | | | District.632011 | | | | | | - | | |
| 133 | | Adilabad | DAPCU Office | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| 134 | | Hyderabad | Dept. of Microbiology Gandhi Medical College | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| 135 | | Hyderabad | Dept. of Microbiology Osmania Medical College | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| 136 | | Hyderabad | O/o The Addl DM&HO | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| | | | Telangana State AIDS Control Society, TSACS Central | | | | | | | | |
| | | | Stores, AYUSH Building, Opp- Shalimar Function | | | | | | | | |
| 137 | | Hyderabad | Hall, Near Padmashali Bhavan, | 27,120 | 565.0 | 27,168 | 566 | 27,120 | 565 | 27,168 | 566 |
| | | | Beside Ram Mandhir, Ramkot, Narayanaguda, | | 1 1 | | | | | | |
| | | - | Hyderabad -500 029 (Telangana State) | | | | | | | | |
| 138 | | Karimnagar | Govt. Dist Head Quarter Hospital - Karimnagar | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| 139 | | Khammam | DAPCU | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| 140 | Telangana | Mahbubnagar | O/o.Add.DM&HO(AIDS&Lep), 2nd Floor, DM&HO | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| | | | Office, Mahabubnagar. | | | | | | | | |
| 141 | | Medak | District Hospital - Sangareddy | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| | | | DAPCU Office, 2nd floor, DM&HO Office, R.P.Road, | 24.724 | | 24 204 | 650 | 24.704 | | 26.704 | |
| 142 | | Nalgonda | Opp: One town police station, Nalgonda - 508001 | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| | | | m i t | 24.704 | | 24 201 | 640 | 24.701 | | 26.704 | |
| 143 | | Nizamabad | Govt Medical college | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| | | Rangareddy | O/o The Addl.DM&HO | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
| 144 | | | | | | | | | | | |
| 144 | | Warangal | Department of Microbilogy, Kakatiya Medical College, Warangal, | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |

2768489/2022/Procurement

| 146 | | Warangal | DM&HO Office, Warangal Urban District | 26,784 | 558.0 | 26,784 | 558 | 26,784 | 558 | 26,784 | 558 |
|-----|---------------|-----------------------|---|--------|--------|--------|-------|--------|-------|--------|-------|
| 147 | Tripura | Tripura SACS Store | The Project Director, Tripura State AIDS Control Society, Opposite of IGM Hospital, Akhaura Road, Agartala, Tripura, Pin 799001 | 34,080 | 710.0 | 34,128 | 711 | 34,080 | 710 | 34,128 | 711 |
| 148 | | Aligarh | The Project Director, Utar Pradesh State AIDS Control Society, SRL,Cold Room, Department of Microbiology J. N.Medical College,AMU, Aligarh- 202001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 149 | | Banda | The Project Director, Uttar Pradesh State Aids Control Society, District TB Control Center Campus, District Hospital, Banda 210001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 150 | | Gorakhpur | The Project Director, Utar Pradesh State AIDS Control Society, State Reference Laboratory Room No .30- A, Nehru Hospital ,Dept of Microbiology,BRD Medical College Gorakhpur UP -273013 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 151 | | Lucknow | The Project Director, Uttar Pradesh State AIDS Control Society, SRL, Department of Microbiology, King George's Medical University (KGMU), Chowk, Lucknow, Uttar Pradesh, India-226003 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 152 | | Meerut | The Project Director, Uttar Pradesh State AIDS Control Society, SRL , Cold Room Department of Microbiology LLRM Mrdical College ,Garh Road Meent 250004 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 153 | | Varanasi | The Project Director, Utar Pradesh State AIDS Control Society, SRL , Cold Room Department of Microbiology.Institute of Medical Sciences, B.H.U., Varanasi, U.P.,India -221005 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 154 | Uttar Pradesh | Badauan | The Project Director ,Uttar Pradesh State Aids Control Society,District Female Hospital Badaun 243601 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 155 | Uttar Pradesn | Agra | The Project Director , Utar Pradesh State Aids Control Society, SRL , Cold Room Department of Microbiology , SN Medical College Agra-282001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 156 |] | Jhanshi | The Project Director, Uttar Pradesh State Aids Control Society, SRL, Cold Room Department of Microbiology MLB Medical College Jhansi-284001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 157 | 1 | Kanpur | SRL ,Cold Room Department of Microbiology ,GSVM Medical College Kanpur-208002 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 158 |] | Prayagraj | SRL Cold Room Department of Microbiology MLN Medical College Prayagraj-211002 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 159 | 1 | Sonebhadra | WIC,03rd Floor District Hospital Sonnebhadra UP 232216 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 160 |] | Mirzapur | WIC, District Female Hospital 2nd Floor Rambagh Mirzapur UP 231001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 161 | 1 | Azamgarh | WIC, 2nd Floor District Hospital Azamgarh UP 276001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 162 | 1 | Ayodhya | Cold Room Department of Microbiology, RDAS Medical College, Ayodhya UP 224001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 163 | 1 | Gonda | WIC, District Hospital Gonda UP 224182 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 164 | | Basti | Cold Room Department of Microbiology, Opec Hospital Kaili ASMC Basti Pin Code-272001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 165 | | Saharanpur | SRL ,Cold Room Department of Microbiology ,Saharanpur Medical College,Ambala Road Saharanpur- 247232 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 166 | | Etawah | District AIDS Prevention & Control UnitDistrict TB Clinic, Near TB Hospital CMO Office Campus- 206001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |
| 167 | | Muradabaad | WIC, District TB Control Center Moradabad 244001 | 76,800 | 1600.0 | 76,800 | 1,600 | 76,800 | 1,600 | 76,800 | 1,600 |

290

| 168 | Uttrakhand | Uttarakhand SACS Store | The Project Director, Uttarakhand State AIDS Control Society, In building of Indian Red Cross society, 1St floor, Danda Lakhond, sahastradhara Road, Near Medical Health and FW-UK, Dehradun Uttarakhand - 248001. | 67,584 | 1408.0 | 67,584 | 1,408 | 67,584 | 1,408 | 67,632 | 1,409 |
|-----------|---------------------|-------------------------------|--|-----------|----------|-----------|----------|-----------|----------|-----------|----------|
| 169 | | Alipurdwar | Office of Dy CMOH-II, Alipurduar | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 170 | 1 | Bankura | DRS, Bishnupur Dist Hospital (Rasikganj Bus Stand) | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 171 | 1 | Birbhum | Office of Dy CMOH-II, Birbhum | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 172 | 1 | Birbhum | Office of Dy CMOH-II, Rampurhat | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 173 | 1 | Darjiling | Office of Dy CMOH-II, Siliguri | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 174 | 1 | Howrah | State General Hospital, Howrah | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 175 | 1 | Hugli | Office of Dy CMOH-II, Hooghly | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 176 | 1 | Jalpaiguri | Office of Dy CMOH-II, Jalpaiguri | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 177 | 1 | Jhargram | Dy. CMOH-II, Jhargram | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 178 | | Kolkata | West Bengal State AIDS Prevention and Control Society, Family Welfare Medical Stores, Government of West Bengal, 541B Rabindra Sarani Bagbazar, Kolkata-700003. | 25,824 | 538.0 | 25,872 | 539 | 25,824 | 538 | 25,872 | 539 |
| | West Bengal | | DRS, Baharampur, Murshidabad | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 180 | | Nadia | Office of Dy CMOH-II, Nadia | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 181 | | North Twenty Four Parganas | Office of Dy CMOH–II, North 24 pgs. | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 182 |] | Paschim Bardhaman | Office of the CMOH, Asansol | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 183 | | Paschim Medinipur | Zila Swasthya Bhawan, Midnapore | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 184 | | Purba Bardhaman | Office of Dy CMOH- II, Purba Burdwan | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 185 |] | Purba Medinipur | CMOH Office II, Nandigram | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 186 |] | Purba Medinipur | CMOH Office, Tamluk | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 187 |] | Purulia | DRS, Office of CMOH, Purulia | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| 188 |] | Uttar Dinajpur | Office of Dy CMOH-II, Uttar Dinajpur | 25,584 | 533.0 | 25,584 | 533 | 25,584 | 533 | 25,584 | 533 |
| All India | | | | 94,48,728 | 196848.5 | 94,49,688 | 1,96,869 | 94,48,680 | 1,96,848 | 94,49,976 | 1,96,875 |
| | . of Kits (48 tests | kit) | | | | | | | | | |
| Forecast | ed Quantity | | | | | | | | | | |

HIV (Rapid) 2nd Antigen Test Kit (Kit-2)

2768497/2022/Procurement

| l.No | States/Uts | District | WIC Address | 01/04/23 to | No. of kits (30 | 01/06/23 to | No. of kits (30 | 01/09/23 to | No. of kits (30 | 01/12/23 to | No. of kits (30 |
|------|----------------|-----------------------------|--|-------------|-----------------|-------------|-----------------|-------------|-----------------|-------------|-----------------|
| | | | | 30/05/23 | tests/kit) | 30/08/23 | tests/kit) | 30/11/23 | tests/kit) | 28/02/24 | tests/kit) |
| 1 | A&N Islands | A & N Islands SACS Store | The Project Director, Andaman & Nicobar AIDS Control Society, Q No.10-11/AP Type- IV,Atlanta Point, Port Blair -744104 | 330 | 11.0 | 330 | 11.0 | 330 | 11.0 | 360 | 12.0 |
| 2 | | Anantapur | The Addll D.M.HO (Leprosy & AIDS) IInd floor, DM & HO office, Opp. Govt. General Hospital, Anantapur - 515 001 , | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 3 | 1 | Anantapur | Dept of Microbiology, Ananthapur | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 4 | 1 | Chittoor | The Addll D.M.HO, (Leprosy & AIDS) S.V.R.R.G.G.H. Campus, Tirupathi - 517501. | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 5 | 1 | Chittoor | Dept of Microbiology, Tirupathi | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| б | | East Godavari | District ADS Prevention & Control Unit (DAPCU), O/o Addl District Medical and Health office(A&L), DM&HO Campus, Near PR College, Kakinada, EastGodavan, AndhraPradesh, 533001, | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 7 | 1 | East Godavari | Dept of Microbiology, Kakinada | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 8 | | Guntur | District AIDS Prevention & Control Unit (DAPCU), O/o ADM&HO (A&L),DM&HO Office. Opp. Collectorate.Nagarampalem, Guntur, AndhraPradesh - 522004. | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 9 | 1 | Guntur | Dept of Microbiology, Guntur | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 10 | | Krishna | APSACS Store, Central Warehouse, 2A Block, Bhavanipuram, Vijayawada, Krishna Dist., Andhra Pradesh State- 520012 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 11 | 1 | Krishna | Dept of Microbiology, Vijayawada | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |
| 12 | | Krishna | The Addl D M HO, (Leprosy & AIDS) OP No.8, Ground Floor, District Hospital Machilipatnam, Krishna District - 521001. | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 13 | | Kumool | The Addll D M HO, (Leprosy & AIDS), District AIDS Prevention & Control Unit (DAPCU), Olo ADM&HO(A&L), Govt. Quarters, B/D1-12, Opp : Officers Club B Camp, Kurnool, AndhraPradesh, Pin.518002, | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |
| 14 | Andhra Pradesh | Kurnool | Dept of Microbiology, Kurnool | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 15 | | Prakasam | The AddII D M HO. (Leprosy & AIDS), Near Rangaraiyudu cheruvu, Cold chain complex, Ongole, Prakasam - 523 001. | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |

2768497/2022/Procurement

| CT/LO | ZZ/Procui | ement | | | | | | | | | |
|-------|-----------------------|---------------------------------|--|-----|------|-----|------|-----|------|-----|------|
| 16 | | Sri Potti Sriramulu Nellore | District AIDS Prevention & Control Unit (DAPCU), O/o ADM&HO(A&L), 2nd Floor, District Medical & Health Office, Beside Old Municipal Building, Santhapet, Nellore, AndhraPradesh-524001, | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 17 | | Srikakulam | The Addll D.M.HO. (Leprosy & AIDS) Govt.Headquarters Hospital Campus, Balaga, , SRIKAKULUM - 532001. | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |
| 18 | | Visakhapatnam | District AIDS Prevention & Control Unit (DAPCU), O/o Addl. District Medical & Health Office (AIDS & Leprosy), Beside Regional Eye Hospital, Opp. Bullayya College, Respoirvanipalem, Visakhapatnam, Andhrapradesh - 530003, | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 19 | 1 | Visakhapatnam | Dept of Microbiology, Visakhapatnam | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |
| 20 | | Vizianagaram | District AIDS Prevention & Control Unit (DAPCU), 2nd Floor, DM&HO Office, O/o the Addl. District Medical & Health Officer (AIDS & Leprosy). Cantonment, Vizianagaram - 535003 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 21 | | West Godavari | The Addll D M HO, (Leprosy & AIDS) O/o DM&HO, 2nd Floor, Near Old Bus Stand, ELURU, W.G.District. | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |
| 22 | | Y.S.R. | District AIDS Prevention & Control Unit (DAPCU), O/o Addl. DM&HO (A&L), DM&HO Building, Opp-Igobal Rice Mill, Aklayapalli, Kadapa City Kadapa - Y. S. R. District, AndhraPradesh Pin: 516003 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 23 | Arunanchal Pradesh | Arunachal Pradesh SACS Store | The Project Director, Arunachal Pradesh State AIDS Control Society, Naharlagun, New Itanagar Arunachal Pradesh – 791110 | 210 | 7.0 | 210 | 7.0 | 240 | 8.0 | 240 | 8.0 |
| 24 | Assam | Assam SACS Store | The Project Director, Assam State AIDS Control Society, Khanapara, Guwahati – 781 022 | 660 | 22.0 | 660 | 22.0 | 660 | 22.0 | 660 | 22.0 |
| 25 | | Patna | Bihar State AIDS Control Society, State Institute Of Health & Family Welfare, Sheikhpura Bailey Road, Patna-800014. | 420 | 14.0 | 390 | 13.0 | 390 | 13.0 | 420 | 14.0 |
| 26 | | Patna | Model Blood Bank Jai Prabha Hospital Campus Near Ganga Devi Mahila Maha Vidyalaya Kankarbagh. PC Colony, Patna Bihar 800020 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 420 | 14.0 |

| 27 | Bihar | Darbhanga | Darbhnaga Medical Collage Hospital, DMCH Rd, Allalpatti, Laheriasarai, Darbhanga, Bihar 846003 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
|----|----------------------|--------------------------------|---|-------|------|-------|------|-------|------|-------|------|
| 28 | | Bhagalpur | Sadar Hospital Bhagalpur. M.G Path, NH 80, Civil Hospital, Bhagalpur, Bihar 812001 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 29 | | Begusarai | Sadar Hospital Begusarai, Hospital Rd, Ratanpur, Begusarai, Bihar 851101 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 30 | | Saran | Sadar Hospital Saran. Daroga Rai Chowk, Sadhapur, Chapra, Bihar 841301 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 31 | Chandigarh | Chandigarh SACS Store | The Project Director, Chandigarh State AIDS Control Society,Govt. Multispeciality Hospital, Sector 16, Chandigarh - 160016 | 660 | 22.0 | 660 | 22.0 | 660 | 22.0 | 660 | 22.0 |
| 32 | Chhattisgarh | Chhattisgarh SACS Store | The Project Director, Chattisgarh State Aids Control Society, Chattisgarh Health Society, State Health Training Centre, Kalibadi Chowk, Raipur, Chattisgarh – 492001. | 810 | 27.0 | 810 | 27.0 | 810 | 27.0 | 840 | 28.0 |
| 33 | Delhi | Delhi SACS Store | The Project Director, Delhi State AIDS Control Organization, I. & II Floor, Dharmsala Block, Dr. Baba Saheb Ambedkar Hospital, Sector – 6, Rohimi, Delhi - 110085, | 1,980 | 66.0 | 1,980 | 66.0 | 1,980 | 66.0 | 1,980 | 66.0 |
| 34 | | D & N Haveli SACS Store | The Project Director, State AIDS Control Society, Shri Vinoba Bhave Civil Society, Dadra and Nagar Haveli, Silvassa-396230 | 30 | 1.0 | | 0.0 | 30 | 1.0 | | 0.0 |
| 35 | DNHDD | Daman & Diu SACS Store | The Project Director, State AIDS Control Society, 2nd Floor, CHC, Fort Area, Moti Daman, Daman 396220 (UT) | 180 | 6.0 | | 0.0 | 150 | 5.0 | | 0.0 |
| 36 | Goa | Goa SACS Store | The Project Director, Goa State AIDS Control Society, ART centre, Goa Medical College, Bambolim-403002 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 240 | 8.0 |
| 37 | | Ahmadabad | AMC AIDS Control Society | 1,590 | 53.0 | 1,590 | 53.0 | 1,590 | 53.0 | 1,620 | 54.0 |
| 38 | Gujarat | Ahmadabad | The Project Director, Gujarat State AIDS Control Society, Block No. O'I New Mental Hospital Compound. Opp. Raksha Shakti University Meghanimagar, Ahmedabad- 380016(Guj.) | 1,590 | 53.0 | 1,590 | 53.0 | 1,590 | 53.0 | 1,620 | 54.0 |
| 39 | Haryana | Haryana SACS Store | The Project Director, Haryana State AIDS Control Society, Swasthya Bhawan, Panchkula Sector 6, Panchkula - 134109 | 1,290 | 43.0 | 1,290 | 43.0 | 1,290 | 43.0 | 1,320 | 44.0 |
| 40 | Himach al Pradesh | Himachal Pradesh SACS Store | Project Director,HP State AIDS Control Society, Ground Floor, Block No.38,SDA Complex,Kasumpti-171009 | 660 | 22.0 | 660 | 22.0 | 660 | 22.0 | 660 | 22.0 |
| | | | | | | | | | | | |

2768497/2022/Procurement

| | 22/11/000 | | | | | | | | | | |
|----|-----------|-------------------------|---|-------|------|-------|------|-------|------|-------|------|
| 41 | Jammu & | Jammu | Project Director, J&K State AIDS control Society, 1st Floor Seerat Complex Sector-14 Nanak Nagar, Jamma, 180004 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 150 | 5.0 |
| 42 | Kashmir | Srinagar | Project Director, J&K State AIDS control Society, Public Health Building, Behind Bone & Joint Hospital, Barzulla, Srinagar 190005 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 150 | 5.0 |
| 43 | Jharkhand | Jharkhand SACS Store | Jharkhand State AIDS Control Society, Sadar Hospital Campus, Purulia Road, Ranchi, Jharkhand- 834001 | 1,080 | 36.0 | 1,110 | 37.0 | 1,080 | 36.0 | 1,110 | 37.0 |
| 44 | | Bangalore | The Project Director, Kamataka State AIDS Control Society, Kamataka State Aids Prevention Society, KSAPS Arogya Southa, Behind Leprovy Hospital, 1a: Cross Road,Magati Road, Opposite, to KSR Metro Station, Bengaluru -560023 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 45 | | Belgaum | District Drug Warehouse, District Hospital Premises Civil Hospital Compound, Belgaum, Karnataka 590019. | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 46 |] | Bellary | DISTRICT DRUG WAREHOUSE, Dist Hospital Premises, Bellary- 570878 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 47 | | Bijapur | District Drug Warehouse, District Hospital Premises Bijapur - 598948. | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 48 | | Dakshina Kannada | DISTRICT DRUG WAREHOUSE Wenlock Hospital Premises Mangalore-Hampankatta, Mangalore, Karnataka 575001 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 49 | | Davanagere | District Drug Warehouse, C.G Hospital Premises Davanagere – 577004 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 50 | | Dharwad | District Drug Warehouse, District Hospital Premises, Dharwad- 580008. | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 51 | | Gulbarga | District Drug Warehouse, District Hospital Premises, Gulbarga – 585102. | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 52 | | Hassan | DISTRICT DRUG WAREHOUSE District Hospital Premises Hassan – 573201 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 53 | | Kolar | DISTRICT DRUG WAREHOUSE , District Hospital Premises Kolar 573910 ,DH &FW office, Kolar-563101 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 54 | | Mysore | DISTRICT DRUG WAREHOUSE, Hospital Road (Beside Vanivilasa hospital) Kalidasa Road, Mysore - 570012 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 55 | | Raichur | District Drug Warehouse District Hospital Premises, Raichur, - 598005. | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |

| | _ | | | | | | | | | | |
|----|-----------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|-----|
| 56 | Karnataka | Shimoga | District Drug Warehouse , MC Gann Hospital Premises ,Shimoga – 598233. | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 57 | | Tumkur | DISTRICT DRUG WAREHOUSE District Hospital Premises Tumkur-572101 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 58 | | Bangalore (unit-1) | Karnataka Drugs and Logistic Ware house Society, Siddaiah Purnik road, KHB Colony Magadi road, Bengaluru-560079 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 59 | | Bagalkot | D.H.O.Office Drug Store Room Number 34 C/O D.H.O.Office District Addministrative Building Navanagar Bagalkote 587103 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 60 | | Bangalore (R) | ICTC Center, 1st Floor, General Hospital, TB Crcle, Doddaballapura Town Bangalore Rural District. 561203. | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 61 | | Bidar | District Drug Ware House, Near 100 Beded Hospital, behind indian post office, Bidar. 585401 | 150 | 5.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 62 | | Chikkamagalur | District Health & Family Welfare Office, Behind Zilla Panchayath, Jyothi Nagara Post, Chikkmagaluru, 577102 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 63 |] | Chikkaballapura | New District Hospital, MG Road, Chikkaballapur-562101 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 64 | | Chithradurga | DAPCU, District TB office, District hospital Primisis, Chitradurga 577501 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 65 | | Gadag | District AIDS Prevention and Control Unit, Old District Hospital, Near Gandhi Circle, Gadag-582101 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 66 | | Haveri | District Hospital Premises Haveri 581110 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 67 | | Ramanagara | DHO Officer Premises Post Officer Road Behind Indira Canteen Ramanagara 562159 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 68 |] | Udupi | District Health & Family Welfare Office, Ajjarakadu, Udupi-576101 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 69 | | Karwara | District Health & Famimily Welfere office compound Main Road Karwar | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 70 | | Yadgiri | DHO Office Near Sapna Talkies Gandhi Chowk Road Yadgir-585201 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 71 | | Alappuzha | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS). SRL, Dept. of Microbiology, Medical College Hospital, Vandanam Ambalaphuzha, NH 66, Vandanam, Kerala 688005 | 60 | 2.0 | 60 | 2.0 | 60 | 2.0 | 60 | 2.0 |
| | | | | | | | | | | | |

| | | 2 | | | | | | | | | |
|----|-------------------|--------------------|---|-----|------|-----|------|-----|------|-----|------|
| 72 | | Kottayam | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept. of Microbiology, Medical College Hospital, Gandhi Nagar, Kottayam, Kerala 686008 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 73 | Kerala | Kozhikode | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS) SRL, Dept. of Microbiology, Medical College, Korhikode- 673008 (Incharge-Ms. Indhu, Technical Officer Mob: 7994468259) | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 74 | | Thiruvananthapuram | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), RED CROSS ROAD, NEAR GENERAL HOSPITAL, TRIVANDRUM-695035 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 75 | 1 | Thiruvananthapuram | KSACS OFFICE-2 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 76 | | Thrissur | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept. of Microbiology, Medical College, Thrissur- 680596 (incharge-Mr. Sreekumar, Technical Officer Mob: 8281610952) | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 77 | Lakshadweep | SACS Store | The Project Director, Lakshadweep AIDS Control Society,Department of Health Services,U. Tof Lakshadweep, Kavaratti Island P O pin 682 555 | 120 | 4.0 | | 0.0 | 120 | 4.0 | | 0.0 |
| 78 | | Bhopal | The Project Director, Madhya Pradesh State AIDS Control Society, 1 Arera Hills, 2nd Floor, OILFED Bhawan, Bhopal – 462 011 | 540 | 18.0 | 510 | 17.0 | 540 | 18.0 | 510 | 17.0 |
| 79 | Madhya Pradesh | Gwalior | SRL, Microbiology Department, Gajra Raja Medical College, Gwalior 474009 | 270 | 9.0 | 240 | 8.0 | 270 | 9.0 | 240 | 8.0 |
| 80 | | Indore | SRL, Microbiology Department, Mahatma Gandhi Memorial Medical College, Indore- 452001 | 420 | 14.0 | 420 | 14.0 | 420 | 14.0 | 420 | 14.0 |
| 81 | | Jabalpur | SRL, Microbiology Department, Regional Medical Research Centre, Jabalpur- 482003 | 540 | 18.0 | 540 | 18.0 | 540 | 18.0 | 540 | 18.0 |
| 82 | | Akola | Project Director, Maharashtra State AIDS Control Society (MSACS) Government Medical Collage, Back of Ashok Vatika, Colletor Offices Road, Akola 444001 | 630 | 21.0 | 630 | 21.0 | 630 | 21.0 | 630 | 21.0 |
| 83 | | Aurangabad | Project Director, Maharashtra State AIDS Control Society (MSACS) Deputy Director, Health Services, Aurangabad Circale, Mahavir Chowk, Apposite Baba Petrol Pump, Aurangabag 431001 | 600 | 20.0 | 600 | 20.0 | 600 | 20.0 | 600 | 20.0 |

| 84 | | Latur | Project Director, Maharashtra State AIDS Control Society (MSACS) Women Hospital Labor Colony, Shau Chauk, Latur-413512 | 1,020 | 34.0 | 1,020 | 34.0 | 1,020 | 34.0 | 1,020 | 34.0 |
|----|-------------|------------------|--|-------|------|-------|------|-------|------|-------|------|
| 85 | | Mumbai | Project Director, Maharashtra State AIDS Control Society (MSACS), Ackworth Leprosy Hospital Compound, Behind S.I.W.S. College, R. A. Kidwai Marg, Near Wadala Over Bridge, Wadala (West), Mumbai – 400 031. | 300 | 10.0 | 300 | 10.0 | 300 | 10.0 | 300 | 10.0 |
| 86 | | Nagpur | Project Director, Maharashtra State AIDS Control Society (MSACS), Deputy Director, Nagpur Circale, Near Diksha Bhumi, Post Shardhanand Peth, Nagpur- 440018 | 630 | 21.0 | 630 | 21.0 | 630 | 21.0 | 630 | 21.0 |
| 87 | | Nashik | Deputy Director, Health Services, Trimbak Naka, Apposite Rajdooth Hotal, Trimbak Road Nashik 422002 | 840 | 28.0 | 840 | 28.0 | 840 | 28.0 | 840 | 28.0 |
| 88 | | Pune | Project Director, Maharashtra State AIDS Control Society (MSACS) District Hospital, Aundh Chavani, Aundh, Pune-27 | 1,980 | 66.0 | 1,980 | 66.0 | 1,980 | 66.0 | 1,980 | 66.0 |
| 89 | Maharashtra | Satara | Project Director, Maharashtra State AIDS Control Society (MSACS) DAPCU Office, Krantisinh Nana Patil Civil Hopsital, Behind ST Bus stand, Satara- 415001 | 420 | 14.0 | 420 | 14.0 | 420 | 14.0 | 420 | 14.0 |
| 90 | | Thane | Project Director, Maharashtra State AIDS Control Society (MSACS) Vitthal Sayana General Hospital, Kort Naka, Tambhi Naka, Agyarilane, Thane West, Thane 400601 | 1,440 | 48.0 | 1,440 | 48.0 | 1,440 | 48.0 | 1,440 | 48.0 |
| 91 | | Aurangabad | Project Director, Maharashtra State AIDS Control Society (MSACS), New Civil Hospital, Chikalthana, Opp Airport, Jalna Road, Aurangabad, 431001 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 |
| 92 | | Nagpur | Project Director, Maharashtra State AIDS Control Society (MSACS), Deputy Director, Nagyur Circale, Near Diksha Bhumi, Post Shardhanand Peth, Nagyur-440018 | 480 | 16.0 | 480 | 16.0 | 480 | 16.0 | 480 | 16.0 |
| 93 | | Malegaon, Nashik | Project Director, Maharashtra State AIDS Control Society (MSACS), General Hospital, Rahul nagar, Kalikutti maidan, malegaon, Dist- Nashik, 423203 | 540 | 18.0 | 540 | 18.0 | 540 | 18.0 | 540 | 18.0 |
| 94 | | Alibag Raigad | Project Director, Maharashtra State AIDS Control Society (MSACS), Medical store department, Groud floor, Civil Hospital, Opp- Zilla parishad, Raigad - Alibag, 402201 | 270 | 9.0 | 270 | 9.0 | 270 | 9.0 | 270 | 9.0 |

| | 2 3 | 2 | | | | | | | | | |
|-----|------------|---------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|
| 95 | | Solapur | Project Director, Maharashtra State AIDS Control Society (MSACS), Dr V. M. Government Medical College, Near district court, Solapur, 413002 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 96 | | Kolhapur | Project Director, Maharashtra State AIDS Control Society (MSACS), District Aids Prevention and Control unit, Dasara Chow, near central Ibrary, RCSMGMC and CPR Hospital, Kolhapur, 416002 | 1,110 | 37.0 | 1,110 | 37.0 | 1,110 | 37.0 | 1,110 | 37.0 |
| 97 | Manipur | Manipur SACS Store | The Project Director, Manipur State AIDS Control Society, RD Wing, Lamphelpat, Imphal-795004 | 630 | 21.0 | 630 | 21.0 | 630 | 21.0 | 660 | 22.0 |
| 98 | Meghalaya | East Khasi Hills | The Project Director, Meghalaya State Aids Control Society, Directorate of Health Services (Research),Pasteur Institute,Shillong- 793008 | 210 | 7.0 | 210 | 7.0 | 210 | 7.0 | 180 | 6.0 |
| 99 | 1 | Jaintia Hills | Jowai civil Hospital, Lalong, Jowai | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 100 | 1 | West Garo Hills | Tura Civil Hospital | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 101 | Mizoram | Aizawl | The Project Director, Mizoram State AIDS Control Society, J. Lalsangzuala Building,B- 50, Mission Veng,Aizawl - 796 005 Mizoram | 300 | 10.0 | 270 | 9.0 | 270 | 9.0 | 270 | 9.0 |
| 102 | Mumbai | Mumbai | Project Director, Mumbai Districts AIDS Control Society (MDSACS), Municipal Corporation of Greater Mumbai, Ackworth Leproy Hoppital Compound, Behind S.I.W.S. College, R.A. Kidwai Marg, Near Wadala Over Bridge, Wadala (West), Mumbai – 400 031 | 3,030 | 101.0 | 3,000 | 100.0 | 3,000 | 100.0 | 3,030 | 101.0 |
| 103 | Nagaland | Nagaland SACS Store | The Project Director Nagaland State AIDS Control Society. Directorate Of Health & Family Welfare, New Secretariat Road, Ruziezou, Kohima-797001 Nagaland | 450 | 15.0 | 420 | 14.0 | 450 | 15.0 | 420 | 14.0 |
| 104 | Odisha | Orissa SACS Store | The Project Director, Orissa State AIDS Cell, 2nd Floor, Oil Orissa Building, Nayapalli, Bhuwaneshwar - 751015 | 1,110 | 37.0 | 1,110 | 37.0 | 1,110 | 37.0 | 1,080 | 36.0 |
| 105 | Puducherry | Pondicherry SACS Store | The Project Director, Pondichery AIDS Control Society, The Directorate of Health Complex Old Maternity Hospital Building, Victor Simonel Street, Puducherry-605001. | 270 | 9.0 | 240 | 8.0 | 270 | 9.0 | 240 | 8.0 |
| 106 | | Amritsar | SRL, Govt Medical College, Amritsar, Punjab Pin-143001 | 540 | 18.0 | 510 | 17.0 | 540 | 18.0 | 510 | 17.0 |
| 107 | Punjab | Chandigarh | The Project Director, Punjab State AIDS Control Society (PSACS) Prayaas Building. 4th Floor, Sector-38/B, Chandigarh-160036 | 600 | 20.0 | 600 | 20.0 | 600 | 20.0 | 600 | 20.0 |
| 108 |] | Ludhiana | DAPCU, Civil Hospital, Ludhiana, Punjab Pin-141001 | 510 | 17.0 | 510 | 17.0 | 510 | 17.0 | 510 | 17.0 |

| 109 |] | Patiala | SRL, Govt Medical College, Patiala, Punjab 147001 | 510 | 17.0 | 510 | 17.0 | 510 | 17.0 | 510 | 17.0 |
|-----|-----------|-------------------------|---|-------|------|-------|------|-------|------|-------|------|
| 110 | Rajasthan | Rajasthan SACS Store | The Project Director, Rajasthan State AIDS Control Society, Medical & Health Directorate, Swasthya Bhawan, Tilak Marg, "C" Scheme, Jaipur-302 005. | 1,740 | 58.0 | 1,740 | 58.0 | 1,740 | 58.0 | 1,740 | 58.0 |
| 111 | Sikkim | Sikkim SACS Store | The Project Director, Sikkim State AIDS Control Society, STNM Hospital Complex, Gangtok, East – Sikkim, Pin no- 737101 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 112 | | Chennai | DAPCU Chennai, No 82, Tiru vi ka Salai, Myłapore (CAPACS) Chennai - 600004 | 300 | 10.0 | 300 | 10.0 | 300 | 10.0 | 300 | 10.0 |
| 113 | | Chennai | Tamil Nadu Medical Services Corporation Ltd., Govt. Peripheral Hospital Campus, Anna Nagar, Chemai-600078 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 114 | | Chennai | The Project Director, Tamil Nadu State AIDS Control Society,HIMA COLD CHAINZ, Melmakkam Village, Kannapalayam (PO). Chennai - 600077 Tamilnadu | 300 | 10.0 | 300 | 10.0 | 300 | 10.0 | 300 | 10.0 |
| 115 | | Coimbatore | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Civil Aero Dram Post, Avinashi Road, Coimbatore – 641014 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 116 | | Cuddalore | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Beach Road, Near D M.O Bungalow Devanampattinam, Cuddalore.607001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 117 | | Dharmapuri | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd. Govt. Head Quarters Hospital Campus, Vannanpatti Road, Dharmapuri 636701 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 118 | | Kancheepuram | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd. Arignar Anna Memorial Cancer Hospital Campus, Bangalore Road, Karapettai, Kanchipuram 631552 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |

2768497/2022/Procurement

| 119 | | Kanniyakumari | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Nagercoil, Asaripallam Post, Kanyakumari District – 629 201 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
|-----|------------|----------------|---|-----|-----|-----|-----|-----|-----|-----|-----|
| 120 | | Madurai | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Collectorate Campus, Madurai – 625 020. | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |
| 121 | | Namakkal | The Pharmacist, District Drug Warehouse, NEAR ADDITIONAL PRIMARY HEALTH CENTRE, ALANGANATHAM PIRIVU, NAMAKKAL 637013 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 122 | Tamil Nadu | Ramanathapuram | The Pharmacist.District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Sikal Rajaveethi, Kenikarai, Ramanathapuram – 623 504, | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 123 | | Salem | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Near GMK Medical College, Salem Steel Road, K.Kollapatti, Salem – 636030 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 124 | | Sivaganga | The Pharmacist,District Drug Warehouse, PANANKADI ROAD, SIVAGANGAI - 630561 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 125 | | Thanjavur | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Tanjore Medical College Hospital Campus, Vallam Road, Tanjore - 613 004 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 126 | | The Nilgiris | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Chester Field's Peyton's Road, Opp. To Civil Supplies Godown, Uthagai. Nilgiris – 643 001. | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 127 | | Theni | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Kandamanur Road, K. Vilakku, Theni District 625 512 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |

| 128 | | Thoothukkudi | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Devarpuram Road, Near South Police Station, Tutucorin - 628 003. | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
|-----|-----------|-----------------|---|-----|------|-----|------|-----|------|-----|------|
| 129 | | Tiruchirappalli | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Periamilagu Parai, Collector Office Road, Trichy – 620 001. | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 130 | | Tirunelveli | The Pharmacist,District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Opp. To Sathak Abdullah College, Tiruchendur Road, Palayankottai, Tirunelveä – 627 011. | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 131 | | Tiruvannamalai | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Chest Chnic (TB) Campus, Anna Nagar, Tiruvannamahi – 606 602 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 132 | | Vellore | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., TB Sanatorium Campus, Adugamparai Post, Vellore District.632011 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 133 | | Adilabad | DAPCU Office | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 134 | | Hyderabad | Dept., of Microbiology Gandhi Medical College | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 |
| 135 | | Hyderabad | Dept., of Microbiology Osmania Medical College | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 136 | 1 | Hyderabad | O/o The Addl DM&HO | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 |
| 137 | | Hyderabad | Telangana State AIDS Control Society, TSACS Central Stores, AYUSH Building, Opp- Shalimar Function Hall, Near Padmashali Bhavan, Beside Ram Mandhir, Ramkot, Narayanaguda, Hyderabad –500 029 (Telangana State) | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 138 | | Karimnagar | Govt. Dist Head Quarter Hospital - Karimnagar | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 139 | Telangana | Khammam | DAPCU | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 140 | | Mahbubnagar | O/o.Addl.DM&HO(AIDS&Lep), 2nd Floor, DM&HO Office, Mahabubnagar. | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 |
| 141 |] | Medak | District Hospital - Sangareddy | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| | | | | | | | | | | | |

2768497/2022/Procurement

| | 1 | | | | | | | | | | |
|-----|---------------|--------------------|--|-----|------|-----|------|-----|------|-----|------|
| 142 | | Nalgonda | DAPCU Office, 2nd floor, DM&HO Office, R.P.Road, Opp: One town police station, Nalgonda - 508001 | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 |
| 143 | 1 | Nizamabad | Govt Medical college | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 144 |] | Rangareddy | O/o The Addl DM&HO | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 | 360 | 12.0 |
| 145 | | Warangal | Department of Microbilogy. Kakatiya Medical College, Warangal, | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 146 | 1 | Warangal | DM&HO Office, Warangal Urban District | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 | 390 | 13.0 |
| 147 | Tripura | Tripura SACS Store | The Project Director, Tripura State AIDS Control Society, Opposite of IGM Hospital, Akhaura Road, Agartala, Tripura, Pin 799001 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 | 120 | 4.0 |
| 148 | | Aligarh | The Project Director, Uttar Pradesh State AIDS Control Society, SRL,Cold Room, Department of Microbiology,J.N.Medical College,AMU,Aligarh-202001 | 180 | 6.0 | 150 | 5.0 | 180 | 6.0 | 150 | 5.0 |
| 149 | | Banda | The Project Director ,Uttar Pradesh State Aids Control Society,District TB Control Center Campus ,District Hospital ,Banda 210001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 150 | | Gorakhpur | The Project Director, Uttar Pradesh State AIDS Control Society, State Reference Laboratory Room No. 30-A.Nehru Hospital Dept of Microbiology.BRD Medical College Gorakhpur UP -273013 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 151 | | Lucknow | The Project Director, Uttar Pradesh State AIDS Control Society, SRL, Department of Microbiology, King George's Medical University (KCA/U), Chowk, Lucknow, Uttar Pradesh, India- 226003 | 330 | 11.0 | 330 | 11.0 | 330 | 11.0 | 330 | 11.0 |
| 152 | | Meerut | The Project Director, Uttar Pradesh State AID's Control Society, SRL, Cold Room Department of Microbiology, LLRM Mrdical College, Garh Road Meerut 250004 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 153 | | Varanasi | The Project Director, Uttar Pradesh State AIDS Control Society, SRL, Cold Room Department of Microbiology, Institute of Medical Sciences, B.H.U., Varanasi, U.P., India -221005 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 154 | | Badauan | The Project Director ,Uttar Pradesh State Aids Control Society,District Female Hospital Badaun 243601 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 155 | Uttar Pradesh | Agra | The Project Director, Uttar Pradesh State Aids Control Society, SRL, Cold Room Department of Microbiology ,SN Medical College Agra- 282001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |

| 156 | | Jhanshi | The Project Director, Uttar Pradesh State Aids Control Society, SRL, Cold Room Department of Microbiology, MLB Medical College Jhansi-284001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
|-----|------------|---------------------------|--|-----------|------|-----------|------------|-----|------|-----------|------|
| 157 | | Kanpur | SRL , Cold Room Department of Microbiology ,GSVM Medical College Kanpur-208002 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 158 | | Prayagraj | SRL ,Cold Room Department of Microbiology ,MLN Medical College Prayagraj-211002 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 159 |] | Sonebhadra | WIC,03rd Floor District Hospital Sonnebhadra UP 232216 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 160 | | Mirzapur | WIC, District Female Hospital 2nd Floor Rambagh Mirzapur UP 231001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 161 |] | Azamgarh | WIC,2nd Floor District Hospital Azamgarh UP 276001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 162 | | Ayodhya | Cold Room Department of Microbiology, RDAS Medical College Ayodhya UP 224001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 163 | 1 | Gonda | WIC, District Hospital Gonda UP 224182 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 164 |] | Basti | Cold Room Department of Microbiology, Opec Hospital Kaili ASMC Basti Pin Code- 272001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 165 | | Saharanpur | SRL ,Cold Room Department of Microbiology ,Saharanpur Medical College,Ambala Road Saharanpur-247232 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 166 | | Etawah | District AIDS Prevention & Control UnitDistrict TB Clinic, Near TB Hospital CMO Office Campus- 206001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 167 | | Muradabaad | WIC, District TB Control Center Moradabad 244001 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 | 150 | 5.0 |
| 168 | Uttrakhand | Uttarakhand SACS Store | The Project Director, Uttarakhand State AIDS Control Society. In building of Indian Red Cross society. 18t floor, Danda Lakhond, sahastradhara Road, Near Medical Health and FW -UK, Dehradun Uttarakhand -248001. | 540 | 18.0 | 540 | 18.0 | 540 | 18.0 | 540 | 18.0 |
| 169 | | Alipurdwar | Office of Dy CMOH-II, Alipurduar | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 170 | | Bankura | DRS, Bishnupur Dist Hospital (Rasikganj Bus Stand) | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 171 |] | Birbhum | Office of Dy CMOH-II, Birbhum | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 172 |] | Birbhum | Office of Dy CMOH-II, Rampurhat | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 173 | 4 | Darjiling | Office of Dy CMOH-II, Siliguri | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 | 180 | 6.0 |
| 174 | - | Howrah | State General Hospital, Howrah | 90 | 3.0 | 90 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 175 | - | Hugli | Office of Dy CMOH-II, Hooghly | 90 180 | 3.0 | 90 180 | 3.0 | 90 | 3.0 | 90 180 | |
| 176 | ł | Jalpaiguri | Office of Dy CMOH-II, Jalpaiguri Dy. CMOH-II, Jhargram | 180 | 6.0 | 180 | 6.0 3.0 | 180 | 6.0 | 180 | 6.0 |
| 1// | 1 | Jhargram | Dy. CMOR-II, Juargraffi | 90 | 3.0 | - 20 | 3.0 | 90 | 3.0 | 90 | 3.0 |

2768497/2022/Procurement

| 178 | West Bengal | Kolkata | West Bengal State AIDS Prevention and Control Society, Family Welfare Medical Stores, Government of West Bengal, 541B Rabindra Sarani Bagbazar, Kokata-700003. | 300 | 10.0 | 270 | 9.0 | 270 | 9.0 | 270 | 9.0 |
|-----------|----------------------|-------------------------------|---|--------|--------|--------|--------|--------|--------|--------|--------|
| 179 | 1 | Murshidabad | DRS, Baharampur, Murshidabad | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 180 | | Nadia | Office of Dy CMOH-II, Nadia | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 181 | | North Twenty Four Parganas | Office of Dy CMOH-II, North 24 pgs. | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 182 | | Paschim Bardhaman | Office of the CMOH, Asansol | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 183 | | Paschim Medinipur | Zila Swasthya Bhawan, Midnapore | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 184 | | Purba Bardhaman | Office of Dy CMOH- II, Purba Burdwan | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 185 | 1 | Purba Medinipur | CMOH Office II, Nandigram | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 186 | | Purba Medinipur | CMOH Office, Tamluk | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 187 | | Purulia | DRS, Office of CMOH, Purulia | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| 188 | | Uttar Dinajpur | Office of Dy CMOH-II, Uttar Dinajpur | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 | 90 | 3.0 |
| All India | total | | | 59,790 | 1993.0 | 58,650 | 1955.0 | 59,130 | 1971.0 | 58,980 | 1966.0 |
| Total No. | . of Kits (30 tests/ | kit) | | | | | | | | | |
| Forecaste | ed Quantity | | | | | | | | | | |

HIV (Rapid) 3rd Antigen Test Kit (Kit-3)

| HIV 3rd | Test Kits (Immu | no concentration) | | | | | | | | | |
|---------|-----------------|--------------------------|---|-------------------------|-------------------------------|-------------------------|-------------------------------|-------------------------|-------------------------------|-------------------------|-------------------------------|
| SLNo | States/Uts | District | WIC Address | 01/11/22 to 31/12/22 | No. of kits (20 tests/kit) | 01/01/23 to 30/03/23 | No. of kits (20 tests/kit) | 01/04/23 to 30/06/23 | No. of kits (20 tests/kit) | 01/07/23 to 30/09/23 | No. of kits (20 tests/kit) |
| 1 | A&N Islands | A & N Islands SACS Store | The Project Director, Andaman & Nicobar AIDS Control Society, Q.No.10-11/AP Type-IV,Atlanta Point, Port Blair -744104 | 320 | 16.0 | 340 | 17.0 | 320 | 16.0 | 340 | 17.0 |
| 2 | | Anantapur | The Addll.D.M.HO (Leprosy & AIDS) IInd floor, DM & HO office, Opp. Govt. General Hospital, Anantapur - 515 001, | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 3 |] | Anantapur | Dept of Microbiology, Ananthapur | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 4 | | Chittoor | The Addll.D.M.HO. (Leprosy & AIDS) S.V.R.R.G.G.H. Campus, Tirupathi - 517501. | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 5 |] | Chittoor | Dept of Microbiology, Tirupathi | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 6 | | East Godavari | District AIDS Prevention & Control Unit (DAPCU), O'o Addl District Medical and Health office(A&L),DM&HO Campus,Near PR College,Kakimada, EastGodavari, AndhraPradeah, 533001, | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 7 | 1 | East Godavari | Dept of Microbiology, Kakinada | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 8 | | Guntur | District AIDS Prevention & Control Unit (DAPCU), O'o ADM&HO (A&L),DM&HO Office, Opp. Collectorate.Nagarampalem, Guntur, AndhraPradesh - 522004, | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 9 |] | Guntur | Dept of Microbiology, Guntur | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 10 | | Krishna | APSACS Store, Central Warehouse, 2A. Block, Bhavanipuram, Vijayawada, Krishna Dist., Andhra Pradesh State- 520012 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |

2768515/2022/Procurement

| 11 |] | Krishna | Dept of Microbiology, Vijayawada | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
|----|-------------------|-----------------------------|---|-----|------|-----|------|-----|------|-----|------|
| 12 | | Krishna | The Addll D.M.HO, (Leprosy & AIDS) OP No.8, Ground Floor, District Hospital Machilipatnam, Krishna District - 521001. | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 13 | Andhra Pradesh | Kurnool | The Addll D M.HO, (Leprosy & AIDS), District AIDS Prevention & Control Unit (DAPCU), Olo ADM&HO(A&L), Govt Quarters, B/D1-12. Opp: Officers Club,B.Camp, Kurnool, AndhraPradesh, Pm.518002, | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 14 | 1 | Kumool | Dept of Microbiology, Kumool | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 15 | | Prakasam | The Addll D.M.HO, (Leprosy & AIDS), Near Rangaraiyudu cheruvu, Cold chain complex, Ongole, Prakasam - 523 001. | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 16 | | Sri Potti Sriramulu Nellore | District AIDS Prevention & Control Unit (DAPCU). O'o ADM&HO(A&L), 2nd Floor, District Medical & Health Office, Beside Old Municipal Building, Santhapet, Nellore, AndhraPradesh-524001, | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 17 | | Srikakulam | The Addll.D.M.HO, (Leprosy & AIDS) Govt.Headquarters Hospital Campus, Balaga, . SRIKAKULUM - 532001. | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 18 | | Visakhapatnam | District AIDS Prevention & Control Uait (DAPCU), O'o Addi District Medical & Health O'dfdl (AIDS & Leprosy), Beside (AIDS & Leprosy), Beside Regional Eye Hospital, Opp. Bullayay College, Resapuvanipalem, Visakhapatnam, Andhrapradesh - 530003. | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 19 |] | Visakhapatnam | Dept of Microbiology, Visakhapatnam | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |

| | - | | | | | | | | | | |
|----|-----------------------|---------------------------------|---|-----|------|-----|------|-----|------|-----|------|
| 20 | | Vizianagaram | District AIDS Prevention & Control Unit (DAPCU), 2nd Floor, DM&HO Office, O'o the Addl District Medical & Health Officer (AIDS & Leprosy). Cantonment, Vizianagaram - 535003 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 21 | | West Godavari | The Addil D.M.HO, (Leprosy & AIDS) O/o DM&HO, 2nd Floor, Near Old Bus Stand, ELURU, W.G.District. | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 22 | | Y.S.R. | District AIDS Prevention & Control Unit (DAPCU), O'o AddI DM&HO (A&L), DM&HO Building, Opp. Iqbal Rice Mill, Akkanyabil, Kadapa City Kadapa - Y.S.R District, AndhraPradesh Pin: 516003 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 23 | Arunanchal Pradesh | Arunachal Pradesh SACS Store | The Project Director, Arunachal Pradesh State AIDS Control Society, Naharlagun, New Itanagar Arunachal Pradesh – 791110 | 320 | 16.0 | 340 | 17.0 | 320 | 16.0 | 340 | 17.0 |
| 24 | Assam | Assam SACS Store | The Project Director, Assam State AIDS Control Society, Khanapara, Guwahati - 781 022 | 820 | 41.0 | 800 | 40.0 | 820 | 41.0 | 800 | 40.0 |
| 25 | | Patna | Bihar State AIDS Control Society, State Institute Of Health & Family Welfare, Sheikhpura Bailey Road, Patna-800014. | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 |
| 26 | | Patna | Model Blood Bank Jai Prabha Hospital Campus Near Ganga Devi Mahila Maha Vidyalaya Kankarbagh, PC Colony, Patna Bihar 800020 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 |
| 27 | Bihar | Darbhanga | Darbhnaga Medical Collage Hospital, DMCH Rd, Allalpatti, Laheriasarai, Darbhanga, Bihar 846003 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 |
| 28 | | Bhagalpur | Sadar Hospital Bhagalpur. M.G Path, NH 80, Civil Hospital, Bhagalpur, Bihar 812001 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 |

2768515/2022/Procurement

| | - | | | | | | | | | | |
|----|--------------|-------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|
| 29 | | Begusarai | Sadar Hospital Begusarai, Hospital Rd, Ratanpur, Begusarai, Bihar 851101 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 |
| 30 | | Saran | Sadar Hospital Saran. Daroga Rai Chowk, Sadhapur, Chapra, Bihar 841301 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 | 580 | 29.0 |
| 31 | Chandigarh | Chandigarh SACS Store | The Project Director, Chandigarh State AIDS Control Society,Govt. Multispeciality Hospital, Sector 16, Chandigarh - 160016 | 960 | 48.0 | 960 | 48.0 | 960 | 48.0 | 960 | 48.0 |
| 32 | Chhattisgarh | Chhattisgarh SACS Store | The Project Director, Chattisgarh State Aids Control Society, Chattisgarh Health Society, State Health Training Centre, Kalibadi Chowk, Raipur, Chattisgarh – 492001. | 1,180 | 59.0 | 1,160 | 58.0 | 1,180 | 59.0 | 1,160 | 58.0 |
| 33 | Delhi | Delhi SACS Store | The Project Director, Delhi State AIDS Control Organization, I & II Floor, Dharmsala Block, Dr. Baba Saheb Ambedkar Hospital, Sector – 6, Rohini, Delhi - 110085. | 2,860 | 143.0 | 2,840 | 142.0 | 2,860 | 143.0 | 2,840 | 142.0 |
| 34 | | D & N Haveli SACS Store | The Project Director, State AIDS Control Society, Shri Vinoba Bhave Civil Society, Dadra and Nagar Haveli, Silvassa-396230 | 60 | 3.0 | 0 | 0.0 | 60 | 3.0 | 0 | 0.0 |
| 35 | DNHDD | Daman & Diu SACS Store | The Project Director, State AIDS Control Society, 2nd Floor, CHC, Fort Area, Moti Daman, Daman 396220 (UT) | 160 | 8.0 | 140 | 7.0 | 160 | 8.0 | 140 | 7.0 |
| 36 | Goa | Goa SACS Store | The Project Director, Goa State AIDS Control Society, ART centre, Goa Medical College, Bambolim-403002 | 340 | 17.0 | 320 | 16.0 | 340 | 17.0 | 320 | 16.0 |
| 37 | | Ahmadabad | AMC AIDS Control Society | 2,380 | 119.0 | 2,360 | 118.0 | 2,380 | 119.0 | 2,360 | 118.0 |
| 38 | Gujarat | Ahmadabad | The Project Director, Gujarat State AIDS Control Society. Block No. O/I New Mental Hospital Compound. Opp. Raksha Shakti University Meghaninagar, Ahmedabad-380016(Guj.) | 2,380 | 119.0 | 2,360 | 118.0 | 2,380 | 119.0 | 2,360 | 118.0 |

| 39 | Haryana | Haryana SACS Store | The Project Director, Haryana State AIDS Control Society, Swasthya Bhawan, Panchkula Sector 6, Panchkula - 134109 | 1,920 | 96.0 | 1,920 | 96.0 | 1,920 | 96.0 | 1,920 | 96.0 |
|----|---------------------|--------------------------------|--|-------|------|-------|------|-------|------|-------|------|
| 40 | Himachal Pradesh | Himachal Pradesh SACS Store | Project Director,HP State AIDS Control Society, Ground Floor, Block No.38,SDA Complex,Kasumpti-171009 | 960 | 48.0 | 960 | 48.0 | 960 | 48.0 | 960 | 48.0 |
| 41 | -Jammu & | Jammu | Project Director, J&K State AIDS control Society, 1st Floor Seerat Complex Sector-14 Nanak Nagar, Jammu, 180004 | 220 | 11.0 | 180 | 9.0 | 200 | 10.0 | 180 | 9.0 |
| 42 | Kashmir | Srinagar | Project Director, J&K State AIDS control Society, Public Health Building, Behind Bone & Joint Hospital, Barzulla, Srinagar 190005 | 220 | 11.0 | 180 | 9.0 | 200 | 10.0 | 180 | 9.0 |
| 43 | Jharkhand | Jharkhand SACS Store | Jharkhand State AIDS Control Society, Sadar Hospital Campus, Purulia Road, Ranchi, Jharkhand- 834001 | 1,600 | 80.0 | 1,580 | 79.0 | 1,600 | 80.0 | 1,580 | 79.0 |
| 44 | | Bangalore | The Project Director, Kamataka State AIDS Control Society, Karnanka State Aids Prevention Society, KSAPS Arogys South, 1 st Cross Road, Magada Road, Opposite, to KSR Metro Station, Bengaluru -560023 | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
| 45 | | Belgaum | District Drug Warehouse, District Hospital Premises Civil Hospital Compound, Belgaum, Karnataka 590019. | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
| 46 | | Bellary | DISTRICT DRUG WAREHOUSE, Dist Hospital Premises, Bellary- 570878 | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
| 47 |] | Bijapur | District Drug Warehouse, District Hospital Premises Bijapur - 598948. | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |

2768515/2022/Procurement

| 48 | | Dakshina Kannada | DISTRICT DRUG WAREHOUSE Wenlock Hospital Premises Mangalore- Hampankatta, Mangalore, Karnataka 575001 | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
|----|-----------|--------------------|---|-----|------|-----|------|-----|-----|-----|-----|
| 49 | | Davanagere | District Drug Warehouse, C.G Hospital Premises Davanagere – 577004 | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
| 50 |] | Dharwad | District Drug Warehouse, District Hospital Premises, Dharwad- 580008. | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
| 51 |] | Gulbarga | District Drug Warehouse, District Hospital Premises, Gulbarga – 585102. | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
| 52 | | Hassan | DISTRICT DRUG WAREHOUSE District Hospital Premises Hassan – 573201 | 200 | 10.0 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 |
| 53 | | Kolar | DISTRICT DRUG WAREHOUSE , District Hospital Premises Kolar 573910 ,DH &FW office, Kolar-563101 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 54 | | Mysore | DISTRICT DRUG WAREHOUSE, Hospital Road (Beside Vanivilasa hospital) Kalidasa Road, Mysore - 570012 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 55 |] | Raichur | District Drug Warehouse District Hospital Premises, Raichur, - 598005. | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 56 | Karnataka | Shimoga | District Drug Warehouse , MC Gann Hospital Premises ,Shimoga – 598233. | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 57 | | Tumkur | DISTRICT DRUG WAREHOUSE District Hospital Premises Tumkur-572101 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 58 | | Bangalore (unit-1) | Karnataka Drugs and Logistic Ware house Society, Siddaiah Purnik road, KHB Colony Magadi road, Bengaluru-560079 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 59 | | Bagalkot | D.H.O.Office Drug Store Room Number 34 C/O D.H.O.Office District Addministrative Building Navanagar Bagalkote 587103 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |

| | Bangalore (R) | ICTC Center, 1st Floor, General Hospital, TB Crcle, Doddaballapura Town Bangalore Rural District. 561203. | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
|---|-----------------|--|---|---|--|--|---|---|--|--|
| | Bidar | District Drug Ware House, Near 100 Beded Hospital, behind indian post office, Bidar.585401 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| | Chikkamagalur | District Health & Family Welfare Office. Behind Zilla Panchayath, Jyothi Nagara Post, Chikkmagaluru, 577102 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| | Chikkaballapura | New District Hospital, MG Road,Chikkaballapur-562101 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 1 | Chithradurga | DAPCU, District TB office, District hospital Primisis, Chitradurga 577501 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| | Gadag | District AIDS Prevention and Control Unit, Old District Hospital, Near Gandhi Circle, Gadag-582101 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 1 | Haveri | District Hospital Premises Haveri 581110 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| | Ramanagara | DHO Officer Premises Post Officer Road Behind Indira Canteen Ramanagara 562159 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| | Uđupi | District Health & Family Welfare Office, Ajjarakadu, Udupi-576101 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
|] | Karwara | District Health & Famimily Welfere office compound Main Road Karwar | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| | Yadgiri | DHO Office Near Sapna Talkies Gandhi Chowk Road Yadgir- 585201 | 200 | 10.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| | Alappuzha | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept. of Microbiology, Medical College Hospital, Vandanam Ambalaphuzha, NH 66, Vandanam, Kerala 688005 | 140 | 7.0 | 140 | 7.0 | 140 | 7.0 | 120 | 6.0 |
| | | Bidar Chikkamagahar Chikkaballapura Chidradurga Gadag Haveri Ramanagara Udupi Karwara Yadgiri | Bangalore (R) Doddballpura Doddballpura Town Bangalore Raral District 561203. Bidar District Drug Ware House. Near 100 Bedred Hospitu blenhan dinkan post office. Bidar 585401 Chikkamagahar District Health & Family Welfare Office. Beindar 2385401 Chikkamagahar District Health & Family Welfare Office. Beindar 2385401 Chikkamagahar District Health & Family Welfare Office. Beindar 2318 Panchayath, Jyofn Nagara Post. Chikkaballapura New District Hospital, MG Road Chikkaballupura Chikkaballapura New District Hospital, MG Road Chikkaballupur562101 DAPCU. District Hospital, MG Road, Chikkaballupur562101 DAPCU. District Hospital, MG Road, Chikkaballupur562101 Gadag Chitradurga 577501 District Hospital, New Gandha Circle, Gadag-S2101 Haveri District Hospital Premises Haveri S81110 District Hospital Premises Post Officer Road Behind Indira Cunteen Ramanagara 562159 Udupi District Health & Family Welfare Office, Ajjarakadu, Udupi-576101 Karwara Welfare office compound Main Road Karwar Yadgiri Gandhi Chowk Road Yadgir. 55201 Alappuzha SRL, Deyt of Microbiology. Medical College Hospital, NH | Bangalore (R) Hoopial. TB Crele. Doddshalbpura Town Banglore Rural District S61203. 200 Bidar Dibric Drug Ware House. Near 100 Bidded Hopital bland indian post office. Bidar S85401 200 Chakkamagalur District Drug Ware House. Near 000 Edded Hopital bland indian post office. Bidar S85401 200 Chakkamagalur District Health & Family Welfare Office. Behnd Zalla Panchayath. Jyoth Napara Post. Chikkaballapura 200 Chakkaballapura New District Hospital, MG Road, Chikkaballapur-S62101 200 Chakkaballapura New District Hospital, MG Road, Chikkaballapur-S62101 200 Gadag District Hospital Primiss, Chitradurga S77501 200 Gadag District Hospital Premises 4averi S01101 200 Haveri District Hospital Premises Haveri S1110 200 Karwar Officer Premises Post Officer Ananangara 562159 200 Udupi District Health & Family Weffre Office. Ajarakadu, Udupi-S76101 200 Karwara DHo Officer Premises Post Office. Ajarakadu, Udupi-S76101 200 Karwara DHO Officer Near Sapan Talkes S S201 200 Alappuzha SR. Der office Officer More Main SS2501 200 Alappuzha | Bangalore (R) Hospital. TB CrCle. Doddabulgura Town Bangalore Raral District 561203. 200 10.0 Bidar District Drug Ware House, Near 100 Beckel Hospital Neimain infain post office, Bidar S85401 200 10.0 Chikkamagahur District Health & Family Welfare Chikkaballapura 200 10.0 Chikkaballapura District Health & Family Welfare Chikkaballapura 200 10.0 Chikkaballapura New District Hospital And Read Chikkaballapur520101 200 10.0 Chikkaballapura New District Hospital And Read Chikkaballapur520101 200 10.0 Chikkaballapura Dayretu Dayret TB offace, Gadag-52101 200 10.0 Gadag District Hospital Premises, 200 10.0 10.0 Haveri District Hospital Premises Haveri S1110 200 10.0 Ramanagara Officer Premises Post Officer Koad Behand Indrin Cuitere Ramanagars 562159 200 10.0 Katwara District Health & Family Welfare Officer Nead Spans Talkes Gandhi Chowk Road Yadgir- S55201 200 10.0 Katwara District Health & Family Welfare Officer Nead Spans Talkes Gandhi Chowk Road Yadgir- S55201 200 10.0 <t< td=""><td>Bangalore (R) Hoopital. TB Crele. Doddshalbpurn Town Banglore Rural District S61203. 200 10.0 180 Badar District Drug Ware House. Near 100 Badded Hopital bland indian post office. Bidar. 585401 200 10.0 180 Chakkamagalur District Drug Ware House. Near Office. Behad Zilla Panchayath. Jyoth Shapar Jost. Chikkamagalur. 377102 200 10.0 180 Chakkaballapura New District Housh & Family Welfare Office. Behad Zilla Panchayath. Jyoth Shapar Jost. Chikkaballapura 200 10.0 180 Chakkaballapura New District Housh Magar Jost. Chikheaballapura S77102 200 10.0 180 Chakkaballapura District Hoopital Primiss, Chitradurga S77501 200 10.0 180 Gadag District Hoopital Premises Haveri Cander S28101 200 10.0 180 Haveri District Hoopital Premises Haveri Canteen Ramanagara S62159 200 10.0 180 Udupi District Health & Family Welfare Office: Ajarakadu, Udupi: S76101 200 10.0 180 Karwara District Health & Family Welfare Office: Ajarakadu, Udupi: S76101 200 10.0 180 Karwara DHO Office</td><td>Bangalore (R) Hospital. TB Crele. Dodabiliguan Town Bangalore Raral District. 561203. 200 10.0 180 9.0 Bidar District Drog Ware House. Near 100 Beeded Hospital Netmin initian post office. Bidar. 855401 200 10.0 180 9.0 Chikkamagahur District Health & Family Weffare Chikkamagahur 200 10.0 180 9.0 Chikkamagahur District Health & Family Weffare Chikkaballapurs. 200 10.0 180 9.0 Chikkaballapurs New District Hospital. MG Read. Chikbaballapurs. 200 10.0 180 9.0 Chikkaballapurs. Datrict Hospital. MG Read. Chikbaballapurs. 200 10.0 180 9.0 Chikkaballapurs. Datrict Hospital Premises. 200 10.0 180 9.0 Gadag Datrict Hospital Premises. 200 10.0 180 9.0 Haveri District Hospital Premises. 200 10.0 180 9.0 Haveri District Hospital Premises. 200 10.0 180 9.0 Rumanagara Officer. Real & Family Weffre Of</td><td>Bangalore (R)Hoopital. TB Crele. Doddshalbgurn Town Banglore Rural District Sci 203.20010.01809.0180BidarDistrict Drug Ware House. Near 100 Bedde Hogital behand indam post office. Bidar. S8540120010.01809.0180ChikkamagalurDistrict Beath & Family Welfare Office. Behad Zilla Panchayath. Johni Skapar Jost. Chikkamagalur. S7710220010.01809.0180ChakkaballapuraNew District Hospital. MG Rosed. Chikkaballapura. S6210120010.01809.0180ChakkaballapuraNew District TB office. Chithradurgs 37750120010.01809.0180GadagDistrict ADDS Prevention and Controlution. Officier Hospital Premises, S210120010.01809.0180HaveriDistrict Hospital Premises Haveri Chitradurgs 3210120010.01809.0180HaveriDistrict Hospital Premises Haveri Chitradurgs 5215920010.01809.0180KarwarOfficer Read Behad Indra Chitre Health & Family Weffre Officer Read Behad Indra Chitre Health & Family Weffre Officer Ajarakada, Udupi-S7610120010.01809.0180KarwarDistrict Health & Family Weffre S520120010.01809.0180KarwaraWeffer office compand Main S520120010.01809.0180KarwaraDistrict Health & Family Weffre Officer, Ajarakada, Udupi-S7610120010.01809.01</td><td>Bangalore (R) Hospital. TB Cricle. Dedshalbupura Tom Bangalore Raral District 561203. 200 100 180 9.0 180 9.0 Bidar District Drog Ware House. Near 100 Beedel Hospital behina indian post office. Bidar 585401 200 10.0 180 9.0 180 9.0 Chikkamagalur District Health & Family Welfare Office. Bidar 585401 200 10.0 180 9.0 180 9.0 Chikkamagalur District Health & Family Welfare Office. Bidar 585401 200 10.0 180 9.0 180 9.0 Chikkaballapura New District Hospital. MG Read Chikkaballapurs-62101 200 10.0 180 9.0 180 9.0 Chikkaballapura Datrict Hospital. MG Read Chikkaballapurs-62101 200 10.0 180 9.0 180 9.0 Gadag District Hospital Premises 77501 200 10.0 180 9.0 180 9.0 Haveri District Hospital Premises Haveri Chitradrugs 577501 200 10.0 180 9.0 180 9.0 Laveri District</td><td>Bangalore (R) Hospital. TB C:cle. Dedubabilizyur Town Banglore Raral District. 561:03. 2:00 10.0 180 9.0 180 9.0 180 Bidar District Drug War Houxe, Near 100 Bedded Hospital Demain infan pot office. Bidar S8:001 2:00 10.0 180 9.0 180 9.0 180 Chikkamagahur Dutrict Headth & Family Welfare Office. Beddar S8:001 2:00 10.0 180 9.0 180 9.0 180 Chikkamagahur Dutrict Hospital, MG Read, Chikkaballapur 5:0101 2:00 10.0 180 9.0 180 9.0 180 Chikkaballapur A New District Hospital, MG Read, Chikkaballapur 5:0101 2:00 10.0 180 9.0 180 9.0 180 Gadag District Hospital Premises, District Hospital Premises, 2:00 10.0 180 9.0 180 9.0 180 Haveri District Hospital Premises Hoveri S1110 2:00 10.0 180 9.0 180 9.0 180 Haveri District Hospital Premises Hoveri S1100 2:00 10.0 180</td></t<> | Bangalore (R) Hoopital. TB Crele. Doddshalbpurn Town Banglore Rural District S61203. 200 10.0 180 Badar District Drug Ware House. Near 100 Badded Hopital bland indian post office. Bidar. 585401 200 10.0 180 Chakkamagalur District Drug Ware House. Near Office. Behad Zilla Panchayath. Jyoth Shapar Jost. Chikkamagalur. 377102 200 10.0 180 Chakkaballapura New District Housh & Family Welfare Office. Behad Zilla Panchayath. Jyoth Shapar Jost. Chikkaballapura 200 10.0 180 Chakkaballapura New District Housh Magar Jost. Chikheaballapura S77102 200 10.0 180 Chakkaballapura District Hoopital Primiss, Chitradurga S77501 200 10.0 180 Gadag District Hoopital Premises Haveri Cander S28101 200 10.0 180 Haveri District Hoopital Premises Haveri Canteen Ramanagara S62159 200 10.0 180 Udupi District Health & Family Welfare Office: Ajarakadu, Udupi: S76101 200 10.0 180 Karwara District Health & Family Welfare Office: Ajarakadu, Udupi: S76101 200 10.0 180 Karwara DHO Office | Bangalore (R) Hospital. TB Crele. Dodabiliguan Town Bangalore Raral District. 561203. 200 10.0 180 9.0 Bidar District Drog Ware House. Near 100 Beeded Hospital Netmin initian post office. Bidar. 855401 200 10.0 180 9.0 Chikkamagahur District Health & Family Weffare Chikkamagahur 200 10.0 180 9.0 Chikkamagahur District Health & Family Weffare Chikkaballapurs. 200 10.0 180 9.0 Chikkaballapurs New District Hospital. MG Read. Chikbaballapurs. 200 10.0 180 9.0 Chikkaballapurs. Datrict Hospital. MG Read. Chikbaballapurs. 200 10.0 180 9.0 Chikkaballapurs. Datrict Hospital Premises. 200 10.0 180 9.0 Gadag Datrict Hospital Premises. 200 10.0 180 9.0 Haveri District Hospital Premises. 200 10.0 180 9.0 Haveri District Hospital Premises. 200 10.0 180 9.0 Rumanagara Officer. Real & Family Weffre Of | Bangalore (R)Hoopital. TB Crele. Doddshalbgurn Town Banglore Rural District Sci 203.20010.01809.0180BidarDistrict Drug Ware House. Near 100 Bedde Hogital behand indam post office. Bidar. S8540120010.01809.0180ChikkamagalurDistrict Beath & Family Welfare Office. Behad Zilla Panchayath. Johni Skapar Jost. Chikkamagalur. S7710220010.01809.0180ChakkaballapuraNew District Hospital. MG Rosed. Chikkaballapura. S6210120010.01809.0180ChakkaballapuraNew District TB office. Chithradurgs 37750120010.01809.0180GadagDistrict ADDS Prevention and Controlution. Officier Hospital Premises, S210120010.01809.0180HaveriDistrict Hospital Premises Haveri Chitradurgs 3210120010.01809.0180HaveriDistrict Hospital Premises Haveri Chitradurgs 5215920010.01809.0180KarwarOfficer Read Behad Indra Chitre Health & Family Weffre Officer Read Behad Indra Chitre Health & Family Weffre Officer Ajarakada, Udupi-S7610120010.01809.0180KarwarDistrict Health & Family Weffre S520120010.01809.0180KarwaraWeffer office compand Main S520120010.01809.0180KarwaraDistrict Health & Family Weffre Officer, Ajarakada, Udupi-S7610120010.01809.01 | Bangalore (R) Hospital. TB Cricle. Dedshalbupura Tom Bangalore Raral District 561203. 200 100 180 9.0 180 9.0 Bidar District Drog Ware House. Near 100 Beedel Hospital behina indian post office. Bidar 585401 200 10.0 180 9.0 180 9.0 Chikkamagalur District Health & Family Welfare Office. Bidar 585401 200 10.0 180 9.0 180 9.0 Chikkamagalur District Health & Family Welfare Office. Bidar 585401 200 10.0 180 9.0 180 9.0 Chikkaballapura New District Hospital. MG Read Chikkaballapurs-62101 200 10.0 180 9.0 180 9.0 Chikkaballapura Datrict Hospital. MG Read Chikkaballapurs-62101 200 10.0 180 9.0 180 9.0 Gadag District Hospital Premises 77501 200 10.0 180 9.0 180 9.0 Haveri District Hospital Premises Haveri Chitradrugs 577501 200 10.0 180 9.0 180 9.0 Laveri District | Bangalore (R) Hospital. TB C:cle. Dedubabilizyur Town Banglore Raral District. 561:03. 2:00 10.0 180 9.0 180 9.0 180 Bidar District Drug War Houxe, Near 100 Bedded Hospital Demain infan pot office. Bidar S8:001 2:00 10.0 180 9.0 180 9.0 180 Chikkamagahur Dutrict Headth & Family Welfare Office. Beddar S8:001 2:00 10.0 180 9.0 180 9.0 180 Chikkamagahur Dutrict Hospital, MG Read, Chikkaballapur 5:0101 2:00 10.0 180 9.0 180 9.0 180 Chikkaballapur A New District Hospital, MG Read, Chikkaballapur 5:0101 2:00 10.0 180 9.0 180 9.0 180 Gadag District Hospital Premises, District Hospital Premises, 2:00 10.0 180 9.0 180 9.0 180 Haveri District Hospital Premises Hoveri S1110 2:00 10.0 180 9.0 180 9.0 180 Haveri District Hospital Premises Hoveri S1100 2:00 10.0 180 |

2768515/2022/Procurement

| 72 | | Kottayam | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept of Microbiology, Medical College Hospital, Gandhi Nagar, Kottayam, Kerala 686008 | 140 | 7.0 | 140 | 7.0 | 140 | 7.0 | 120 | 6.0 |
|----|-------------------|--------------------|--|-----|------|-----|------|-----|------|-----|------|
| 73 | Kerala | Kozhikode | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS) SRL. Dept of Microbiology, Medical College, Kozhikode- 673008 (Incharge-Ms. Indhu, Technical Officer Mob. 7994468259) | 140 | 7.0 | 140 | 7.0 | 140 | 7.0 | 120 | 6.0 |
| 74 | | Thiruvananthapuram | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), RED CROSS ROAD, NEAR GENERAL | 140 | 7.0 | 140 | 7.0 | 140 | 7.0 | 120 | 6.0 |
| 75 | | Thiruvananthapuram | KSACS OFFICE-2 | 140 | 7.0 | 140 | 7.0 | 140 | 7.0 | 120 | 6.0 |
| 76 | | Thrissur | The Project Director, KERALA STATE AIDS CONTROL SOCIETY (KSACS), SRL, Dept. of Microbiology, Medical College, Thrissur-680596 | 140 | 7.0 | 140 | 7.0 | 140 | 7.0 | 120 | 6.0 |
| 77 | Lakshadweep | SACS Store | The Project Director, Lakshadweep AIDS Control Society,Department of Health Services, U.Tof Lakshadweep, Kavaratti Island P O pin 682 555 | 100 | 5.0 | 80 | 4.0 | 100 | 5.0 | 80 | 4.0 |
| 78 | | Bhopal | The Project Director, Madhya Pradesh State AIDS Control Society, 1 Arera Hills, 2nd Floor, OILFED Bhawan, Bhopa1-462 011 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 |
| 79 | Madhya Pradesh | Gwalior | SRL, Microbiology Department, Gajra Raja Medical College, Gwalior 474009 | 380 | 19.0 | 380 | 19.0 | 380 | 19.0 | 380 | 19.0 |

| 80 | Indore | SRL, Microbiology Department, Mahatma Gandhi Memorial Medical College, Indore- 452001 | 640 | 32.0 | 640 | 32.0 | 640 | 32.0 | 640 | 32.0 |
|----|------------|---|-------|------|-------|------|-------|------|-------|------|
| 81 | Jabalpur | SRL, Microbiology Department, Regional Medical Research Centre, Jabalpur- 482003 | 780 | 39.0 | 720 | 36.0 | 780 | 39.0 | 720 | 36.0 |
| 82 | Akola | Project Director, Maharashtra State AIDS Control Society (MSACS) Government Medical Collage, Back of Ashok Vatika, Colletor Offices Road, Akola 444001 | 1,000 | 50.0 | 1.000 | 50.0 | 1,000 | 50.0 | 1,000 | 50.0 |
| 83 | Aurangabad | Project Director, Maharashtra State AIDS Control Society (MSACS) Deputy Director, Health Services, Aurangabad Circale, Mahavir Chowk, Apposite Baba Petrol Pump, Aurangabag 431001 | 940 | 47.0 | 940 | 47.0 | 940 | 47.0 | 940 | 47.0 |
| 84 | Latur | Project Director, Maharashtra State AIDS Control Society (MSACS) Women Hospital Labor Colony, Shau Chauk, Latur-413512 | 1,600 | 80.0 | 1,580 | 79.0 | 1,600 | 80.0 | 1,580 | 79.0 |
| 85 | Mumbai | Project Director, Maharashtra State ALDS Control Society (MSACS), Ackworth Leprosy Hospiral Compound, Behind S I W S. College, R. A Kidwai Marg, Near Wadala Over Bridge, Wadala (West), Mumbai – 400 031. | 480 | 24.0 | 480 | 24.0 | 480 | 24.0 | 480 | 24.0 |
| 86 | Nagpur | Project Director, Maharashtra State AIDS Control Society (MSACS), Deputy Director, Nagpur Circale, Near Diksha Bhumi, Post Shardhanand Peth, Nagpur-440018 | 940 | 47.0 | 940 | 47.0 | 940 | 47.0 | 940 | 47.0 |
| 87 | Nashik | Deputy Director, Health Services, Trimbak Naka, Apposite Rajdooth Hotal, Trimbak Road Nashik 422002 | 1,200 | 60.0 | 1,200 | 60.0 | 1,200 | 60.0 | 1,200 | 60.0 |

2768515/2022/Procurement

| 88 | | Pune | Project Director, Maharashtra State AIDS Control Society (MSACS) District Hospital, Aundh Chavani, Aundh, Pune-27 | 2,880 | 144.0 | 2,880 | 144.0 | 2,880 | 144.0 | 2,880 | 144.0 |
|----|-------------|------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|
| 89 | Maharashtra | Satara | Project Director, Maharashtra State AIDS Control Society (MSACS) DAPCU Office, Krantisinh Nana Patil Crvil Hopsital, Behind ST Bus stand, Satara-415001 | 620 | 31.0 | 620 | 31.0 | 620 | 31.0 | 620 | 31.0 |
| 90 | | Thane | Project Director, Maharashtra State AIDS Control Society (MSACS) Vitthal Sayana General Hospital, Kort Naka, Tambhi Naka, Agyarilane, Thane West, Thane 400601 | 2,140 | 107.0 | 2,140 | 107.0 | 2,140 | 107.0 | 2,140 | 107.0 |
| 91 | | Aurangabad | Project Director, Maharashtra State AIDS Control Society (MSACS), New Civil Hospital, Chikalthana, Opp Airport, Jalna Road, Aurangabad, 431001 | 320 | 16.0 | 320 | 16.0 | 320 | 16.0 | 320 | 16.0 |
| 92 | | Nagpur | Project Director, Maharashtra State AIDS Control Society (MSACS), Deputy Director, Nagpur Circale, Near Diksha Bhumi, Post Shardhanand Peth, Nagpur-440018 | 720 | 36.0 | 720 | 36.0 | 720 | 36.0 | 720 | 36.0 |
| 93 | | Malegaon, Nashik | Project Director, Maharashtra State AIDS Control Society (MSACS), General Hospital, Rahul nagar, Kalikutti maidan, malegaon, Dist-Nashik, 423203 | 800 | 40.0 | 800 | 40.0 | 800 | 40.0 | 800 | 40.0 |
| 94 | | Alibag Raigad | Project Director, Maharashtra State AIDS Control Society (MSACS), Medical store department, Groud floor, Civil Hospital, Opp-Zilla parishad, Raigad - Alibag, 402201 | 400 | 20.0 | 400 | 20.0 | 400 | 20.0 | 400 | 20.0 |

| 95 | | Solapur | Project Director, Maharashtra State AIDS Control Society (MSACS), Dr V. M. Government Medical College, Near district court, Solapur, 413002 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
|-----|-----------|--------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|
| 96 | • | Kolhapur | Project Director, Maharashtra State AIDS Control Society (MSACS), District Aids Prevention and Control unit, Dasara Chow, near central library, RCSMGMC and CPR Hospital, Kolhapur, 416002 | 1,600 | 80.0 | 1,600 | 80.0 | 1,600 | 80.0 | 1,600 | 80.0 |
| 97 | Manipur | Manipur SACS Store | The Project Director, Manipur State AIDS Control Society, RD Wing, Lamphelpat, Imphal- 795004 | 940 | 47.0 | 920 | 46.0 | 940 | 47.0 | 920 | 46.0 |
| 98 | Meghalaya | East Khasi Hills | The Project Director, Meghalaya State Aids Control Society, Directorate of Health Services (Research),Pasteur Institute,Shillong-793008 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 |
| 99 | 1 | Jaintia Hills | Jowai civil Hospital, Lalong, | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 |
| 100 | | West Garo Hills | Jowai Tura Civil Hospital | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 |
| 101 | Mizoram | Aizaw1 | The Project Director, Mizoram State AIDS Control Society, J. Lalsangzuala Building,B-50, Mission Veng,Aizawl - 796 005 Mizoram | 400 | 20.0 | 380 | 19.0 | 400 | 20.0 | 380 | 19.0 |
| 102 | Mumbai | Mumbai | Project Director, Mumbai Districts AIDS Control Society (MDSACS), Municipal Corporation of Greater Mumbai, Ackworth Leptory Hospital Compound, Behand S LW S. College, R. A. Kwiwa Marg, Snew Wadala Over Bridge: Wadala (West), Mumbai – 400 031 | 4,420 | 221.0 | 4,400 | 220.0 | 4,420 | 221.0 | 4,400 | 220.0 |

2768515/2022/Procurement

| 103 | Nagaland | Nagaland SACS Store | The Project Director,Nagaland State AIDS Control Society, Directorate Of Health & Family Welfare, New Secretariat Road, Ruziezou, Kohima- 797001,Nagaland | 660 | 33.0 | 660 | 33.0 | 660 | 33.0 | 660 | 33.0 |
|-----|------------|------------------------|--|-------|-------|-------|-------|-------|-------|-------|-------|
| 104 | Odisha | Orissa SACS Store | The Project Director, Orissa State AIDS Cell, 2nd Floor, Oil Orissa Building, Nayapalli, Bhuwaneshwar - 751015 | 1,600 | 80.0 | 1,580 | 79.0 | 1,600 | 80.0 | 1,580 | 79.0 |
| 105 | Puducherry | Pondicherry SACS Store | The Project Director, Pondichery AIDS Control Society, The Directorate of Health Complex Old Maternity Hospital Building, Victor Simonel Street, Puducherry-605001. | 400 | 20.0 | 380 | 19.0 | 400 | 20.0 | 380 | 19.0 |
| 106 | | Amritsar | SRL, Govt Medical College, Amritsar, Punjab Pin-143001 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 |
| 107 | Punjab | Chandigarh | The Project Director, Punjab State AIDS Control Society (PSACS) Prayaas Building, 4th Floor, Sector-38/B, Chandigarh-160036 | 820 | 41.0 | 800 | 40.0 | 820 | 41.0 | 800 | 40.0 |
| 108 | | Ludhiana | DAPCU, Civil Hospital, Ludhiana, Punjab Pin-141001 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 |
| 109 | | Patiala | SRL, Govt Medical College, Patiala, Punjab 147001 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 | 780 | 39.0 |
| 110 | Rajasthan | Rajasthan SACS Store | The Project Director, Rajasthan State AID'S Control Society, Medical & Health Directorate, Swasthya Bhawan, Tilak Marg, "C" Scheme, Jaipur-302 005. | 2,560 | 128.0 | 2,540 | 127.0 | 2,560 | 128.0 | 2,540 | 127.0 |
| 111 | Sikkim | Sikkim SACS Store | The Project Director, Sikkim State AIDS Control Society, STNM Hospital Complex,Gangtok,East -Sikkim,Pin no-737101 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 112 | | Chennai | DAPCU Chennai, No 82, Tiru vi ka Salai, Mylapore (CAPACS) Chennai - 600004 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |

| 113 | Chennai | Tamil Nadu Medical Services Corporation Ltd., Govt. Peripheral Hospital Campus, Anna Nagar, Chennai-600078 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
|-----|---------------|--|-----|------|-----|------|-----|------|-----|------|
| 114 | Chennai | The Project Director, Tamil Nadu State AIDS Control Society,HINA COLD CHAINZ, Melmakkam Village, Kannapalayam (PO), Chennai - 600077 Tamihadu | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 | 300 | 15.0 |
| 115 | Coimbatore | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Civil Aero Dram Post, Avinashi Road, Coimbatore – 641014 | 280 | 14.0 | 260 | 13.0 | 280 | 14.0 | 260 | 13.0 |
| 116 | Cuddalore | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Beach Road, Near D.M.O Bungalow Devanampattinam, Cuddalore.607001 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 117 | Dharmapuri | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Govt. Head Quarters Hospital Campus, Vannanpatti Road, Dharmapuri 636701 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 118 | Kancheepuram | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd. Arignar Anna Memorial Cancer Hospital Campus, Bangalore Road, Karapettai, Kanchipuram.631552 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 119 | Kanniyakumari | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Nagercoil, Asaripallam Post, Kanyakumari District – 629 201 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |

2768515/2022/Procurement

| 120 | | Madurai | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Collectorate Campus, Madurai – 625 020. | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
|-----|------------|----------------|--|-----|------|-----|------|-----|------|-----|------|
| 121 | | Namakkal | The Pharmacist, District Drug Warehouse, NEAR ADDITIONAL PRIMARY HEALTH CENTRE, ALANGANATHAM PIRIVU, NAMAKKAL - 637013 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 122 | Tamil Nadu | Ramanathapuram | The Pharmacist,District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Sikal Rajavcethi, Kenikarai, Ramanathapuram – 623 504, | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 123 | | Salem | The Pharmacist, District Drug Warehouse Tamii Nadu Medical Services Corporation Ltd., Near GMK Medical College, Salem Steel Road, K.Kollapatti, Salem – 636030 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 124 | | Sivaganga | The Pharmacist, District Drug Warehouse, PANANKADI ROAD, SIVAGANGAI - 630561 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 125 | | Thanjavur | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Tanjore Medical College Hospital Campus, Vallam Road, Tanjore - 613 004 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 126 | | The Nilgiris | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Chester Field's Peyton's Road, Opp. To Civil Supplies Godown, Uthagai. Nilgiris – 643 001. | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |

| | | | | | | | | | | |
|-----|-----------------|---|-----|------|-----|------|-----|------|-----|------|
| 127 | Theni | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Kandamanur Road, K.Vilakku, Theni District - 625 512 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 128 | Thoothukkudi | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Devarpuram Road, Near South Police Station, Tuncorin - 628 003. | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 129 | Tiruchirappalli | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Periamilagu Parai, Collector Office Road, Trichy – 620 001. | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 130 | Tirunelveli | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Opp. To Sathk Abdullah College, Tiruchendur Road, Palayankottai, Tirunelveli – 627 011. | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 131 | Tiruvannamalai | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., Chest Clinic (TB) Campus, Anna Nagar, Tiruvannamalai – 606 602 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 132 | Vellore | The Pharmacist, District Drug Warehouse Tamil Nadu Medical Services Corporation Ltd., TB Sanatorium Campus, Adugamparai Post, Vellore District 632011 | 220 | 11.0 | 200 | 10.0 | 220 | 11.0 | 200 | 10.0 |
| 133 | Adilabad | DAPCU Office | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 134 | Hyderabad | Dept., of Microbiology Gandhi Medical College | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 135 | Hyderabad | Dept., of Microbiology Osmania Medical College | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 136 | Hyderabad | O/o The Addl DM&HO | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |

| 137 | | Hyderabad | Telangana State AIDS Control Society, TSACS Central Stores, AYUSH Building, Opp-Shalimar Function Hall, Near Padmashahi Bhavan. Beside Ram Mandhir, Ramkot, Narayanaguda, Hyderabad –500 029 (Telangana State) | 840 | 42.0 | 840 | 42.0 | 840 | 42.0 | 840 | 42.0 |
|-----|-----------|--------------------|---|-----|------|-----|------|-----|------|-----|------|
| 138 | | Karimnagar | Govt. Dist Head Quarter Hospital - Karimnagar | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 139 | Telangana | Khammam | DAPCU | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 140 | | Mahbubnagar | O/o.Addl DM&HO(AIDS&Lep), 2nd Floor, DM&HO Office, Mahabubnagar. | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 141 | | Medak | District Hospital - Sangareddy | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 142 | | Nalgonda | DAPCU Office, 2nd floor, DM&HO Office, R P Road, Opp: One town police station, Nalgonda - 508001 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 143 | 1 | Nizamabad | Govt Medical college | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 144 | 1 | Rangareddy | O/o The Addl DM&HO | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 145 | | Warangal | Department of Microbilogy, Kakatiya Medical College, Warangal, | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 146 | | Warangal | DM&HO Office, Warangal Urban District | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 | 420 | 21.0 |
| 147 | Tripura | Tripura SACS Store | The Project Director, Tripura State AIDS Control Society, Opposite of IGM Hospital, Akhaura Road, Agartala, Tripura, Pin 799001 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 148 | | Aligarh | The Project Director, Uttar Pradesh State AIDS Control Society, SRL, Cold Room, Department of Microbiology, J.N. Medical College, AMU, Aligarh-202001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 149 | | Banda | The Project Director ,Uttar Pradesh State Aids Control Society,District TB Control Center Campus ,District Hospital ,Banda 210001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |

| 150 | | Gorakhpur | The Project Director, Uttar Pradesh State AIDS Control Society, State Reference Laboratory Room No. 30-A.Nehru Hospital Dept of Microbiology.BRD Medical College Gorakhpur UP -273013 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
|-----|---------------|-----------|---|-----|------|-----|------|-----|------|-----|------|
| 151 | | Lucknow | The Project Director, Uttar Pradesh State AIDS Control Society, SRL, Department of Microbiology, King George's Medical University (KGMU), Chowk, Luckow, Uttar Pradesh, India-226003 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 152 | | Meerut | The Project Director, Uttar Pradesh State AIDS Control Society, SRL, Cold Room Department of Microbiology,LLRM Mrdical College, Garh Road Meerut 250004 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 153 | | Varanasi | The Project Director, Uttar Pradesh State AIDS Control Society, SRL Cold Room Department of Microbiology, Institute of Medical Sciences, B.H.U., Varanasi, U.P., India - 221005 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 154 | | Badauan | The Project Director, Uttar Pradesh State Aids Control Society, District Female Hospital Badaun 243601 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 155 | Uttar Pradesh | Agra | The Project Director ,Uttar Pradesh State Aids Control Society,SRL ,Cold Room Department of Microbiology ,SN Medical College Agra-282001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 156 | | Jhanshi | The Project Director ,Uttar Pradesh State Aids Control Society, SRL Cold Room Department of Microbiology MLB Medical College Jhansi- 284001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |

2768515/2022/Procurement

| | - | | | | | | | | | | |
|-----|------------|------------------------|--|-----|------|-----|------|-----|------|-----|------|
| 157 | | Kanpur | SRL ,Cold Room Department of Microbiology ,GSVM Medical College Kanpur-208002 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 158 | | Prayagraj | SRL ,Cold Room Department of Microbiology ,MLN Medical College Prayagraj-211002 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 159 | 1 | Sonebhadra | WIC,03rd Floor District Hospital Sonnebhadra UP 232216 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 |
| 160 | | Mirzapur | WIC,District Female Hospital 2nd Floor Rambagh Mirzapur UP 231001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 161 | 1 | Azamgarh | WIC,2nd Floor District Hospital Azamgarh UP 276001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 162 | | Ayodhya | Cold Room Department of Microbiology, RDAS Medical College ,Ayodhya UP 224001 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 |
| 163 | 1 | Gonda | WIC,District Hospital Gonda UP 224182 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 164 | | Basti | Cold Room Department of Microbiology, Opec Hospital Kaili ASMC Basti Pin Code- 272001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 165 | | Saharanpur | SRL ,Cold Room Department of Microbiology ,Saharanpur Medical College,Ambala Road Saharanpur-247232 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 166 | | Etawah | District AIDS Prevention & Control UnitDistrict TB Clinic, Near TB Hospital CMO Office Campus- 206001 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 | 220 | 11.0 |
| 167 | | Muradabaad | WIC,District TB Control Center Moradabad 244001 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 | 240 | 12.0 |
| 168 | Uttrakhand | Uttarakhand SACS Store | The Project Director, Uttarakhand State AIDS Control Society, In building of Indian Red Cross tociety, 18; Hoor, Danda Lakhond, sahastradhara Road, Near Medical Health and FW - UK, Dehradun Uttarakhand - 248001. | 820 | 41.0 | 800 | 40.0 | 820 | 41.0 | 800 | 40.0 |

| | of Kits (20 tests ed Quantity | s/kit) | | | | | | | | | |
|----------|----------------------------------|----------------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|
| ll India | | | | 87,000 | 4350.0 | 85,760 | 4288.0 | 86,420 | 4321.0 | 85,460 | 4273.0 |
| 188 | 1 | Uttar Dinajpur | Office of Dy CMOH–II, Uttar Dinajpur | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 187 | - | Purulia | DRS, Office of CMOH, Purulia | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 186 | | Purba Medinipur | CMOH Office, Tamluk | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 185 | | Purba Medinipur | CMOH Office II, Nandigram | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 184 | | Purba Bardhaman | Office of Dy CMOH- II, Purba Burdwan | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 183 | | Paschim Medinipur | Zila Swasthya Bhawan, Midnapore | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 182 | 1 | Paschim Bardhaman | Office of the CMOH, Asansol | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 181 | West Bengal | North Twenty Four Parganas | Office of Dy CMOH-II, North 24 pgs. | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 180 | | Nadia | Office of Dy CMOH–II, Nadia | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 179 | | Murshidabad | DRS, Baharampur, Murshidabad | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 178 | | Kolkata | West Bengal State AIDS Prevention and Control Society, Family Welfare Medical Stores, Government of West Bengal, 541B Rabindra Sarani Bagbazar, Kolkata-700003. | 360 | 18.0 | 360 | 18.0 | 360 | 18.0 | 360 | 18.0 |
| 177 | | Jhargram | Dy. CMOH-II, Jhargram | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 176 | | Jalpaiguri | Office of Dy CMOH–II, Jalpaiguri | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 175 | | Hugli | Office of Dy CMOH–II, Hooghly | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 174 | | Howrah | State General Hospital, Howrah | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 173 | | Darjiling | Office of Dy CMOH-II, Siliguri | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 171 | | Birbhum Birbhum | Office of Dy CMOH–II, Birbhum Office of Dy CMOH–II, | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 170 | | Bankura | DRS, Bishnupur Dist Hospital (Rasikganj Bus Stand) | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |
| 169 | | Alipurdwar | Office of Dy CMOH–II,Alipurduar | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 | 180 | 9.0 |

Annexure-1C

Artwork

2709786/2022/BSD

152

Images of STI/RTI kits

Size : L-75 x H-90 mm

Front Back KI ABLETS I.P. 1 gm lipm .q.a. en Disskie LP KIT 1 ETS LP. 400 mg mycin 1 gm & 00 mg Single d Cervicits Manufactured in India by Why Lic No: GIZ IMPORTANT NON-COMMERCIAL PRODUCT NOT FOR SALE TO BE DISPENSED ONLY AT STURTI CLINICS Reich No. MBg. Date Exp. Date

Size : L-75 x H-90 mm



